



Urban
e-Mobility

MG-20

foldable e-bike



DESIGN
AWARD
2021



MAGNESIUM

MG-20

foldable e-bike

MAGNESIUM



Magnesium frame - Lightweight and sturdy



Winner of the prestigious
iF Design Award 2021

MG-20

foldable e-bike



Easy and safe closing-system



250W rear motor



Magnesium frame



Magnesium fork and rims


Technical specifications




Ultra-lightweight
Magnesium frame




Easy to
carry




Integrated
SAMSUNG battery



Disc brakes



Magnesium rims



250W, 10.8 Nm
motor



LCD
Display

MG-20


foldable e-bike

Technical specifications

Product code: DU-BI-210003
Ean code: 8052679453061

General information

| | |
|--------------|--|
| Tyres | 20" X 2.125" with reflective band |
| Rims | magnesium rims with 6 spokes |
| Brakes | mechanical disc type |
| Gearbox | SHIMANO 6-speed |
| Front fork | magnesium |
| Crankset | 44T chainring - 6 pinions (14-16-18-21-24-28T) |
| Pedals | plastic, foldable |
| Frame | magnesium |
| Max speed | 25 km/h |
| Saddle | comfort model |
| Seat tube | aluminium |
| Handlebar | aluminium, foldable |
| Grips | rubber |
| Mudguards | plastic |
| Prop stand | rear, side model |
| Weight limit | 110kg |



Electrical system

| | |
|-----------------|---|
| Lights | front, LED |
| Display | LCD with assist levels, ON/OFF lights, odometer with relative functions |
| Motor | 36V, 250W, IP54, 10.8Nm, rear |
| Battery | SAMSUNG 36V, 10.5Ah, 378Wh incorporated into frame and extractable |
| Battery charger | input: 100-240V, 50-60Hz, 2.5A / output: 42V, 2.0A |
| Charge time | 4/5 hours |
| Autonomy | up to 50 km, this distance depends on: assist level used, rider weight, muscle power applied during pedalling, tyre pressure, slope gradient, number of stops and starts. |

Dimensions and weight

| | |
|------------------------|---------------------|
| Battery weight | 2.06kg |
| Weight without battery | 18.47kg |
| e-bike weight | 20.53kg |
| e-bike dimensions | 1510 x 580 x 1070mm |
| Packaging dimensions | 830 x 420 x 620mm |



Produced and imported by M.T. Distribution Srl
Calderara di Reno, Bologna
www.mtdistribution.it

Ducati Motor Holding S.p.A. Official Licensed Product.