


**KCA** Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.#P\_0058



Generated By: Ryan Bellone cco

Date: 10/24/2023

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request



KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.#P\_0058

## KANDYGIRL - 1ML DISPOSABLE

Sample ID: 124901-54760 Batch: 2574527193411

Type: Finished Product - Inhalable Matrix: Concentrate - Distillate

Unit Mass (g):

Received: 11/17/23 Completed: 11/15/23

Client Kandygirl 170 NE 33rd St Oakland Park, FL 33334 United States

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; \( \Delta = Delta; \) Total \( \Delta 9-THC = \Delta 9-THCA \cdot 0.877 + \Delta 9-THC; \) Total CBD = CBDA \( \cdot 0.877 + CBD; \)



Generated By: Ryan Bellone CCO

Date: 10/24/2023

Tested By: Scott Caudill Laboratory Manager Date: 10/24/2023





ISO/IEC 17025:2017 Accredited Accreditation #108651