

Test Report No: SHCPCH140803878-1 Date: Oct 08 2014

Client name:

Client address

Sample name: Lip balm SPF 15

Manufacturer:

The above sample information was submitted and identified by the clients.

SGS job No.: SHCPCH140803878-1
SGS reference No.: GZCPCH140801146-1
Date of receipt: 2014-08-22

Testing period: 2014-08-22 ~ 2014-09-30

TEST(S) REQUESTED:

Selected test(s) as requested by applicant:

TEST METHOD(S):

in vitro SPE test*: With reference to 21 CFR Parts 201 301 and 352

TEST RESULT(S).

Please refer to next page

CONCLUSION:

Instrument test results showed that the SPF value of test sample is 13.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested, and this document cannot be used for publicity without approval of the Company.



SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd. Testing Center Page 1 of 2 RAND: 3194414



The Section 1 of the Se



Test Report No: SHCPCH140803878-1 Date: Oct 08 2014

TEST METHOD(S):

With reference to 21 CFR Parts 201 301 and 352

TEST MATERIALS

Certified standard substance: SPF15 from Cosmetech Lacoratories, Inc.

Instrument: UV 2000S of UV transmittance analyzer from Labsohere Inc.

TEST DECCEDINE

According to the dosage of 1.3 mg/cm², the test sample or standard reference substance were draw using special syringe and averaged point on the surface of PMMA plate. Then data samples with medical latex gloves to making it the uniform distribution. Whole the plate with sample were placed at room temperature (20.90°C), 496%-69% relative humidity for 15min. Then test the UV transmittance by UV 2000S. Each sample test three times, each piece of sample were detect 9 points. Record samples and standard SPP values.

TEST RESULT(S):

SPF determination of Standard reference substance and the sample

	Sample No.	Sample SPF	Reference substance SPF
Г	1	15	13
Г	2	14	14
Г	3	14.5	13
Г	average	14.6±0.6	13.3

Remark: * The test was carried out by external laboratory assessed as competent.

SAMPLE DESCRIPTION: Sample in tube



*** End of Report***

SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd. Testing Center Page 2 of 2 RAND: 3194414



A contract of the contract of