

#### **About Our Company**



**ProMediaGear** – founded in 2009 by the Fudala brothers - Tom, Matt, and Derek - all engineering graduates from the University of Illinois at Chicago.

The brothers share 45 years of photo/video, and 65 years of engineering experience, designing, and manufacturing parts from simple brackets to aerospace equipment. Product design runs in their blood with their grandfathers making wagons, horseshoes and wood working tools in the early 1900s.

PMG designs and manufactures products in the United States using the finest materials and machining capabilities with high attention to detail.

#### It all started with a Flash Bracket

Tom and Matt were struggling to find a camera flash bracket that would fit their needs while shooting portraits, so they created their own, and Boomerang Flash Bracket was born. Once introduced to photographers, they loved it, and appreciated the quality, craftmanship and ease of use.

#### **Our Mission:**

ProMediaGear was founded to provide photographers with excellent gear that will last a lifetime. We design and build products that are duranble, intuitive and exciting to use. To learn more visit ProMediaGear.com today.





Front Cover Credit: Tom Fudala Kevin Dooley from: IdubePhotoSafaris.com

#### **ProMediaGear**

### Become a ProMediaGear Reseller Today !!!

#### Social Media

United States 888-413-3332 or 708-263-4443 Europe +44 (0)20 3598 4755

Order online at www.ProMediaGear.com Email info@ProMediaGear.com






5 - Year Warranty Free Returns in USA 30-Day Money Back Guarantee



## Company Founders: Matt, Derek & Tom





The PRO-STIX, 42-SERIES, 3 and 4 section Carbon Fiber Tripods for serious photographers. The 42-series features a precision machined truss apex for superior rigidity, function and style. Coupled with a 42mm diameter, 10X layer, carbon fiber legs we created the best in class weight to strength ratio of any comparable tripod! Available in 3 lengths with Flat Plate or 75mm and 100mm bowl options.

# **42 Series Core Features:**

- T6061 Lightweight Aluminum Apex
- 42mm, 10x layer Carbon Fiber Legs
- 3 Angle Adjustments (22.5° / 50° / 78°)
- Tension Adjustable Leg Mechanism
- Spring Loaded Apex w/ Safety
- Interchangeable Mount
- Hardened Stainless Steel Spikes
- Spirit Level
- Max Load Capacity: 125 lbs.



	TR423	TR424	TR424L
Leg Sections	3	4	4 Long
Max Height	58" in. / 147 cm	58" in. / 147cm	77" in. / 196 cm
Min. Height	6.80" in. / 17.27 cm	6.00" in. / 15.24 cm	6.70" in. / 17.02 cm
Folded Length	26" in. / 66 cm	21.25" in. / 54 cm	26.25" in. / 67 cm
Weight	5.80 lbs / 2631 g	5.90 lbs / 2676 g	6.40 lbs / 2903 g

#### TRB75 - 75mm Bowl Mount

The bowl mount quickly snaps into our PMG PRO Carbon Fiber Tripod series aluminum truss apex and converts the flat top plate into a 75mm bowl mount. Perfect for many video heads on the market today. (Sold Separately)



TRBU75 - 75mm Bowl Mount w/ Aluminum Knob







The PRO-STIX, 34-SERIES, Carbon Fiber Tripods are designed and built for the professional videographer or photographer looking for the toughest and most rugged yet portable tripod. The 34-series tripods are rated to support loads up to 60 lbs. The apex features an interchangeable flat plate that can be removed and transitioned to our #TRB3475 75mm Leveling Bowl insert, or Center Column.

# 34 Series Core Features:

- T6061 Lightweight Aluminum Apex
- 34mm, 10x layer Carbon Fiber Legs
- 3 Angle Adjustments (22.5° / 50° / 84°)
- Tension Adjustable Leg Mechanism
- Interchangeable Mount
- Hardened Stainless Steel Spikes
- Large Spirit Level
- Max Load Capacity: 60 lbs.



	TR343	TR343L	TR344	TR344L
Leg Sections	3	3 Long	4	4 Long
Max Height	50.90" in. / 130 cm	59.30" in. / 150 cm	59.30" in. / 150 cm	70.70" in. / 180 cm
Min. Height	3.80" in. / 9.70 cm			
Folded Length	22.10" in. / 56 cm	25.10" in. / 64 cm	20.80" in. / 53 cm	23.80" in. / 60 cm
Weight	3.70 lbs / 1678 g	3.90 lbs / 1769 g	4.00 lbs / 1850 g	4.30 lbs / 1950 g

## **Modular Apex**

**Flat Top Mount** 

75mm Bowl System

**Compact Apex** 





Optional 75mm Bowl System



\* Additional bowl insert requir

## 10X Layer Carbon Fiber

- · Best in class strength to weight ratio
- Cross woven pattern

ratio

Precision Leg Locks

• Aluminum Twist Locks

#### \* Aluminum Twist Loc

# Anti-Slip Feet

- Molded Rubber Feet
- Integrated Hardened Stainless Steel Spike

www.ProMediaGear.com



### **Carbon Fiber Monopods**

The 34-SERIES Tripods are now available with a center column, featuring a carbon fiber shaft with 15 inch travel. The center column is also reversible for low ground shots!

The apex features an interchangeable flat plate that can be removed and transitioned to our standard flat base top or the popular #TRB3475 75mm Leveling Bowl insert.

# 34 Series with Center Column Core Features:

- T6061 Lightweight Aluminum Apex
- 15" in. of Center Column Travel
- 34mm, 10x layer Carbon Fiber Legs
- 3 Angle Adjustments (22.5° / 50° / 84°)
- Tension Adjustable Leg Mechanism
- Interchangeable Mount • Hardened Stainless Steel Spikes
- Large Spirit Level

Ĭ.		
	// \	// \

	TR343C	TR343CL	TR344C	TR344CL
Leg Sections	3	3 Long	4	4 Long
CC Extended	67.25" in / 171 cm	75.5" in / 192 cm	75.5" in / 192 cm	87.25" in / 222 cm
CC Collapsed	52.00" in / 132 cm	60.5" in / 154 cm	60.5" in / 154 cm	72.25" in / 184 cm
Folded Length	23.50" in / 59 cm	26.5" in / 67 cm	22.25" in / 56 cm	25.25" in / 64 cm
Weight	4.52 lbs / 2050g	4.68 lbs / 2126g	4.86 lbs / 2205g	5.08 lbs / 2305g



The PRO-STIX, 42 and 34 SERIES, Carbon Fiber Monopods are a great additional to any photographer. Both feature 10x layer carbon fiber legs, aluminum leg collars and a stainless steel spike in the foot. Complementing each Monopod is a comfortable removable neoprene pad and wrist strap.

42-SERIES Monopods are designed around our 42mm carbon fiber legs and features an Arca Type Clamp Top. This allows for effortless connection to your lens plates and compatible camera plates. You can quickly add our #HM1 Monopod Tilt Head for a great combination. This clamp is not removable. To install a ball head or other device simply mount the device to an Arca compatible plate and install.







TR34M / TR34ML Reversible Thread Adapter 1/4-20 and 3/8-16

TR42M / TR42ML Built-in, Aluminum Arca Compatible Clamp

**34-SERIES** Monopods are designed around our 34mm carbon fiber legs and features a flat base with reversible 1/4-20 and 3/8-16 threaded adapters. The series also features the opportunity to remove the top flat base and substitute with our #C40 Arca compatible clamp, sold separately.





Model Number:	TR34M	TR34ML	TR42M	TR42ML
Leg Sections	4	4 Long	4	4 Long
Folded Length	19.75 in / 50.2 cm	23.0 in / 58.4 cm	19.5 in / 49.5 cm	24.5 in / 62.2 cm
Section 1 open	33.0 in / 83.8 cm	39.0 in / 99.1 cm	31.75 in / 80.6 cm	41.75 in / 106.0 cm
Section 2 open	47.25 in / 120.0 cm	56.5 in / 143.5 cm	45.75 in / 116.2 cm	60.75 in / 154.3 cm
Max Height	63.0 in / 160.0 cm	75.4 in / 191.5 cm	60.75 in / 154.3 cm	81.0 in / 205.7 cm
Weight w/o pad	1.18 lbs / 535g	1.28 lbs / 580g	1.49 lbs / 679g	1.69 lbs / 766g

BH1 - Professional Mechanical Ball Head BH50 Professional Ball Head 50mm

The ProMediaGear #BH1 Ball Head was engineered for a bold entry into the crowded ball head category and is definitely a head turner. Our head is meticulous and elegant in design yet extremely simple in use with 1 large lock knob and no drop down slot.

Model #	Description	Weight	Load Capacity
BH1	Ball Head	1.98 lbs / 898 g	50 lbs / 23 kg

## **Core Features:**

- Quick Release Arca-Type Clamp.
- Over-sized Locking Knob.
- Built-in Spirit Level (on side)
- 3/8-16 Mounting Threads.
- · Made in the USA.
- 5-year warranty











\$499.95

#### Street Price

# #HM1 - Monopod Tilt Head

Model #	Description	Weight	Load Capacity
HM1	Monopod Tilt Head	.79 lbs / 358 a	20 lbs / 9 kg



The #HM1 Monopod Tilt Head is designed around our Arca-Type Clamp and is engineered featuring oversized handles that allow convenient ergonomics and comfort in one. The base of the #HM1 is equipped with 3/8-16 and 1/4-20 threaded mounting adapters to fit any set-up.

# **Core Features:**

- Quick Release Arca-Type Clamp
- Innovative Tilt Lever
- Built-in Spirit Level
- 1/4-20 or 3/8-16 Mounting Options
- Made in the USA
- 5-year warranty



# **Core Features:**

- Quick Release Arca-Type Clamp.
- Massive 50mm Ball
- Over-sized Locking Knob.
- Built-in Spirit Level (on side)
- 3/8-16 Mounting Threads.Made in the USA.
- 5-year warranty

#BH50 Head Starting at...

\$399.95 \*\*\*

BH50 shares a traditional ball head design, including quite a bit of PMG engineering.

Unique large tension knob dominates the structure, and can be dialed in perfectly to just the right amount of grip.

What set's it apart is huge load capacity, and ability to customize the position of the panning knob to your liking.

Model #	Description	Weight	Load Capacity
BH50	50mm Ball head	1.5 lbs / 700 g	150 lbs / 68 kg



**#GK, KATANA Gimbal Head #GKJr., KATANA JUNIOR Gimbal Head** 

The Katana Gimbal Head provides the ultimate long lens support for the outdoor or sports photographer. It offers the highest degree of stability with effortless silky smooth movements enabling you to track an object with ease. Even the heaviest lenses can be balanced with no trouble at all. It has even been used with the Sigma "Monster" 200-500mm f/2.8 lens weighing 50 lbs.

Model #	Weight	Load Capacity	Mount Thread
GK	5.5 lbs / 2515 g	150 lbs / 68 kg	3/8-16 (standard)
GKC (without cradle)	4.5 lbs / 2041 g	50 lbs / 23 kg	3/8-16 (standard)

# **Core Features:**

- · Machined Aluminum w/ Anodized scratch resistant finish
- Over sized knobs
- Arca-Type Bracket Plate Cradle
- Sealed Ball Bearings
- Independent Pan / Tilt



The Katana Jr. Gimbal Head was created to provide the ultimate marriage between size, weight and functionality. The Junior is able to support a 600mm Lens, yet is portable enough to be backpacked through the jungle at just 2.4 lbs! The truss design manufactured out of rigid T6061 Aluminum required the PMG team of engineers to program the CNC machines to their limits to produce a product we know you will love.

Model #	Weight	Load Capacity	Mount Thread
GKJr.	2.4 lbs / 1089 g	50 lbs / 23 kg	3/8-16 (standard)
GKJr.C (without cradle	) 2.0 lbs / 900 g	20 lbs / 9.1 kg	3/8-16 (standard)

# **Core Features:**

- Machined Aluminum w/ Anodized scratch resistant finish
- . Ultra Lightweight, 2.4 lbs.
- Arca-Type Bracket Plate Cradle
- Sealed Ball Bearings
- Independent Pan / Tilt
- Made in the USA
- 5-year warranty





www.ProMediaGear.com

13.

The Tomahawk offers the same great quality as our full featured Gimbal Heads but in a smaller package only allowing the tilt function. It quickly attaches to ball heads with compatible Arca-Type mounts or QR Plates and uses your current ball head for panning the horizon.

Model #	Weight	Load Capacity	Mount Thread
GT2	0.95 lbs / 434 g	50 lbs / 22 kg	1/4-20 and 3/8"-16 and Arca-Type

# **Core Features:**

- · Machined Aluminum w/ Anodized scratch resistant finish
- Over sized tilt knob
- Arca-Type Bracket Clamp
- Sealed Ball Bearings
- Made in the USA
- 5-year warranty



Tomahawk with 500mm Lens.

Attach L-Bracket



Mounting Dovetails

Arca-Type Clamp



Arca-Type Base Plates 1/4"-20 and 3/8"-16

#GT2, Tomahawk \$399.95 \$

Easily carry your tripod with gimbal attached as well as your large lens, all in one bag!

- Heavy Duty Nylon Material Bottom Skid Protectors Detachable Shoulder Strap
- Dual Side Pockets Carry Handles on Multiple Sides YKK Durable Top Zipper
- Padded Interior with Hook & Loop Dividers Adjustable Interior Dividers
- Weight: 4 lbs Dimensions: 40 x 9 x 8 inches (101 x 23 x 20 centimeters)



**#TR01 - Mini Tripod with Articulating Arm** 

**#TR01 - Mini Tripod with Articulating Arm** 





For two camera systems look for #SH1BK2




Holster System \$109.95

The #SH1 Camera Holster System is a great alternative to camera straps. Comfortably carry the camera around your hips, with this ergonomic belt.



- (1) Rigid Nylon Belt (27 ~ 49 inch / 69 ~ 125 cm)
- (1) Padded Nylon PMG Pad
- (1) #SH1 Camera Holster System
- (1) #PBX3 Camera Mounting Plate
- (1) #PAH1 Bracket Adapter
- Weight: 15.5 oz / 440 grams
- \*\* Dual Kit Also Available #SH1BK2

**#SH1BK**, Belt Holster Kit





Arca-Type Camera Mounting Plate (PBX3 Plate shown)
Camera Specific Plates Available (PB.... models)
Compatible with Flash Brackets & more.





What is a Bracket Plate?

L-Bracket: Universal and Custom

#### **ProMediaGear Bracket Plate SYSTEM**

- Quickly mounts your camera to a tripod with Arca-Type design for compatibility
- Anti rotation features in plates prevent unwanted twisting on camera
- Wide selection for most professional cameras on the market
- Expand and Add on Flash Brackets, L-Brackets, Straps, Holsters etc.





#BBX2-PBX3

#### **Side Port Threads**

Side port holes and threads attach additional accessories such as L-Brackets, Quick Release Handles, our popular Boomerang Flash Brackets and other PMG gear.



L-Brackets are essential when changing from landscape to portrait without adjusting composition.






\*\* Custom Fitted for Easy Battery Access \*\*

19.

Our QD Quick-Release Strap System features a proven, industrial strength, locking system that allows the receiver to be flush with the compatible PMG Bracket Plate. The strap engages without any screws or adapters and is quickly removable. Let nothing get in the way of your creativity. We are working on new QD plug design please check our website for details.












QD Port

SS2 Port - Smaller









Portrait with Flash Mounted on Boomerang Flash Bracket



Flash Mount Shoe Thumb Screw

The 1/4-20 flash mount thumb screw allows for a easy removal of the attached accessory without tools.

# Flash Arm Locking Lever

Rotates flash 90 degrees around lens for portrait and landscape photography eliminating subject shadows.

# **Magnetic Allen Wrench Pocket**

The Allen wrench is stored magnetically within the Boomerang arm and is always with you whenever you need it.

# Folding System BBX / BBGv2

Cleaver folding system makes traveling with the flash bracket easy.

## **Quick-Release System**

QR system allows the Flash Bracket to be removed from the bracket plate.

#### **Foldable Flash Bracket Stand**

The stand extends below the lens and helps keep the camera stable. You can open or close when desired.

#### **Flash Bracket Plate**

Our #PBX3 Universal plate is included but various custo plates are available for purchase.

Portrait with Flash Mounted Directly To Camera

#BBGv2, Boomerang \$349.95 \$











Profoto Elinchrom Canon Nikon Sony Godox Nissin etc.





# PMG-DUO, Curved and Straight Slider

#### What is a PMG-DUO Slider?

New Bluetooth Stepper Motor

Carriage with Controller Bundle

#VSM3

The Duo Sliders feature a straight and curved track in one slider body.

## What is the benefit of curved track?

Curved track allows you to "fly around" the object adding dynamic movement.

# **Core Features:**

- Two Aluminum slider tracks in one package
- 3-Wheel Carriage supports 20 lbs.
- Machined Aluminum w/ Anodized scratch resistant finish
- Rubber feet with position lock knob
- Made in the USA
- 5-year warranty









Model	Arc Radius	Weight	Slider Length	Total Length
VS24	20" inches - 51 cm	3.0 lbs / 1365 g	24" inches - 61 cm	27" inches - 69 cm
VS32	72" inches - 183 cm	4.5 lbs / 2045 g	32" inches - 81 cm	35" inches - 89 cm
VS36	36" inches - 91 cm	4.6 lbs / 2095 g	36" inches - 91 cm	39" inches - 99 cm
VS368	96" inches - 244 cm	4.6 lbs / 2095 g	36" inches - 91 cm	39" inches - 99 cm
VS48	60" inches - 152 cm	5.8 lbs / 2630 g	48" inches - 122 cm	51" inches - 130 cm







PMG-DUO 36 inch Slider + Carrying Case 36" Arc Radius

# #VS32

PMG-DUO 32inch Slider + Carrying Case 72" Arc Radius

#VS368



PMG-DUO 36 inch Slider + Carrying Case 96" Arc Radius



PMG-DUO 48 inch Slider + Carrying Case 60" Arc Radius

26.



# **#PMG-DUO Sliders**

# ACCESSORIES

#### #CS60

Flip the slider in a flash using the #CS60 slider clamp. Mount the clamp to a tripod base (3/8-16 or 1/4-20)





**New Smartphone Control** Check website for Details. **VSM3 - Motor Control Bundle** 





# **ProMediaGear®**

16555 108th Ave.
Orland Park, IL 60467 USA
1-888-413-3332 • 1-708-263-4443
PMG@ProMediaGear.com
ProMediaGear.com







