HP Color LaserJet Pro MFP M477 Series



A fast-performing, unmatched colour MFP with robust security and innovative toner for more pages.²

Unmatched print, scan, copy, and fax performance plus robust, comprehensive security for how you work. This colour MFP finishes key tasks faster and guards against threats.¹ Original HP Toner cartridges with JetIntelligence produce more pages.²



HP Color LaserJet Pro MFP M477fnw



HP Color LaserJet Pro MFP M477fdw

Speed through more tasks. Keep data protected

- Scan digital files directly to email, USB, network folders, and the cloud with preloaded business apps.³
- Grab pages and go—without waiting around. This MFP wakes up and prints faster than the competition.¹
- Breeze through multipage documents with two-sided printing that's faster than the competition.¹
- Control access to print jobs and help keep printing safe with security features like LDAP authentication.

Easy management. Efficient printing

- Easily manage print jobs directly at the MFP—just tap and swipe the 10.9 cm (4.3-inch) touchscreen.⁵
- Easily print Microsoft® Word and PowerPoint® documents—now directly from your USB drive.⁴
- Easily manage devices and settings using HP Web Jetadmin with a suite of essential management features.⁶
- Print using less energy than competitors—enhanced by Original HP Toner cartridges with JetIntelligence.⁷

More pages, performance, and protection

- Get the most prints for your money—with Original HP High Yield Colour Toner cartridges with JetIntelliaence.²
- Count on professional quality at high speeds with HP ColorSphere 3 toner.
- Help ensure you're getting the authentic HP quality you paid for with innovative anti-fraud technology.
- Print right away with preinstalled toner cartridges. Replace them with optional high-yield cartridges.

Stay connected with secure mobile printing options

- Easily print from a variety of smartphones and tablets—generally no setup or apps required.8
- Count on wireless direct printing in the office—from mobile devices—without accessing the company network.¹⁰
- Help workers print with just a touch of their NFC-enabled mobile device to the printer—no network needed.¹¹
- Easily access, print, and share resources with Ethernet and wireless networking.⁹

Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary. For details see https://docs.org/licalims 8 ased on cartridge yields for HP 305X compared with HP 410X Original HP Laser Jet Toner Cartridges. For more information, see https://docs.org/licalims/ 8 ased on cartridge yields for HP 305X compared with HP 410X Original HP Laser Jet Toner Cartridges. For more information, see https://docs.org/licalims/ 8 hequires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see https://docs.org/licalims/ 8 may require registration. App availability varies by country, language, and agreements and requires a firmware upgrade. For details, visit hpconnected.com 6 HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin 7 Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov of top three leading competitors as of 8/2015. Actual results may vary. For details see https://docs.org/licalims/ 8 Wireless operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at https://docs.org/licalims/ 8 Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ¹⁰ Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be require

Product walkaround

- 1 50-sheet automatic document feeder (ADF) with single-pass, two sided scanning
- 2 Flatbed scanner: up to 216 x 297 mm paper
- 3 Intuitive 10.9 cm (4.3inch) colour touchscreen (tilts up)
- 4 Easy-access USB port
- 5 150-sheet output bin
- 6 Built-in wireless direct printing¹ and NFC touch-to-print²
- 7 Front door release button (access to HP JetIntelligence Toner cartridges)
- 8 1200 MHz processor, 512 MB memory
- 9 Automatic two-sided printing³
- 10 50-sheet multipurpose tray 1
- 11 250-sheet input tray 2
- 12 Rear door (provides access to print path)
- 13 Built-in wireless networking4
- 14 Convenient front power on/off button
- 15 Telephone "line out" port
- 16 Fax "line in" port
- 17 Host USB port to enable job storage8
- 18 Hi-Speed USB 2.0 printing port
- 19 Gigabit Ethernet network port

HP Color LaserJet Pro MFP M477fdw shown





Closeup of rear I/O port

Series at a glance





Model	HP Color LaserJet Pro MFP M477fnw	HP Color LaserJet Pro MFP M477fdw
Product number	CF377A	CF379A
50-sheet multipurpose tray, 250-sheet tray 2	✓	✓
550-sheet tray 3	Optional	Optional
Two-sided printing	Manual	Automatic
Mobile printing	Wireless direct printing,¹ HP ePrint,⁵ Apple AirPrint™,⁶ Mopria-certified,³ Google Cloud Print™ 2.0	Wireless direct printing, 1 NFC touch-to-print, 2 HP ePrint, 5 Apple AirPrint, 6 Mopria-certified, 7 Google Cloud Print 2.0

¹ Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct printing-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Learn more at hp.com/go/businessmobileprinting. ² NFC touch-to-print is supported by the HP Color LaserJet Pro MFP M477fdw. Requires a compatible NFC-printing-enabled mobile device. For a list of compatible NFC-printing-enabled mobile devices, see hp.com/go/nfcprinting. ³ Automatic two-sided printing is available on the M477fdw model only. ⁶ Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ⁵ Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Learn more at hp.com/go/mobileprinting. ⁶ Supports the following devices running iOS 4.2 or later: iPad, iPad 2, iPhone (3GS or later), iPod touch (3rd generation or later). Works with HP's AirPrint-enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent on physical environment and distance from the access point. ⁷ Mopria-certified HP printer and mobile device must be connected to the same wireless network or have a direct wireless connection. Performance is dependent on physical environment and distance from the wireless access point. Wireless operations are compatible with 2.4 GHz routers only.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

Optimized Care (optimum performance and stability): 4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime): Next

Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support): Next Business Day Onsite Support

4 hr Onsite Support: Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support: Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service: Assembly, network configuration,

Service: Assembly, network configuration and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices



















Top Features

Shift your office into high gear with a colour MFP that doesn't keep you waiting. Print your first page and two-sided prints faster than the competition, and scan quickly. Help keep your device, data, and documents safe—from boot up to shutdown.

Easily produce the documents you need to keep work flowing while conserving power. This energy-efficient MFP is easy to manage and use. Print Microsoft® Word and PowerPoint® documents directly from the USB port,³ using the large touchscreen.⁴

Print more professional-quality colour pages than ever before.² Specially designed Original HP Toner cartridges with JetIntelligence deliver better performance, higher energy efficiency, and authentic HP quality—which the competition can't match.²

Keep business nimble when needs shift or opportunity strikes—in the office or on the go.⁵ Print wirelessly with or without accessing the network,^{6,7} and stay connected with Ethernet capabilities. Print with a touch from mobile devices.^{5,8}

HP Color LaserJet Pro MFP M477fnw HP Color LaserJet Pro MFP M477fdw
HP LaserJet 550-sheet Paper Feeder HP v222w 16GB Mini USB Drive
HP 410A Black LaserJet Toner Cartridge (~2,300 pages) HP 410X Black LaserJet Toner Cartridge (~6,500 pages) HP 410A Cyan LaserJet Toner Cartridge (~2,300 pages) HP 410X Cyan LaserJet Toner Cartridge (~5,000 pages) HP 410A Yellow LaserJet Toner Cartridge (~2,300 pages) HP 410X Yellow LaserJet Toner Cartridge (~5,000 pages) HP 410A Magenta LaserJet Toner Cartridge (~5,000 pages) HP 410X Magenta LaserJet Toner Cartridge (~5,000 pages)

HP Care	Packs
----------------	--------------

U8TP0E	HP 3-year Next Business Day Color LaserJet M477 MFP Hardware Support
U8TP1E	HP 4-year Next Business Day Color LaserJet M477 MFP Hardware Support
U8TP2E	HP 5-year Next Business Day Color LaserJet M477 MFP Hardware Support
U8TP3E	HP 3-year 4hr 9x5 Color LaserJet M477 MFP Hardware Support
U8TP4E	HP 3-year 4hr 13x5 Color LaserJet M477 MFP Hardware Support
U8TP7PE	HP 1-year Post Warranty Next Business Day Color LaserJet M477 MFP Hardware Support
U8TP8PE	HP 1-year Post Warranty 4h 9x5 Color LaserJet M477 MFP Hardware Support
U8TP9PE	HP 1-year Post Warranty 4h 13x5 Color LaserJet M477 MFP Hardware Support

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Pape

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja
HP Universal Print Driver: hp.com/go/wja

HP Imaging and Printing Security Center: hp.com/go/ipsc

¹ Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary. For details see https://px.ncb/hp/licalims/ Based on cartridge yields for HP 305X compared with HP 410X Original HP Laser Jet Toner Cartridges. For more information, see https://px.ncb/hp/licalims/ Based on cartridge yields for HP 305X compared with HP 410X Original HP Laser Jet Toner Cartridges. For more information, see https://px.ncb/hp/licalims/https://px.ncb/hp/licalims/hp/l

HP Color LaserJet Pro MFP M477 Series

echnical specifications unctions	HP Color Laser Jet Pro MFP M477fnw (CF377A) Print, copy, s	HP Color LaserJet Pro MFP M477fdw (CF379A) can, fax, email
rint	Timi, copy, a	
Duplex print options	Manual (driver support provided)	Automatic (standard)
Print speed ¹	Black (normal, A4): Up to 27 ppm; Black (normal, letter): Up to 28 ppm; Colour (normal, A4): Up to 27 ppm; Col	
Florit x ²		Colour Duplex (A4): Up to 24 ipm; Colour Duplex (letter): Up to 25 ipm
First page out ²		Black (A4, sleep): As fast as 11.4 sec; Colour (A4, sleep): As fast as 11.5 sec
Print technology Print resolution	Black (best): 600 x 600 dpi, Up to 38,400 x 600 enhanced dpi; Colour (best): 600 x 600 dpi, Up to 38,400 x 600	
FILLIESOLULOII		600 enhanced dpi
Print resolution technologies	HP ImageREt 3600,	PANTONE® calibrated
Print cartridges number	4 (1 each black, cy.	an, magenta, yellow)
Standard print languages	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PCLm, PDF, URF, Native Office	
Printer management	Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator); HP Web JetAdmin Software; HP Proxy Agent Software; HP Imaging and Printing Security enter;	
	HP Utility (Mac); HP Device Toolbox (Win 7)	
Printer smart software features	N-up printing, collation, HP ePrint, Apple AirPrint™, Mopria certified, Google Cloud Print, Wireless Direct Printing, I	
an	the control panel, HP Jetadvantage Private Pri	nt, Job Storage with PIN printing, Print from USB
	Towns Floated ADD Technology	Contract lease of Contract lea
Scan type/technology Scan speed ³		rgy: Contact Image Sensor (CIS)
•		(b&w), up to 21 ppm/30 ipm (colour)
Scan resolution		to 1200 x 1200 dpi; Optical: Up to 1200 x 1200 dpi latbed: 216 x 297 mm (8.5 x 11.7 in)
Scan size Scan file format		
	Windows: PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF, Mac: PDF, searchable PDF, JPG, RTF, TXT, JPG-2000, PNG, TIF Front-panel scan, copy, email, fax, or file buttons; HP Scan software; and user application via TWAIN or WIA	
Scan input modes		
canner advanced features	Scan-to-E-mail; Scan-to-cloud; Scan-to-USB; Scan-to-networ	k folder; LDAP e-mail lookup; Single-pass 2-sided scanning ADF
Py Copy speed⁴	Black (normal, A4): Up to 27 cpm; Black (normal, letter): Up to 28 cpm; Colour (normal, A4): Up to 27 cpm;	Colour (normal letter): Up to 28 cpm: Black Dupley (A4): Up to 24 cpm: Black Dupley (letter): Up to 25 cr
ору эресс		Colour Duplex (letter): Up to 25 cpm
irst copy out		(A4, sleep): As fast as 12.5 sec; Colour (A4, sleep): As fast as 16.6 sec
opy resolution	Black (text & graphics): Up to 600 × 600 dpi	Colour (text & graphics): Up to 600 x 600 dpi
Max no of copies	Up to 9	19 copies
Copier resize		400%
Copier settings	Number of copies; Reduce/Enlarge; Lighter/Darker; Optimize; Paper; Multi-page copy; Collation	r; Tray Select; Two-Sided; Draft Mode; Image Adjustment; Set as New Defaults; Restore Defaults
(
-ax speed ^s		c per page (letter)
Fax resolution		92 dpi; Black & White (superfine): 300 x 300 dpi; Black Photo Grayscale: 300 x 300 dpi (halftone)
Fax features		tection supported: Yes; Fax forwarding supported: Yes; Junk barrier supported: Yes, CSID matching only.
		PC interface supported: Yes (send only); Fax polling supported: Yes (receive only)
ax smart software features	Permanent fax memory backup; Auto fax reduction; Auto redialing; Delayed sending; Fax forwarding; TAM interf	ace; Polling; Junk barrier; Distinctive ring detection; Cover page wizard; Block rax; Billing codes; Save and load; Dial prefix setting; Print fax log
nectivity	Television of the second of th	
itandard connectivity	Hi-Speed LISB 2.0 port: huilt-in Gigabit Ethernet 10	1/100/1000 Base-TX network port; Easy-access USB
Mobile printing capability ⁶	HP ePrint, Apple AirPrint™, Wireless Direct Printing, Mopria-certified, Google Cloud Print 2.0, Mobile Apps	HP ePrint, Apple AirPrint™, Wireless Direct Printing, NFC touch-to-print, Mopria-certified, Google Cloud Prin
The second second		Mobile Apps
Network ready	Standard (built-in Gigabit Ethernet, Wi-Fi) [Ope	prates as both an AD (with Wi-Fi Direct) and STA1
		ades as both an Ar (with Will in birect) and STA1
	Via built-in 10/100/1000Base-TX Ethernet, Gigabit	; Auto-crossover Ethernet; authentication via 802.1X
Network capabilities	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS;	; Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS;
Network capabilities Wireless capability	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing	; Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print
Network capabilities Wireless capability	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim	; Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print uum: 256 MB DRAM
Network capabilities Wireless capability emory tty cycle ⁷	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended me	; Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print um: 256 MB DRAM inthly page volume:* 750 to 4,000 pages
Network capabilities Wireless capability emory ity cycle ⁷ ocessor speed	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended me	; Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print uum: 256 MB DRAM
Network capabilities Wireless capability semory tty cycle ⁷ ocessor speed per handling	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended me	: Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print nthly page volume: 750 to 4,000 pages 0 MHz
Network capabilities Wireless capability Emory ty cycle ⁷ per handling Input	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended mc 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet	: Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print withly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF); Optional: 550-sheet tray
Network capabilities Wireless capability mory ty cycle' ocessor speed per handling nput	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended mc 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee	: Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print Nthly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF); Optional: 550-sheet tray t output bin
Network capabilities Wireless capability mory ty cycle ² ocessor speed per handling nput Dutput Media type	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended mc 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, p	: Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print num: 255 MB DRAM inthly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF): Optional: 550-sheet tray toutput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes
Network capabilities Wireless capability mory ty cycle ² ocessor speed per handling nput Dutput Media type	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended mc 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, p Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 50 to 16	: Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Normal 256 MB DRAM Inthly page volume:* 750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF); Optional: 550-sheet tray to utput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3:
Network capabilities Wireless capability mory ty cycle' occessor speed per handling nput Dutput dedia type Media weight	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended mc 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, p Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 161 g/m² (up to 176 g/m² vith postcards, up to 150 g/m² u	: Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print 100 MHz Automatic Document Feeder (ADF): Optional: 550-sheet tray 1 output bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: m² Glossy media): Automatic duplexer: 50 to 163 g/m²
Network capabilities Vireless capability mory ty cycle? tessor speed per handling nput Dutput dedia type Aedia weight Aedia sizes custom	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended mc 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, p Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 16 163 g/m² (up to 176 g/m² vith postcards, up to 150 g/m² vith pastrads). Tray 1: 76 x 127 to 216 x 356 mm; Tray 2,	: Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print mithly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF); Optional: 550-sheet tray to utput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: m² clossy media); Automatic duplexer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm
Network capabilities Vireless capability wory y cycle' cessor speed er handling uput butput dedia type dedia weight dedia sizes custom tensions (W x D x H) ²	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended ms 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plan) Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 16 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² with postca	: Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print unthly page volume: 750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF); Optional: 550-sheet tray t output bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: m²-Glossy media), Automatic duplexer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in)
Network capabilities Wireless capability mory ty cycle? ocessor speed per handling nput Dutput Media type Media weight Media sizes custom nensions (W x D x H)? Ight	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended me 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain,	: Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print unth; 256 MB DRAM nthly Page volume: 4750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF); Optional: 550-sheet tray toutput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: m² Glossy media); Automatic duplexer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb)
Network capabilities Wireless capability mory ty cycle? ocessor speed per handling nput Dutput Media type Media weight Media sizes custom nensions (W x D x H)? Ight	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended mc 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, p Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 16 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 16 g/m² (up to 176 g/m² with postcards, up to 150 g/m² with postca	: Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print mun; 255 MB DRAM mithly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF): Optional: 550-sheet tray 1 output bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: m² clossy media; Automatic duplexer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser let Pro MFP M477fdr; 4 preinstalled HP Laser let Toner cartridges (Black: ~2,300 pages, Introdu
Network capabilities Wireless capability mory ty cycle? scessor speed pore handling nput butput dedia type dedia weight Adedia sizes custom nensions (W x D x H)? light	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended mc 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, p Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 50 to 16 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² vip to 176 g/m² with postcards, up to 150 g/m² vip to 176 g/m² with postcards, up to 150 g/m² vip to 176 g/m² vip to	: Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print unthly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF); Optional: 550-sheet tray toutput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: m² Glossy media); Automatic duplexer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser Jet Pro MFP M477fdr; 4 preinstalled H2 Jeser Jet Toner cartridges (Black: ~2,300 pages, eintrodu Cyan, Magenta, Yellow: ~1,200 pages each cartridge); In-box documentation (Getting Started Guide, Install Poc
letwork capabilities lireless capability mory y cycle cycser' cessor's exect er handling apput utput ledia type ledia type ledia sizes custom mensions (W x D x H)* ght at's in the box	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended me 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, p Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, 416 x 461 x 400 mm (16.4 x 18.1 x 15.7 in) 21.8 kg (48.1 lb) HP Color Laser Jet Pro MFP M477fmv; 4 preinstalled HP Laser Jet Toner cartridges (Black: ~2,300 pages, Introductory Cyan, Magenta, Yellow: ~1,200 pages each cartridge); In-box documentation of C-RNM; Power cort, USB cable were drivers and documentation of C-RNM; Power cort, USB cable were drivers and documentation of C-RNM; Power cort, USB cable	: Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print mithly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF): Optional: 550-sheet tray toutput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: "6 Gossy media, Automatic duplexeer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser Jet Pro MFP M477fdr; 4 preinstalled HP Laser Jet Toner cartridges (Black: ~2,300 pages, Introd. Cyan, Magenta, Yellow: ~1.200 pages each cartridge); In-box documentation (Getting Started Guide, Install Power warranty card (China, Mexico), Software drivers and documentation (Getting Started Guide, Install Power warranty card China, Mexico), Software drivers and documentation on Chyli; Power cord; USB cable
Network capabilities Wireless capability mory ty cycle? occessor speed oper handling nput Dutput Media type Media weight Media sizes custom mensions (W x D x H)? ight ight	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended me 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, p Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, 416 x 461 x 400 mm (16.4 x 18.1 x 15.7 in) 21.8 kg (48.1 lb) HP Color Laser Jet Pro MFP M477fmv; 4 preinstalled HP Laser Jet Toner cartridges (Black: ~2,300 pages, Introductory Cyan, Magenta, Yellow: ~1,200 pages each cartridge); In-box documentation of C-RNM; Power cort, USB cable were drivers and documentation of C-RNM; Power cort, USB cable were drivers and documentation of C-RNM; Power cort, USB cable	: Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print unthly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF); Optional: 550-sheet tray toutput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: m² Glossy media); Automatic duplexer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser Jet Pro MFP M477fdr; 4 preinstalled H2 Jeser Jet Toner cartridges (Black: ~2,300 pages, eintrodu Cyan, Magenta, Yellow: ~1,200 pages each cartridge); In-box documentation (Getting Started Guide, Install Poc
Network capabilities Wireless capability ty cycle? coessor speed per handling input Doutput Media type Media weight Media sizes custom mensions (W x D x H) ³ sight tat's in the box surranty features stems	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended m 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, p Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 56 to 16 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 176 g/m² (up to 176 g/m² with postcards, up to 176 g/m² with postcards, up to 176 g/m² (up to 176 g/m² with postcards, up to 176 g/m² (up to 176 g/m² with postcards, up to 176 g/m² (up to 176 g/m² with postcards, up to 176 g/m² (up to 176 g/m² with postcards, up to 176 g/m² (up to 176 g/m² with postcards, up to 176	: Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print unthly page volume: 750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF); Optional: 550-sheet tray 1 output bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: m² Glossy media); Automatic duplexer: 50 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser Jet Pro MFP M477fdr; 4 preinstalled HP Laser Jet Toner cartridges (Black: ~2,300 pages, Introdu Cyan, Magenta, Yellow: ~1.200 pages each cartridge); In-box documentation (Getting Started Guide, Install Poswarranty, card (China, Mexico); Software drivers and documentation on CD-ROM; Power cord; USB cable hardware warranty
Network capabilities Wireless capability ty cycle? coessor speed per handling input Doutput Media type Media weight Media sizes custom mensions (W x D x H) ³ sight tat's in the box surranty features stems	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended me 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, p Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, 416 x 461 x 400 mm (16.4 x 18.1 x 15.7 in) 21.8 kg (48.1 lb) HP Color Laser Jet Pro MFP M477fmv; 4 preinstalled HP Laser Jet Toner cartridges (Black: ~2,300 pages, Introductory Cyan, Magenta, Yellow: ~1,200 pages each cartridge); In-box documentation of C-RNM; Power cort, USB cable were drivers and documentation of C-RNM; Power cort, USB cable were drivers and documentation of C-RNM; Power cort, USB cable	: Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WER_WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print mintly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF): Optional: 550-sheet tray toutput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: "6 (lossy media): Automatic duplexer: 6 to 16 sg/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser Jet Pro MFP M477fdr; 4 preinstalled HP Laser Jet Toner cartridges (Black: ~2,300 pages, Introdu, Cyan, Magenta, Yellow: ~1.200 pages each cartridge); In-box documentation (Getting Started Guide, Install Pow warranty, card (China, Mexico); Software drivers and documentation on CD-ROM; Power cord; USB cable hardware warranty s Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32- & 64-bit editions; Winc
Network capabilities Wireless capability mory ty cycle? bocessor speed per handling nput Dutput Media type Media weight Media sizes custom mensions (W x D x H)* ight tat's in the box stems	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended me 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, 160 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 50 to 16 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² with postcards, up to 150 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² with postcards, up to 176 g/m² with post	: Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print mithly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF): Optional: 550-sheet tray toutput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: "6 (lossy media): Automatic duplexer: 6 to 16 sg/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser Jet Pro MFP M477fdr; 4 preinstalled HP Laser Jet Toner cartridges (Black: ~2,300 pages, Introdu, Cyan, Magenta, Yellow: ~1.200 pages each cartridge); In-box documentation (Getting Started Guide, Install Pow warranty, card (China, Mexico); Software drivers and documentation on CD-ROM; Power cord; USB cable hardware warranty s Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32 - & 64-bit editions (Sectuling RT 70 for Tablet etc.); Windows 7 all 32 - & 64-bit editions (Sectuling RT 70 for Tablet etc.); Windows 7 all 32 - & 64-bit editions (Sectuling RT 70 for Tablet
Network capabilities Wireless capability mory ty cycle* coessor speed per handling nput dedia type dedia type dedia weight dedia sizes custom nensions (W x D x H)* ight act's in the box stems	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended m 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, p Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 16 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, 416 x 461 x 400 mm (16.4 x 18.1 x 15.7 in) 21.8 kg (48.1 lb) HP Color Laser Jet Pro MFP M477fmv; 4 preinstalled HP Laser Jet Tone (Black - 2.300 pages, Introductory Cyan, Magenta, Yellow: ~1,200 pages each cartridge); In-box documentation (Getting Started Guide, Install Poster), warranty card (China, Mexico); Software drivers and documentation CO-ROM; Power cord; US6 cable One-year limited Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Horne, XP Pro, etc.); Window 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets); Mc Col (PP Print Drivers) available from HP co	Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print wireless Direct Printing; NFC touch-to-Print with page volume: 1750 to 4,000 pages OMHz Automatic Document Feeder (ADF); Optional: 550-sheet tray toutput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: "of Glossy media); Automatic duplexer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser Jet Pro MFP M477fdr, 4 prientsalled HP Laser Jet Toner cartridges (Black: ~2,300 pages, Introdu, Cyan, Magenta, Yellow: ~1.200 pages each cartridge); In-box documentation (Setting Started Guide, Install Powarranty card (China, Mexico); Software drivers and documentation on CD-ROM; Power cord; USB cable hardware warranty stylista all 32-bit editions (Horne Basic, Premium, Professional, etc.); Windows 7 all 32 - & 64-bit editions; Windows XP SP3 32 - & 64-etc.); Windows 7 all 32 - & 64-bit editions (coxcluding RT O5 for Tablets); Windows 7 all 32 - & 64-bit editions (coxcluding RT O5 for Tablets); Windows 7 all 32 - & 64-bit editions (coxcluding RT O5 for Tablets); Windows (O5 x 10.10 to Voscemble, Mosconia, Poscemble, Mosconia, Pos
Network capabilities Wireless capability mory ty cycle? bocessor speed per handling nput Dutput Media type Media weight Media sizes custom mensions (W x D x H)* ight tat's in the box stems	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended me 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, pray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy, hoto papers); Tray 2: 50 to 16 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² with postcards, up to 160 g/m² wi	Autor-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print unthly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF); Optional: 550-sheet tray toutput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers); Optional Tray 3: m² Glossy media); Automatic duplexer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser Jet Pro MFP M477fdr, 4 preinstalled Hp Jaser Jet Toner cartridges (Black: ~2,300 pages, introdu Cyan, Magenta, Yellow ~1,200 pages each cartridge); In-box documentation (Getting Started Guide, Install Poswarranty card (China, Mexico); Software drivers and documentation on CD-ROM; Power cord; USB cable hardware warranty s Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32-8, 64-bit editions; Windows XP SP3 32-8, 64-bit editions; Cectuling RT of S for Tablet m and Apple Store); OS x 10.7 Lion; OS x 10.8 Mountain Lion; OS x 10.9 Mavericks; OS x 10.10 vosemite; Mobile Apples Store); OS x 10.1 Lion; OS x 10.8 Mountain Lion; OS x 10.9 Mavericks; OS x 10.10 vosemite; Mobile x 10.1 store the store of the properties of the
Network capabilities Wireless capability mory ty cycle? cossor speed per handling nput Dutput Media type Media weight Media sizes custom nensions (W x D x H)? light light at's in the box rranty features stems Compatible operating systems	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended me 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, pray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy, hoto papers); Tray 2: 50 to 16 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² with postcards, up to 160 g/m² wi	; Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print mintly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF); Optional: 550-sheet tray toutput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: m² clossy media, Automatic duplexer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser let Pro MFP M477fdr; 4 prientstalled HP Laser let Toner cartridges (Black: ~2,300 pages, Introdu Cyan, Magenta, Yellow: ~1.200 pages each cartridge); hr-box documentation (Getting Started Guide, Install Power warranty svista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32- & 64-bit editions; Windows (Scompatble with Universal Print Driver (From HP com); Windows XP SP3 32- & 66 etc.); Windows 7 all 32- & 64-bit editions; Windows RP SP3 32- & 65 etc.); Windows 7 all 32- & 64-bit editions; Windows RP SP3 32- & 65 etc.); Windows 7 all 32- & 64-bit editions; Windows RP SP3 32- & 65 etc.); Windows 7 brown (SV NT 10,
Network capabilities Wireless capability mory ty cycle ⁷ occessor speed per handling nput Doutput Media type Media weight Media sizes custom mensions (W x D x H) ⁹ slight tat's in the box urranty features stems Compatible operating systems	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended m 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, p Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 16 163 g/m² (up to 176 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 16 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Tray 1: 76 x 127 to 216 x 356 mm; Tray 2; 416 x 461 x 400 mm (16.4 x 18.1 x 15.7 in) 21.8 kg (48.1 lb) HP Color Laser Jet Pro MFP M477frny; 4 preinstalled HP Laser Jet Toner cartridges (Black: ~2,300 pages, Introductory Cyan, Magenta, Yellow: ~1,200 pages each cartridge); In-box documentation (Getting Started Guide, Install Poster), warranty card (China, Mexico); Software drivers and documentation on CD-ROM, Power cord; US6 cable One-year limited Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.); Window SM 8/8.1 all 32- & 64-bit editions (sexcluding RT OS for Tablets); Mac Os (HP Print Drivers available from HP.co (In-OS drivers); iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13, 17); Fedora (In-OS drivers); iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13, 17); Fedora (In-OS drivers); iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13, 17); Fedora (In-OS drivers); iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13, 17); Fedora (In-OS drivers); iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13, 17); Fedora (In-OS drivers); iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13, 17); Fedora (In-OS drivers); iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2	; Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Ft; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print with Mireless Direct Printing; NFC touch-to-Printing; NFC touch-to-Print
Network capabilities Wireless capability mory ty cycle? occesor speed per handling nput decidi type decidi type decidi weight decidi sizes custom nensions (W x D x H)* light lat's in the box stranty features stems compatible operating systems	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended m 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-sheet 150-sh	Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print wireless Direct Printing; NFC touch-to-Print authentic Document Feeder (ADF); Optional: 550-sheet tray O MHz Automatic Document Feeder (ADF); Optional: 550-sheet tray toutput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (Jup to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: "of Glossy media); Automatic duplexer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser let Pro MFP M477fdr, 4 prientsalled HP Laser let Toner cartridges (Black: ~2,300 pages, Introdu Cyan, Magenta, Yellow: ~1.200 pages each cartridge); In-box documentation (Getting Started Guide, Install Power awarranty card (China, Mexico); Software drivers and documentation on CD-ROM; Power cord; USB cable hardware warranty Stitla all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32 - & 64-bit editions; Windows RDF, all 32 - & 64-bit editions (sextuding RT O5 for Tablets); Windows 7 all 32 - & 64-bit editions (cox compatible with Universal Print Driver (From HP.com); Windows XP SP3 32 - & 64 etc.); Windows 7 all 32 - & 64-bit editions (cox Cox Cox, 7.8); Other OS; UNIX Internet, USB or Network connection; Mac: OSX 10.7 or newer; Internet; USB or Network connection; 1 GB HD s; Internet, USB or Network connection; 1 GB HD s;
Network capabilities Wireless capability mory ty cycle? coessor speed per handling nput Dutput Media type Media sizes custom mensions (W x D x H)* light act's in the box compatible operating systems Minimum system requirements ats and typefaces attoria panel	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended me 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, pray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 50 to 16 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² with	Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Ft; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print mithly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF): Optional: 550-sheet tray toutput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 30 g/m² (bp to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: m² clossy media, Automatic duplexer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser Jet Pro MFP M477fdm; 4 preinstalled HP Laser Jet Toner cartridges (Black: ~2,300 pages, Introduc, Cyan, Magenta, Yellow: ~1.200 pages each cartridge); In-box documentation (Cetting) Started Guide, Install Poswarranty card (China, Mexico); Software drivers and documentation on CD-ROM; Power cord; USB cable hardware warranty St Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32 ~ 8.6 4-bit editions (Sectuding RT 05 for Tablets); mindows OS compatible with Universal Print Driver (From HP.com); Windows XP SP3 32 ~ 8.6 etc.); Windows 7 all 32 ~ 8.6 4-bit editions (Sectuding RT 05 for Tablets); mand Apple Store); OS X 10.7 Lion; OS X 10.8 Mountain Lion; OS X 10.9 Mavericks; OS X 10.10 Yosemite; Mobil (71, 18, 19, 20); Linux Mint (13, 14, 15, 16, 17); Boss (3.0, 5.0); Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.00, X, 7.3); Other OS; UNIX Internet, USB or Network connection; Mac: OSX 10.7 or newer; Internet: USB or Network connection; 1 GB HD sprace (CGD); 3 Buttons (Home, Help, Back)
Network capabilities Wireless capability mory ty cycle? ty cycle? ty cycle? Dutput Media type Media weight Media sizes custom mensions (W x D x H)? Hight Lat's in the box compatible operating systems Minimum system requirements this and typefaces introl panel	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended ms 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet input tray, 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet insput tray, 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet insput tray, 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet insput tray, 50-sheet insput tray, 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet insput 50-sheet 50	Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Ft; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print mithly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF): Optional: 550-sheet tray toutput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 30 g/m² (bp to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: m² clossy media, Automatic duplexer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser Jet Pro MFP M477fdm; 4 preinstalled HP Laser Jet Toner cartridges (Black: ~2,300 pages, Introduc, Cyan, Magenta, Yellow: ~1.200 pages each cartridge); In-box documentation (Cetting) Started Guide, Install Poswarranty card (China, Mexico); Software drivers and documentation on CD-ROM; Power cord; USB cable hardware warranty St Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32 ~ 8.6 4-bit editions (Sectuding RT 05 for Tablets); mindows OS compatible with Universal Print Driver (From HP.com); Windows XP SP3 32 ~ 8.6 etc.); Windows 7 all 32 ~ 8.6 4-bit editions (Sectuding RT 05 for Tablets); mand Apple Store); OS X 10.7 Lion; OS X 10.8 Mountain Lion; OS X 10.9 Mavericks; OS X 10.10 Yosemite; Mobil (71, 18, 19, 20); Linux Mint (13, 14, 15, 16, 17); Boss (3.0, 5.0); Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.00, X, 7.3); Other OS; UNIX Internet, USB or Network connection; Mac: OSX 10.7 or newer; Internet: USB or Network connection; 1 GB HD sprace (CGD); 3 Buttons (Home, Help, Back)
Network capabilities Wireless capability mory ty cycle ² occessor speed per handling nput Doutput Media type Media sizes custom mensions (W x D x H) ² slight tat's in the box surranty features stems Compatible operating systems Minimum system requirements nts and typefaces introl panel wer	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended m 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, p Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 16 163 g/m² (up to 176 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 16 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Tray 1: 76 x 127 to 216 x 356 mm; Tray 2; 416 x 461 x 400 mm (16.4 x 18.1 x 15.7 in) 21.8 kg (48.1 lb) HP Color Laser Jet Pro MFP M477fnw; 4 preinstalled HP Laser Jet Tone cartridges (Black: ~2,300 pages, Introductory Cyan, Magenta, Yellow; ~1,200 pages each cartridge); In-box documentation (Getting Started Guide, Install Poster), warranty card (China, Mexico); Software drivers and documentation on CD-ROM; Power cord; USB cable One-year limited Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.); Window SR8, 1 all 32- & 64-bit editions (sexcluding RT of for Tablets); Mac Got (HP Print Drivers available from HP Co (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13, 13, 14); Fedora (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13, 13, 14); Fedora (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13, 13, 14); Fedora (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13, 14); Fedora (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13, 14); Fedora (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13, 14); Fedora (In-OS drivers); IOS, Android, Windows 8/8, 1/10 RT; Linux OS (In-OS HPLIP; SUSE Li	Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print wireless Direct Printing; NFC touch-to-Print mthly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF); Optional: 550-sheet tray toutput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: "Glossy media); Automatic duplexer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser let Pro MFP M477fdr; 4 prientaled HP Laser let Toner cartridges (Black: ~2,300 pages, Introduc Cyan, Magenta, Yellow; ~1,200 pages each cartridge); In-box documentation (Getting Started Guide, Install Postware warranty swarranty card (China, Mexico); Software drivers and documentation on CD-ROM; Power cord; USB cable hardware warranty Sylsta all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32 - 8, 64-bit editions; Windo Sof for Tablets); Windows OS compatible with Universal Print Driver (From HP.com); Windows XP SP3 32 - 8, 64 etc.); Windows 7 all 32 - 8, 64-bit editions; Windo Sof Tablets); Windows 7 all 32 - 8, 64-bit editions; Cost N10.18 Mountain Libro; OS X 10.18 Mountain Libro; OS X 10.18 Movemente, OS X 10.10 Two Soft Soft X 10.10 Soft Tablets; Windows 7 all 32 - 8, 64-bit editions; Windows 7 all 32 - 8, 64-bit editions; Windows 18, 18, 18, 19, 20); Linux Mint (13, 14, 15, 16, 17); Boss (3.0, 5.0); Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.05, x, x); Other OS; UNIX Internet, USB or Network connection; Mac: OSX 10.7 or newer; Internet; USB or Network connection; 1 GB HD spruer (CGD); 3 Buttons (Home, Help, Back) (+7-10%), SOHz (-7-3 Hz); 220-volt input voltage; 220 to 240 VAC (+7-10%), SOHz (-7-3 Hz); Volt dount voltage; 260 to 240 VAC (-7-10%), SOHz (-7-3 Hz); Volt do
Network capabilities Wireless capability mory ty cycle ² occessor speed per handling nput Doutput Media type Media sizes custom mensions (W x D x H) ² slight tat's in the box surranty features stems Compatible operating systems Minimum system requirements nts and typefaces introl panel wer	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended ms 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet input tray, 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet insput tray, 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet insput tray, 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet insput tray, 50-sheet insput tray, 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet insput 50-sheet 50	Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print mintly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF): Optional: 550-sheet tray toutput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: "reclossy media", Automatic duplexer: 6to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser Jet Pro MFP M477fdr; 4 preinstalled HP Laser Jet Toner cartridges (Black: ~2,300 pages, Introdu Cyan, Magenta, Yellow: ~1,200 pages each cartridge): h-box documentation (Getting Started Guide, Install Pow warranty card (China, Mexico); Software drivers and documentation on CD-ROM; Power cord; USB cable hardware warranty SVista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32 - 8.64-bit editions (Sectualing RT 05 for Tablets): Windows OS compatible with Universal Print Driver (From HP.com); Windows XP SP3 32 - 8.64 and Apple Store): GS X 10.7 Lion; OS X 10.8 Mountain Lion; OS X 10.9 Mavericks; OS X 10.1 10 Yosemite; Moi Cyan, Power Cyan, Po
Network capabilities Wireless capability mory ty cycle ² occessor speed per handling nput Doutput Media type Media sizes custom mensions (W x D x H) ² slight tat's in the box surranty features stems Compatible operating systems Minimum system requirements nts and typefaces introl panel wer	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended m 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, p Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 16 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, 416 x 461 x 400 mm (16.4 x 18.1 x 15.7 in) 21.8 kg (48.1 lb) HP Color Laser Jet Pro MFP M477fmv; 4 preinstalled HP Laser Jet Tone crartridges (Black: ~2,300 pages, Introductory Cyan, Magenta, Yellow: ~1,200 pages each cartridge); In-box documentation (Getting Started Guide, Install Poster), warranty card (China, Mexico); Software drivers and documentation on CD-ROM, Power cord; US6 cable One-year limited Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.); Window Mindows 10 all 32- & 64-bit editions (sexcluding RT OS for Tablets); Mac OS (In-Post Drivers available from HP.co (In-OS drivers); iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13). Fedors PC: Windows XP (SP2) (32-bit) or newer, 233 MHz processer or higher, 512 MB RAM, 400 MB HD space, CD-ROM or 849 supply type: internal (Built-in) power supply; Power supply required: 110-volt input voltage: 110 to 127 VAC supply varies by part number with # Option code identifier); Power consumption: experience (Experience (EXPERIENCE)). He Poct of Provers, Scan to 6-mail setup Wizard, Scan to Folder Setup Wizard, HP Update, Product Registration Assist, HP Wel	Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print mintly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF): Optional: 550-sheet tray toutput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: "reclossy media", Automatic duplexer: 6to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser Jet Pro MFP M477fdr; 4 preinstalled HP Laser Jet Toner cartridges (Black: ~2,300 pages, Introdu Cyan, Magenta, Yellow: ~1,200 pages each cartridge): h-box documentation (Getting Started Guide, Install Pow warranty card (China, Mexico); Software drivers and documentation on CD-ROM; Power cord; USB cable hardware warranty SVista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32 - 8.64-bit editions (Sectualing RT 05 for Tablets): Windows OS compatible with Universal Print Driver (From HP.com); Windows XP SP3 32 - 8.64 and Apple Store): GS X 10.7 Lion; OS X 10.8 Mountain Lion; OS X 10.9 Mavericks; OS X 10.1 10 Yosemite; Moi Cyan, Power Cyan, Po
Network capabilities Wireless capability mory ty cycle cocessor speed per handling nput Doutput Media type Media weight Media sizes custom mensions (W x D x H) ² light lat's in the box compatible operating systems Minimum system requirements nts and typefaces ntrol panel wer	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended m 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, p 1749 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 56 to 16 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (up to 176 g/m² with postcards, up to 160 g/m² (up to 176 g/m² with postcards, up to 160 g/m² with postcards, up to 160 g/m² (up to 176 g/m² with postcards, up to 160 g/m² (up to 176 g/m² with postcards, up to 176 g/m² with postcards, up to 160 g/m² with postcards, up to 176 g/m² with postcards,	Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print mithly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF); Optional: 550-sheet tray 1 output bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: m² clossy media); Automatic duplexer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser let Pro MFP M477fdr, 4 prientstalled HP Laser let Toner cartridges (Black: ~2,300 pages, Introdu (Sya, Magenta, Yellow: ~1,200 pages each cartridge); hr-box documentation (Setting Started Guide, Install Powerarnty card (China, Mexico); Software drivers and documentation on CD-ROM; Power cord; USB cable hardware warranty st Vista all 32-bit editions (Horne Basic, Premium, Professional, etc.); Windows 7 all 32 - 8.64-bit editions; Windows 7 all 32 - 8.64-bit editions (sextuding RT O5 for Tablets); Windows 7 all 32 - 8.64-bit editions; Consumer to Solox, 7.8); Other O5; UNIX Internet, USB or Network connection; Mac: OSX 10.7 or newer; Internet; USB or Network connection; 1 GB HD spruer (ICG); 3 Buttons (Home, Help, Back) (-7-10%); Go Hz (-7-3 Hz); 220-volt input voltage; 220 to 240 VAC (-7-10%), 50 Hz (-7-3 Hz) (Not dual voltage, p. 6.5 wetrices Assists (HP Connected)), Online user manuals, ("software varies by OS: WinXP/Vista = driver online or the voltage of the virce of the vir
Network capabilities Wireless capability emory ity cycle ⁷ ocessor speed	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended m 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, p Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 16 163 g/m² (up to 176 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 16 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, 416 x 461 x 400 mm (16.4 x 18.1 x 15.7 in) 21.8 kg (48.1 lb) 21.8 kg (48.1 lb) HP Color Laser let Pro MFP M477fmv; 4 preinstalled HP Laser let Toner cartridges (Black: ~2.300 pages, Introductory Cyan, Magenta, Yellow: ~1,200 pages each cartridge); In-box documentation (Getting Started Guide, Install Poster), warranty card (China, Mexico); Software drivers and documentation on CD-ROM, Power cord; US6 cable One-year limited Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Horne, XP Pro, etc.); Window Mindows 10 all 32 - & 64-bit editions (sexcluding RT Os for Tablets); Mc Col (HP Print Drivers available from HP.co (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 11); Fedora (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 11); Fedora (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 11); Fedora (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 11); Fedora (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 11); Fedora (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 11); Fedora (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2,	Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Ft; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print mintly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF); Optional: 550-sheet tray 1 output bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: m² clossy media); Automatic duplexer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser let Pro MFP M477fdr; 4 prientstalled HP Laser let Toner cartridges (Black: ~2,300 pages, Introduc (Sya, Magenta, Yellow: ~1.200 pages each cartridge); hr-box documentation (Getting Started Guide, Install Poswarranty card (China, Mexico); Software drivers and documentation on CD-ROM; Power cord; USB cable hardware warranty s Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32 - 8 64-bit editions; Windows 68:1 all 32- 8 64-bit editions (sextuding RT OS for Tablets); Windows 7 all 32 - 8 64-bit editions; Windows 68:1 all 32- 8 64-bit editions (sextuding RT OS for Tablets). Windows 7 all 32 - 8 64-bit editions; Os N. 10.1 Windows 10: 13 ll 32- 8 64-bit editions; Windows 68: 13 ll 32- 8 64-bit editions; Windows 7 all 32- 8 64-bit editions; Windows 68: 13 ll 32- 8 64-bit editions; Windows 68: 13 ll 32- 8 64-bit editions; Windows 7 all 32- 8 64-bit editions; Windows 68: 13 ll 32- 8 64-bit editions; Windows 7 all 32- 8 64-bit editions; Windows 68: 13 ll 32- 8 64
Network capabilities Wireless Capability smory sty cycle ⁷ ocessor speed per handling linput Output Media type Media weight Media sizes custom mensions (W x D x H) ² eight hart's in the box stems Compatible operating systems Minimum system requirements nts and typefaces ntrol panel wer ftware included	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended m 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, p Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 16 163 g/m² (up to 176 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 16 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, 416 x 461 x 400 mm (16.4 x 18.1 x 15.7 in) 21.8 kg (48.1 lb) 21.8 kg (48.1 lb) HP Color Laser let Pro MFP M477fmv; 4 preinstalled HP Laser let Toner cartridges (Black: ~2.300 pages, Introductory Cyan, Magenta, Yellow: ~1,200 pages each cartridge); In-box documentation (Getting Started Guide, Install Poster), warranty card (China, Mexico); Software drivers and documentation on CD-ROM, Power cord; US6 cable One-year limited Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Horne, XP Pro, etc.); Window Mindows 10 all 32 - & 64-bit editions (sexcluding RT Os for Tablets); Mc Col (HP Print Drivers available from HP.co (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 11); Fedora (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 11); Fedora (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 11); Fedora (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 11); Fedora (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 11); Fedora (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 11); Fedora (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2,	Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Ft; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print mintly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF): Optional: 550-sheet tray toutput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: m² clossy media, Automatic duplexer: 6to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser Jet Pro MFP M477fdr; 4 preinstalled HP Laser Jet Toner cartridges (Black: ~2,300 pages, Introduc, Cyan, Magenta, Yellow: ~1.200 pages each cartridge); In-box documentation (Cetting) Started Guide, Install Poswarranty card (China, Mexico); Software drivers and documentation on CD-ROM; Power cord; USB cable hardware warranty St Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32 ~ 8.6 4-bit editions (Sectuding RT 05 for Tablets); Windows OS compatible with Universal Print Driver (From HP.com); Windows XP SP3 32 ~ 8.6 etc.); Windows 7 all 32 ~ 8.0 4-bit editions (Sectuding RT 05 for Tablets) and Apple Store); OS X 10.7 Lion; OS X 10.8 Mountain Lion; OS X 10.9 Mavericks; OS X 10.10 Yosemite; Mobi (71, 18, 19, 20); Linux Mint (13, 14, 15, 16, 17); Boss (3.0, 5.0); Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.00
Network capabilities Wireless capability thy cycle ² occessor speed per handling input Output Media type Media sizes custom mensions (W x D x H) ² eight start's in the box stems Compatible operating systems Minimum system requirements ints and typefaces introl panel wer ftware included	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended mc 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-sheet Paper (bond, brochure, coloured, glossy, letterhead, photo, plan, p	Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Ft; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print wireless Direct Printing; NFC touch-to-Print mithly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF): Optional: 550-sheet tray toutput blin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: "reciossy media, Automatic duplexer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 2.3 z kg (51.2 lb) HP Color Laser let Pro MFP M477fdr; 4 preinstalled HP Laser let Toner cartridges (Black: ~2,300 pages, Introduc Cyan, Magenta, Yellow: ~1,200 pages each cartridge); hr-box documentation (Getting) Started Guide, Install Poswarranty card (China, Mexico); Software drivers and documentation on CD-ROM; Power cord; USB cable hardware warranty Si Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32 - 8.64-bit editions (excluding RT of Sof Tablets); Windows OS compatible with Universal Print Driver (From HP. com); Windows XP SP3 32 - 8.64 So X, Zh); Other Si all 32 - 8.64-bit editions (excluding RT oS for Tablets); Mindows OS compatible with Universal Print Driver (From HP. com); Windows XP SP3 32 - 8.65 So X, Zh); Uther Cybe for St. 10.7 Lion; OS X 10.8 Mountain Lion; OS X 10.9 Movericks; OS X 10.10 Yosemite, Mobi (17, 18, 19, 20); Linux Mint (13, 14, 15, 16, 17); Boss (3.0, 50); Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.05, 20); Ubuntu (10.06, 11.10, 13.04, 13.06, 20); Suttors (Home, Help, Back) (Fri 10%), GOHz (Fri 3 Hz); 220-volt input Voltage; 220 to 240 VAC (+/-10%), 50 Hz (+/-3 Hz) (Not dual voltage; 26 to 340 VAC (+/-10%), 50 Hz (+/-3 Hz); Windows OF Sean Ap Services Assist (HP Connected), Online user manuals, f'software varies by OS: WinxPV/Ksta = driver only; Win 34ac OS. Welcom
Network capabilities Wireless capability smory ty cycle ² cocessor speed per handling input Doutput Media type Media weight Media sizes custom mensions (W x D x H) ² sight tat's in the box compatible operating systems Minimum system requirements nts and typefaces ntrol panel wer fitware included oustic	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended m 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, p Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 16 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Tray 1: 76 x 127 to 216 x 356 mm; Tray 2; 416 x 461 x 400 mm (16.4 x 18.1 x 15.7 in) 21.8 kg (48.1 lb) HP Color Laser Jet Pro MFP M477fnw; 4 preinstalled HP Laser Jet Tone cratridges (Black: ~2,300 pages, Introductory Cyan, Magenta, Yellow: ~1,200 pages each cartridge); In-box documentation (Getting Started Guide, Install Poster), warranty card (China, Mexico); Software drivers and documentation on CD-RDM; Power cord; USB cable Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.); Window MR 18 all 32- & 64-bit editions (sexcluding RT of for Tablets); Mac Os (HP Print Drivers available from HP co (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13.1); Fedora (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13.1); Fedora (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13.1); Fedora (In-OS drivers); IOS, Post Individual (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13.1); Fedora (In-OS drivers); IOS, Post Individual (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13.1); Fedora (In-OS drivers); IOS, Post Individual (In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13.1); Fedora (In-OS drivers); IOS, Post In-OS drivers); IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linu	Autoracy Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print Wireless Direct Printing; NFC touch-to-Print Minthy page volume: 1750 to 4,000 pages OMHz OMHz Automatic Document Feeder (ADF); Optional: 550-sheet tray toutput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: "Glossy media); Automatic duplexer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser let Pro MFP M477fdr, 4 prientsalled HP Laser let Toner cartridges (Black: ~2,300 pages, Introduction), and the surface of the surf
Network capabilities Wireless capability smory ty cycle ² cocessor speed per handling input Doutput Media type Media weight Media sizes custom mensions (W x D x H) ² sight tat's in the box compatible operating systems Minimum system requirements nts and typefaces ntrol panel wer fitware included oustic	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended mc 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-sheet Paper (bond, brochure, coloured, glossy, letterhead, photo, plan, p	Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print mintly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF): Optional: 550-sheet tray toutput bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: "reciossy media, Automatic duplexer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser Jet Pro MFP M477fdr; 4 preinstalled HP Laser Jet Toner cartridges (Black: ~2,300 pages, Introdu Cyan, Magenta, Yellow: ~1,200 pages each cartridge); hr-box documentation (Getting Started Guide, Install Poswarranty card (China, Mexico); Software drivers and documentation on CD-ROM; Power cord; USB cable hardware warranty SVista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32 - 8, 64-bit editions (Sectuding RT of Sor Tablets); Windows OS compatible with Universal Print Driver (From HP.com); Windows XP S93 32 - 8, 64-c); Windows 7 all 32 - 8, 64-bit editions (Sectuding RT of Sor Tablets); Windows CS compatible with Universal Print Driver (From HP.com); Windows XP S93 32 - 8, 65-c); Windows 7 all 32 - 8, 64-bit editions (Sectuding RT of Sor Tablets); Windows CS CS VIO.7 Lon; OS X 10.8 Mountain Lion; OS X 10.9 Mavericks; OS X 10.10 vosemite; Mob. (71, 18, 19, 20); Linux Mint (13, 14, 15, 16, 17); Boss (3.0, 5.0); Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.00, X, 73); Other OS; UNIX Internet, USB or Network connection; Mac; OSX 10.7 or newer; Internet; USB or Network connection; 1 GB HD s; Tire lype fonts reen (CGD); 3 Buttons (Home, Help, Back) (+1-108), 60 Hz (+3 Hz); 220-vol tinput voltage; 220 to 240 WC (+1-109), 50 Hz (+1-3 Hz) (Not dual voltage; p. 65 watts (Ready), 2.5 watts (Seep), 0.6 watts (Auto-On/Auto-Off, vi
Network capabilities Wireless capability mory ty cycle? ty cycle? cosessor speed per handling nput Dutput Media type Media weight Media sizes custom nensions (W x D x H)? ight tat's in the box rranty features stems Compatible operating systems Minimum system requirements nats and typefaces nats and typefaces fitware included pustic wironmental ranges curity management	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended m 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-shee Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, p Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 16 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, 416 x 461 x 400 mm (16.4 x 18.1 x 15.7 in) 21.8 kg (48.1 lb) HP Color Laser Jet Pro MFP M477fmv; 4 preinstalled HP Laser Jet Tone crartridges (Black: ~2,300 pages, Introductory Cyan, Magenta, Yellow: ~1,200 pages each cartridge); In-box documentation (Getting Started Guide, Install Poster), warranty card (China, Mexico); Software drivers and documentation on CD-ROM, Power cord; US6 cable One-year limited Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.); Window Mindows 10 all 32 - & 64-bit editions (sexcluding RT OS for Tablets); Mac OS (In-Post Drivers) available from HP.co (In-OS drivers); iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13). Fedore PC: Windows XP (SP2) (32-bit) or newer, 233 MHz processer or higher, 512 MB RAM, 400 MB HD space, CD-ROM or supply varies by part number with # Option code identifier); Power consumption: "570 watts (Active Printing), 18 For Windows SP (SP2) (32-bit) or newer - drivers only with more apps available in MS App store) For Invers, Scan to e-mail setup Wizard, Scan to Folder Setup Wizard, HP Update, Product Registration Assist, HP Wel solution; Win 8 + and newer - drivers only with more apps available in MS App store) For Inchedded Web Server: password-protection, secure browsing via SSL/TLS, Network: enable/disable network ports and features, SMMP/1 & SNMP/P2 community password change; HP ePint HTTPS with certificate validation, HTTP Basic Access Authenticat	Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WER WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print mintly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF); Optional: 550-sheet tray 1 output bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers); Optional Tray 3: "ref clossy media); Automatic duplexer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 23.2 kg (51.2 lb) HP Color Laser Jet Pro MFP M477fdr; 4 prientalled HP Laser Let Toner cartridge; Black: ~2,300 pages, Introdu (Sya, Magenta, Yellow: ~1.200 pages each cartridge); hr-box documentation (Setting Started Guide, Install Powarranty, card (China, Mexico); Software drivers and documentation on CD-ROM; Power cord; USB cable hardware warranty s Vista all 32-bit editions (Horne Basic, Premium, Professional, etc.); Windows 7 all 32 - 8.64-bit editions; Windows 67 all 32- 8.64-bit editions (sexcluding RT O5 for Tablets). Windows 7 all 32- 8.64-bit editions; Windows 7 all 32- 8.64-bit editions (Software drivers and documentation (sexcluding RT O5 for Tablets). Windows 7 all 32- 8.64-bit editions; Os. 7.03. Dhay Mayericks; OS x 10.10 to Vosemite, Mob (717, 18, 19, 20); Linux Mint (13, 14, 15, 16, 17); Boss (3.0, 5.0); Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 15.04, 73.04, 73.04); Discovery; OS x 10.01. Discovering Mac; OSX 10.07 or newer; Internet; USB or Network connection; 1 GB HD spruer (CGD); 3 Buttons (Home, Help, Back) (*f-10%), 60 Hz (*f-3 Hz); 220-volt input voltage; 220 to 240 VAC (*f-10%), 50 Hz (*f-3 Hz) (Not dual voltage, p. 6. wasts (Ready), 2.5 wasts (Sleep), 0.6 wasts (Auto-On/Auto-Onf. via USB connectivity), 0.05 wasts (Shutdown or Mac; OSX 10.7 or newer; Internet; USB or Network connection; 1 GB HD spruer (CGD); 3 Buttons (Home, Help, Back) (*f-10%), 60 Hz
Network capabilities Wireless capability mory ty cycle* cocessor speed per handling nput Output dedia type Media weight Media sizes custorm nensions (W x D x H)* light lat's in the box rranty features stems Compatible operating systems Minimum system requirements atts and typefaces ntrol panel wer fitware included positic	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended mc 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-sheet Paper (bond, brochure, coloured, glossy, letterhead, photo, plan, p	Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print Built-in Wi-Fi; Authentication via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print Built-in Wi-Fi; Authentication via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print Built-in Wireless Direct Via AES or TKIP; WPS; WPS; WPS; WPS; WPS; WPS; WPS; WP
letwork capabilities vireless capability mory y cycle' cessor speed per handling uput butput dedia type dedia sizes custom mensions (W x D x H)* gight at's in the box rranty features tems ompatible operating systems dinimum system requirements ts and typefaces tirtol panel tvare included mustic ironnental ranges urity management	Built-in Wi-Fi; Authentication via WEP, WFA/WFA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing Standard/Maxim Up to 50,000 pages; Recommended m 120 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet 150-sheet 150-sh	Auto-crossover Ethernet; authentication via 802.1X Built-in Wi-Fr, Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-Print Junn: 255 MB DRAM Minthly page volume: 1750 to 4,000 pages 0 MHz Automatic Document Feeder (ADF): Optional: 550-sheet tray 1 output bin reprinted, prepunched, recycled, rough), postcards, labels, envelopes 3 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers): Optional Tray 3: "recisosy media," Automatic duplexer: 60 to 163 g/m² optional Tray 3: 100 x 148 to 216 x 356 mm 416 x 472 x 400 mm (16.4 x 18.6 x 15.7 in) 2.3 z kg (51.2 lb) HP Color Laser let Pro MFP M477fdn; 4 preinstalled HP Laser let Toner cartridges (Black: ~2,300 pages, Introd. Cyan, Magenta, Yellow: ~1,200 pages each cartridge): hr-box documentation (Setting Started Guide, Install Power arranty solved and 32-bit editions (Home Basic, Premium, Professional, etc.): Windows 7 all 32- & 64-bit editions; Windows All 32-bit editions (Home Basic, Premium, Professional, etc.): Windows 7 all 32- & 64-bit editions (Home Basic, Premium, Professional, etc.): Windows 7 all 32- & 64-bit editions (Home Basic, Premium, Professional, etc.): Windows 7 all 32- & 64-bit editions (Home Basic, Premium, Professional, etc.): Windows 7 all 32- & 64-bit editions (Home Basic, Premium, Professional, etc.): Windows 7 all 32- & 64-bit editions (Home, Home, Hom

IP Config: IPv4 (BootP, DHCP, AutolP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), SSL Security and Certificate management: SMMPv1, SMMPv2, SMMPv3, SMMP

To learn more, visit hp.com

© Copyright 2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group. PANTONE® and other Pantone, Inc. trademarks are the property of Pantone, Inc.

