


SIRUBA®

銀箭牌工業用縫紉機
INDUSTRIAL SEWING MACHINE

C007J

零件圖 PARTS LIST













CE



高林股份有限公司
KAULIN MFG. CO., LTD.







From the library of: Superior Sewing Machine & Supply LLC

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號
C007J-W121 /CH	240 248 356 364	M5240 M5248 M5356 M5364	E 3514P E 3515P E 3836P E 3837P	D 4206 D 4206 D 4206 D 4207	H 4458 H 4458 H 4458 H 4459	P2544 P2545 P2446 P2447	MH41	MT01	UY128GAS #10
C007J-U121 /CH	240 248 356 364	M5240 M5248 M5356 M5364	E 3514P E 3515P E 3836P E 3837P	D 4206 D 4206 D 4206 D 4207	H 4458 H 4458 H 4458 H 4459	P2544 P2545 P2446 P2447	—	MT01	UY128GAS #10
C007J-W122 /CH	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E 3524P E 3525P E 3826S E 3826P E 3827P	D 4206 D 4206 D 4206 D 4206 D 4207	H 4458 H 4458 H 4458 H 4458 H 4459	P2544 P2545 P2446 P2446 P2447	MH41	MT01	UY128GAS #10
C007J-U122 /CH	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E 3524P E 3525P E 3826S E 3826P E 3827P	D 4206 D 4206 D 4206 D 4206 D 4207	H 4458 H 4458 H 4458 H 4458 H 4459	P2544 P2545 P2446 P2446 P2447	—	MT01	UY128GAS #10
C007J-W122 CH/UTP(UTR)	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E 3524P E 3525P E 3826S E 3826P E 3827P	D 4206 D 4206 D 4206 D 4206 D 4207	H 4458 H 4458 H 4458 H 4458 H 4459	P2544 P2545 P2446 P2446 P2447	MH41	MT01	UY128GAS #10

註：P2544/2545 為固定式押具舌,亦可使用活動式押具舌 P2565代替P2544/P2545
P2446/2447 為固定式押具舌,亦可使用活動式押具舌 P2466代替P2446/2447











規格件表 CONVERSION CHART-1

規格件表 CONVERSION CHART-2

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號
C007J- U122 CH/UTQ(UTS)	240 248 256 356 364	M5240 M5248 M5356 M5356 M5364	E 3524P E 3525P E 3826S E 3826P E 3827P	D 4206 D 4206 D 4206 D 4206 D 4207	H 4458 H 4458 H 4458 H 4458 H 4459	P2544 P2545 P2446 P2446 P2447	—	MT01	UY128GAS #10
C007J- W122 /CHA	356	M5356	E 3826Q	D 4206	H 4458	P0216	MH41	MT01	UY128GAS #10
C007J- U122 /CHA	356	M5356	E 3826Q	D 4206	H 4458	P0416	—	MT01	UY128GAS #10
C007J- W123 /CH	356 364	M5356 M5364	E 3816P E 3817P	D 4206 D 4207	H 4458 H 4459	P2446 P2447	MH41	MT01	UY128GAS #10
C007J- U123 /CH	356 364	M5356 M5364	E 3816P E 3817P	D 4206 D 4207	H 4458 H 4459	P2446 P2447	—	MT01	UY128GAS #10
C007J- W123 CH/UTP(UTR)	356 364	M5356 M5364	E 3816P E 3817P	D 4206 D 4207	H 4458 H 4459	P2446 P2447	MH41	MT01	UY128GAS #10
C007J- U123 CH/UTQ(UTS)	356 364	M5356 M5364	E 3816P E 3817P	D 4206 D 4207	H 4458 H 4459	P2446 P2447	—	MT01	UY128GAS #10
C007J- W132 /CHE	240 248 356 364	M5240 M5248 M5356 M5364	E 2324P E 2325P E 2326P E 2327P	D 2109 D 2109 D 2110 D 2110	H 2219 H 2219 H 2220 H 2220	P2904 P2905 P2906 P2907	MH41	MT01	UY128GAS #10
C007J- W132 CHE/UTP(UTR)	356 364	M5356 M5364	E 2326P E 2327P	D 2110	H 2220	P2906 P2907	MH41	MT01	UY128GAS #10

註：P2544/2545 為固定式押具舌,亦可使用活動式押具舌 P2565代替P2544/P2545

P2446/2447 為固定式押具舌,亦可使用活動式押具舌 P2466代替P2446/2447











									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號
C007J- W152 /CZ/UTP/RLQ	356 364	M5356 M5364	E 4326P E 4327P	D 3216 D 3217	H 3262 H 3263	P2416 P2417	MH41	MT01	UY128GAS #10
C007J- U152 /CZ/UTQ/RLQ	356 364	M5356 M5364	E 4326P E 4327P	D 3216 D 3217	H 3262 H 3263	P2416 P2417	—	MT01	UY128GAS #10
C007J- W152 /CZ/CLA/UTP/RLQ	356 364	M5356 M5364	E4326P E4327P	D 3216 D 3217	H 3262 H 3263	P2416 P2417	MH41	MT01	UY128GAS #10
C007J-U152 /CZ/CLA/UTQ/RLQ	356 364	M5356 M5364	E4326P E4327P	D 3216 D 3217	H 3262 H 3263	P2416 P2417	—	MT01	UY128GAS #10
C007J- W162	240 248 356 364	M5240 M5248 M5356 M5364	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544 P2545 P2446 P2447	MH41	MT01A	TV*5 #14~16
C007J-U162	240 248 356 364	M5240 M5248 M5356 M5356	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544 P2545 P2446 P2447	—	MT01A	TV*5 #14~16
C007J- W162 /UTP (UTR)	248 356 364	M5240 M5248 M5356 M5364	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544 P2545 P2446 P2447	MH41	MT01A	TV*5 #14~16
C007J- U162 /UTQ (UTS)	240 248 356 364	M5240 M5248 M5356 M5356	E3544 E3545 E3846 E3847	D4206 D4206 D4206 D4207	H4458 H4458 H4458 H4459	P2544 P2545 P2446 P2447	—	MT01A	TV*5 #14~16

註：P2544/2545 為固定式押具舌,亦可使用活動式押具舌 P2565代替P2544/P2545

P2446/2447 為固定式押具舌,亦可使用活動式押具舌 P2466代替P2446/2447

規格件表 CONVERSION CHART-3

規格件表 CONVERSION CHART-4

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號
C007J-W222 /CQ	240	M5240	E 4124P	D 3216	H 3362	P1814	MH41	MT01	UY128GAS #10
C007J-U222 /CQ	248	M5248	E 4125P	D 3216	H 3362	P1815	—		
	356	M5356	E 4426P	D 3216	H 3362	P2116			
	364	M5364	E 4427P	D 3217	H 3363	P2117			
C007J-W222 /CQA/CLA	256	M5356	E2326Q	D2110	H2220Q	P2906Q	MH41	MT01A	TV*5 #14
C007J-W222 /CQB/CC	248 356 364	M5248 M5356 M5364	E 4125P E 4426P E 4427P	D 3216 D 3216 D 3217	H 3362 H 3362 H 3363	P 1815 P2116 P2117	MH41	MT01	UY128GAS #10
C007J-W222 /CQB/CD									
C007J-W222 /CQB/CE									
C007J-U222 /CQB/CC	248 356 364	M5248 M5356 M5356	E 4125P E 4426P E 4427P	D 3216 D 3216 D 3217	H 3362 H 3362 H 3363	P 2315 P2616 P2617	—	MT01	UY128GAS #10
C007J-U222 /CQB/CD									
C007J-U222 /CQB/CE									
C007J-W322 /CC	356 364	M5356 M5364	E 2826P E 2827P	D 2107L D 2107L	H 3259M H 3259M	P2456 P2457	MH41	MT01	UY128GAS #10
C007J-U322 /CC	356 364	M5356 M5364	E 2826P E 2827P	D 2107L D 2107L	H 3259M H 3259M	P2456 P2457	—	MT01	UY128GAS #10
C007J-W322 CC/UTP(UTR)	356 364	M5356 M5364	E 2826P E 2827P	D 2107L D 2107L	H 3259M H 3259M	P2456 P2457	MH41	MT01	UY128GAS #10
C007J-U322 CC/UTQ(UTS)	356 364	M5356 M5364	E 2826P E 2827P	D 2107L D 2107L	H 3259M H 3259M	P2456 P2457	—	MT01	UY128GAS #10

*CQB為三合一機型

註：P2544/2545 為固定式押具舌,亦可使用活動式押具舌 P2565代替P2544/P2545











P2446/2447 為固定式押具舌,亦可使用活動式押具舌 P2466代替P2446/2447











									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號
C007J-W322 /CD	356 364	M5356 M5364	E 3626P E 3627P	D 4206 D 4207	H 4158 H 4159	P2446 P2447	MH41	MT01	UY128GAS #10
C007J-U322 /CD	356 364	M5356 M5364	E 3626P E 3627P	D 4206 D 4207	H 4158 H 4159	P2446 P2447	—	MT01	UY128GAS #10
C007J-W322 CD/UTP(UTR)	356 364	M5356 M5364	E 3626P E 3627P	D 4206 D 4207	H 4158 H 4159	P2446 P2447	MH41	MT01	UY128GAS #10
C007J-U322 CD/UTQ(UTS)	356 364	M5356 M5364	E 3626P E 3627P	D 4206 D 4207	H 4158 H 4159	P2446 P2447	—	MT01	UY128GAS #10
C007J-W322 /CE	356 364	M5356 M5364	E 2626P E 2627P	D 2107	H 3159	P2456 P2457	MH41	MT01	UY128GAS #10
C007J-U322 /CE	356 364	M5356 M5364	E 2626P E 2627P	D 2107	H 3159	P2456 P2457	—	MT01	UY128GAS #10
C007J-W322 CE/UTP(UTR)	356 364	M5356 M5364	E 2626P E 2627P	D 2107	H 3159	P2456 P2457	MH41	MT01	UY128GAS #10
C007J-U322 CE/UTQ(UTS)	356 364	M5356 M5364	E 2626P E 2627P	D 2107	H 3159	P2456 P2457	—	MT01	UY128GAS #10
C007J-U322 /CF	248	M5348	E 2625P	D 2106	H 3158	P2555P	—	MT01	UY128GAS #10
C007J-U322 CF/UTQ(UTS)	248	M5348	E 2625P	D 2106	H 3158	P2555P	—	MT01	UY128GAS #10

註：P2544/2545 為固定式押具舌,亦可使用活動式押具舌 P2565代替P2544/P2545
P2446/2447 為固定式押具舌,亦可使用活動式押具舌 P2466代替P2446/2447

規格件表 CONVERSION CHART-5

規格件表 CONVERSION CHART-6











									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號
C007J- W512 /FE(FFC)	232 240 356 364	M5232 M5240 M5356 M5364	E 3523R E 3524R E 3826R E 3827R	D 4205 D 4206 D 4206 D 4207	H 4457 H 4458 H 4458 H 4459	P2913 P2914 P3216 P3217	MH41	MT01	UY128GAS #10
C007J- U512 /FE(FFC)	240 356 364	M5240 M5356 M5364	E 3524R E 3826R E 3827R	D 4206 D 4206 D 4207	H 4458 H 4458 H 4459	P3414 P3716 P3717	—	MT01	UY128GAS #10
C007J-W522 /FE(FFC)/CR/CL	356 364	M5356 M5364	E6426R E6427R	D3222	H3268	P3816R P3817R	MH41	MT01	UY128GAS #10
C007J-U522 /FE(FFC)/CR/CL	356 364	M5356 M5364	E6426R E6427R	D3222	H3268	P3816R P3817R	—	MT01	UY128GAS #10
C007J-W532/ CR/UTP/CL/RLP/CX	232 356 364	M5232 M5356 M5364	E 6423R E6426R E6427R	D 3219 D3222	H 3265 H3268	P3813R P3816R P3817R	MH41	MT01	UY128GAS #10
C007J-U532/ CR/UTQ/CL/RLP/CX	356 364	M5356 M5364	E6426R E6427R	D3222	H3268	P3816R P3817R	MH41	MT01	UY128GAS #10
C007J-W922/ CW	456 464	M5456 M5464	E1828P E1848P	D2107M	H4459M	P2428P P2448P	MH41	MT01B	SM1014B#10 (MY1014B#70,SY7256)

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號
C007J-W811 /CRL/RL	248 356 364	M5248 M5356 M5364	E 0235R E 0236R E 0237R	D2101Q	H2203R	P2765 P2766 P2767	MH41	MT01	UY128GAS #10
C007J-W811A /CRL/RL	248 356 364	M5248 M5356 M5364	E 0235Q E 0236Q E 0237Q	D2101Q	H2203Q	P2765 P2766 P2767	MH41	MT01	UY128GAS #10
C007J-U811 /CRL/RL	248 356 364	M5248 M5356 M5364	E 0235R E 0236R E 0237R	D2101Q	H2203R	P0965 P0966 P0967	—	MT01	UY128GAS #10
C007J-U811A /CRL/RL	248 356 364	M5248 M5356 M5364	E 0235Q E 0236Q E 0237Q	D2101Q	H2203Q	P0965 P0966 P0967	—	MT01	UY128GAS #10
C007J-W812 /CRL/RL	232 248 356 364	M5232 M5248 M5356 M5364	E 0223R E 0225R E 0226R E 0227R	D2101Q	H2203R	P2763 P2765 P2766 P2767	MH41	MT01	UY128GAS #10
C007J-W812A /CRL/RL	248 356 364	M5248 M5356 M5364	E 0225Q E 0226Q E 0227Q	D2101Q	H2203Q	P2765 P2766 P2767	MH41	MT01	UY128GAS #10
C007J-U812 /CRL/RL	248 356 364	M5248 M5356 M5364	E 0225R E 0226R E 0227R	D2101Q	H2203R	P0965 P0966 P0967	—	MT01	UY128GAS #10
C007J-U812A /CRL/RL	248 356 364	M5248 M5356 M5364	E 0225Q E 0226Q E 0227Q	D2101Q	H2203Q	P0965 P0966 P0967	—	MT01	UY128GAS #10
C007J-W812 CRL/UTP/RL	248 356 364	M5248 M5356 M5364	E 0225R E 0226R E 0227R	D2101Q	H2203R	P2765 P2766 P2767	MH41	MT01	UY128GAS #10
C007J-W812A CRL/UTP/RL	248 356 364	M5248 M5356 M5364	E 0225Q E 0226Q E 0227Q	D2101Q	H2203Q	P2765 P2766 P2767	MH41	MT01	UY128GAS #10
C007J-U812 CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E 0225R E 0226R E 0227R	D2101Q	H2203R	P0965 P0966 P0967	—	MT01	UY128GAS #10
C007J-U812A CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E 0225Q E 0226Q E 0227Q	D2101Q	H2203Q	P0965 P0966 P0967	—	MT01	UY128GAS #10











註：C007J-W812A/W813A 機型之針板與差送具為5排齒。
C007J-W812/W813 機型之針板與差送具為4排齒。

規格件表 CONVERSION CHART-7

規格件表 CONVERSION CHART-8

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號
C007J-W812 /CRL/UTR/CSB	248 356 364	M5248 M5356 M5364	E 0225R E 0226R E 0227R	D2101Q	H2203R	P2765 P2766 P2767	MH41	MT01	UY128GAS #10
C007J-W812A /CRL/UTR/CSB	248 356 364	M5248 M5356 M5364	E 0225Q E 0226Q E 0227Q	D2101Q	H2203Q	P2765 P2766 P2767	MH41	MT01	UY128GAS #10
C007J-U812 /CRL/UTS/CSB	248 356 364	M5248 M5356 M5364	E 0225R E 0226R E 0227R	D2101Q	H2203R	P0965 P0966 P0967	MH41	MT01	UY128GAS #10
C007J-U812A /CRL/UTS/CSB	248 356 364	M5248 M5356 M5364	E 0225Q E 0226Q E 0227Q	D2101Q	H2203Q	P0965 P0966 P0967	MH41	MT01	UY128GAS #10
C007J-W813 /CRL/RL	248 356 364	M5248 M5356 M5364	E 0215R E 0216R E 0217R	D2101Q	H2203R	P2765 P2766 P2767	MH41	MT01	TV*5 #14
C007J-W813A /CRL/RL	248 356 364	M5248 M5356 M5364	E 0215Q E 0216Q E 0217Q	D2101Q	H2203Q	P2765 P2766 P2767	MH41	MT01	TV*5 #14
C007J-U813 /CRL/RL	248 356 364	M5248 M5356 M5364	E 0215R E 0216R E 0217R	D2101Q	H2203R	P0965 P0966 P0967	—	MT01	TV*5 #14
C007J-U813A /CRL/RL	248 356 364	M5248 M5356 M5364	E 0215Q E 0216Q E 0217Q	D2101Q	H2203Q	P0965 P0966 P0967	—	MT01	TV*5 #14
C007J-W813 CRL/UTP/RL	248 356 364	M5248 M5356 M5364	E 0215R E 0216R E 0217R	D2101Q	H2203R	P2765 P2766 P2767	MH41	MT01	TV*5 #14
C007J-W813A CRL/UTP/RL	248 356 364	M5248 M5356 M5364	E 0215Q E 0216Q E 0217Q	D2101Q	H2203Q	P2765 P2766 P2767	MH41	MT01	TV*5 #14
C007J-U813 CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E 0215R E 0216R E 0217R	D2101Q	H2203R	P0965 P0966 P0967	—	MT01	TV*5 #14
C007J-U813A CRL/UTQ/RL	248 356 364	M5248 M5356 M5364	E 0215Q E 0216Q E 0217Q	D2101Q	H2203Q	P0965 P0966 P0967	—	MT01	TV*5 #14











註：C007J-W812A/W813A 機型之針板與差送具為5排齒。
C007J-W812/W813 機型之針板與差送具為4排齒。

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號
C007J- W813 /CRL/UTR/CSB	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P2765 P2766 P2767	MH41	MT01	TV*5 #14
C007J- W813A /CRL/UTR/CSB	248 356 364	M5248 M5356 M5364	E0235Q E0236Q E0237Q	D2101Q	H2203Q	P2765 P2766 P2767	MH41	MT01	TV*5 #14
C007J- U813 /CRL/UTS/CSB	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965 P0966 P0967	MH41	MT01	TV*5 #14
C007J- U813A /CRL/UTS/CSB	248 356 364	M5248 M5356 M5364	E0235Q E0236Q E0237Q	D2101Q	H2203Q	P0965 P0966 P0967	MH41	MT01	TV*5 #14
C007J- W822 /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765 P2766 P2767	MH41	MT01	UY128GAS #10
C007J- W823 /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P2765 P2766 P2767	MH41	MT01	TV*5 #14
C007J- U822 /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965 P0966 P0967	—	MT01	UY128GAS #10
C007J- U823 /CRL/CY/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965 P0966 P0967	—	MT01	TV*5 #14
C007J- W822 CRL/CY/UTP/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P2765 P2766 P2767	MH41	MT01	UY128GAS #10
C007J- W823 CRL/CY/UTP/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P2765 P2766 P2767	MH41	MT01	TV*5 #14

註：C007J-W812A/W813A 機型之針板與差送具為5排齒。
C007J-W812/W813 機型之針板與差送具為4排齒。


規格件表 CONVERSION CHART-9

規格件表 CONVERSION CHART-10

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	SPREADER	LOOPER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	上 叉	勾 針	針 號
C007J- U822 CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965 P0966 P0967	—	MT01	UY128GAS #10
C007J- U823 CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965 P0966 P0967	—	MT01	TV*5 #14
C007J- U822 CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0225R E0226R E0227R	D2101Q	H2203R	P0965 P0966 P0967	—	MT01	UY128GAS #10
C007J- U823 CRL/CY/UTQ/CL/RL	248 356 364	M5248 M5356 M5364	E0235R E0236R E0237R	D2101Q	H2203R	P0965 P0966 P0967	—	MT01	TV*5 #14

註：C007J-W/U122A-³⁵⁶₃₆₄ /CH 時，增加 CE04-A

C007J-W/U322A-³⁵⁶₃₆₄ /CC 時，該針板與送金改用 C007J-W/U122-³⁵⁶₃₆₄ 之針板與送金



Exploded view diagram of the front cover assembly, showing various components and their assembly order. The diagram includes the following parts and labels:


- (For UXXX) KA24
- SM602
- MV24
- MH50E
- MH52E
- MH40x8 (針線)
- MH49E
- MH48 (For UXXX)
- MH46
- OR100
- KL11
- MH85
- SM401
- SM534
- SM137
- MH43
- MH41
- MH76
- SM332
- WM310
- MH75
- MH08
- SK277
- MH07D
- MH03
- MH15
- EM136
- M5XXX
- MA91
- SK219
- SK216
- MH70
- MH71
- MH72
- MH05
- SK531
- UY128GAS
- MH54
- MH60
- MH56E
- MH81
- MH73
- SM502
- SM612
- NM511
- MH55
- MH64
- MH66
- MH09J
- MH11
- MH10D
- SM4550
- MH86
- OP233
- SM131
- SM438
- MH13
- MH78
- MH79
- SM435
- MH14D

This diagram illustrates the exploded view of a mechanical assembly, showing the relationship between various components. The parts are labeled as follows:


- Top Section:** MJ01 (long threaded rod), MJ21 (long bracket), PM410 (pin), SK253A (pin), WK01 (pin), SK270 (pin), MJ27 (bracket), MJ29 (bracket), SK519 (pin).
- Left Section:** SM440 (pin), MJ08 (bracket), PM310 (pin), SK518 (pin), MJ06 (bracket), SK265 (pin), MJ12 (rod), MJ13 (bracket), MJ14 (bracket), MJ17 (bracket), MJ39 (bracket), SK216 (pin), MJ15D (bracket), MJ18 (bracket), SK332 (pin).
- Center Section:** MJ02H (bracket), MJ03 (rod), MJ04 (bracket), MJ22 (bracket), MJ23 (bracket), NM610 (pin), MJ35H (bracket), MJ34H (bracket), MJ36H (bracket), OR100 (bracket), MJ32 (bracket).
- Right Section:** MJ27 (bracket), MJ40 (bracket), MJ41 (bracket), MJ43 (bracket), SK251 (pin), SK270 (pin), SK257 (pin), SK519 (pin), SM513 (pin), NM511 (pin), SM432 (pin), MJ37 (bracket), MJ137 (bracket).
- Bottom Section:** PXXXX (bracket), SK241 (pin).

組裝方式
USE FOR C007JD/S007JD

The diagram shows the assembly sequence and the relative positions of the components. The parts are arranged in a way that shows how they fit together. The exploded view is used to show the relationship between the parts and to provide a clear understanding of the assembly process.




PARTS LIST FOR MK GROUP




PARTS LIST FOR MN GROUP

PARTS LIST FOR MN GROUP




PARTS LIST FOR MQ GROUP


14



FOR C007J/C007JD □ FOR C007JD H牌機種
 * USE FOR C007JD □ FOR C007JD P牌機種




PARTS LIST FOR MR GROUP




PARTS LIST FOR MS GROUP

PARTS LIST FOR MJ GROUP




PARTS LIST FOR MU GROUP







PARTS LIST FOR MY GROUP



FOR C007J/C007JD
 *USE FOR C007JD
 △USE FOR C007J ONLY

PARTS LIST FOR MZ GROUP





PARTS LIST FOR THREAD STAND GROUP



C007J

高林股份有限公司 KAULIN MFG. CO., LTD.

The specification and/or appearances of the equipment described in this parts list are subject to change because of modification without previous notice.

MY32J APR. 2006

From the library of: Superior Sewing Machine & Supply LLC