

CHEST FREEZER

BD-108L

PRODUCT USE GUIDE

TABLE OF CONTENTS

INTRODUCTION

Thank you for choosing a LIFEPLUS chest freezer. This owner's manual will provide you with valuable information necessary for the proper care and maintenance of your new product. Please take a few minutes to read it

SECTION 1	
IMPORTANT NOTE	PAGES 3-4
SECTION 2	
TECHNICAL PARAMETERS & PACKAGE INCLUDE	PAGES 5
PRODUCT INTRODUCTION	PAGES 6
SECTION 3	
PRECAUTIONS BEFORE USE	PAGES 7
SECTION 4	
USE OPERATION	PAGES 8
SECTION 5	
TROUBLESHOOTING GUIDE	PAGES 9
SECTION 6	
NORMAL PHENOMENA	PAGES 10
SECTION 7	
MAINTAINENCE GUIDELINES	PAGES 10
SECTION 8	
WARRANTY	PAGES 11

IMPORTANT NOTE


- (1). A fitting one phase alternating power must be supplied to the unit. If there is a big fluctuate with the voltage, please be assisted with a power regulator otherwise it would be affected on the operating even burn out the compressor.
- (2). A single-phase socket and suitable fuse are allowed for the unit only. Do not use the multifunction socket which may cause the fire or electrical shock.
- (3). The broken power wire must be changed by the manufacturer's maintenance personnel or similar department.
- (4). Be sure to ground the unit.
- (5). If the unit is unplugged, power lost or turned off, it needs to wait for five minutes before restarting the unit.
- (6). Never install the unit at inflammable and volatility location and never install the unit at place of acid or corrosive gas which may cause explosion or fire.
- (7). Never splash water outside or inside of the unit as this may cause electrical shock or short circuit.
- (8). Never store volatile, flammable or corrosive material in the unit.
- (9). Never store medicine or other medical products. Please contact us if storing this kind of products.
- (10). Handling the frozen contents with naked hands may cause frostbite.
- (11). Do not damage the power cord to avoid of the electric leakage or fire.
- (12). Make sure to keep the key in a safe place where the children cannot reach. Do not permit children to play around the unit as danger may result.
- (13). Do not break the loop of the cooling system.
- (14). Do not put any other electrical equipment in the food closet of the freezer.
- (15). Do not use mechanical devices or other means to accelerate the defrosting process other than those recommended by the manufacturer.
- (16). The damaged lamp must be replaced with the same model as the original by the maintenance and warranty department of the producer or by similar professional and authorized technicians.

- (17). This appliance is not intended for use by persons including children with reduced physical, sensory, mental capabilities or lack of experience and knowledge, unless they have been given supervision or instruction concerning the use of the appliance by a person responsible for their safety. The children should be supervised to ensure that they do not play with the appliance.
- (18). Don't use the electric products in the food storeroom of this product.
- (19). This appliance is intended to be used in household and similar applications such as
–staff kitchen areas in shops, offices and other working environments;
–farm houses and clients in hotels, motels and other residential type environments;
–bed and breakfast type environments;
–catering and similar non-retail applications.
- (20). Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.


TECHNICAL PARAMETERS

Model No.	BD-108L
Item Name	Chest Freezer
Rated Voltage	115V
Rated Power	62W
Capacity	3.8 cu.ft
Freezing Temperature	-11.4°F to 10.2°F(-24°C to -12°C)
Energy Consumption	0.501 kwh/24h
Package Weight	57.55lbs
Package Size	22.8x22.6x32.3inch


PACKAGE INCLUDE



1X Chest Freezer




1X Plastic Basket



1X Owner's Manual

Please check whether the accessories in the above picture are complete. If the freezer is damaged or incomplete during transportation, please contact the seller immediately.

PRODUCT INTRODUCTION



Tips:

For the stability of the product, the wheels are only on one side. If you want to move the freezer, please slightly stand the freezer up and push it.

PRECAUTIONS BEFORE USE

Portage and Placement

1. In order to avoid any trouble from the compressor or the system, the inclination of the unit can't be over 45° during the transportation.
2. Place the appliance away from the direct sunlight and sources of heat from the stove, heater, radiator etc. The direct sunlight may affect the acrylic coating and the heat sources will increase the electrical consumption.
3. Remove the exterior and interior packing before using. It is necessary and recommended to keep at least 100mm of space away from the back and sides of the unit and it can allow the proper air circulation to cool down the compressor.

Preparation

*After receiving the freezer or moving the freezer for a long distance, please let the machine stand for 24 hours before turning it on again.

1. Be sure to ground the unit and the grounding can prevent the electrical shock which would occur when the electrical insulation of the unit becomes insufficient.
2. Connect the unit to the power supply with the rated frequency and rated voltage indicated on the rating label. Please use the input power regulator upon 5 times alternating power if the voltage is much more fluctuant than normal.
3. Use the specified power socket and suitable fuse.
4. Hold the power supply plug not the cord when pulling out the power cord from the socket.
5. Never splash the water on the unit directly. The wet unit may cause the electric shock or short circuit.
6. Turn on the power five minutes later after the power is off or stops running in order to protect the system and the compressor.
7. If the power supply cord needs to be extended, the connected cord area should be more than 0.824mm² and the cord is composed of one or more wire. Don't be connected with the multifunctional power supply socket.
8. Turn on the power and switch the temperature control knob to 3~4 position. Check the indicator light, compressor and ventilating fan after half an hour. The temperature inside will cool down obviously and it means the unit working normally.

USE OPERATION

Temperature Control and Adjustment

1. The internal temperature can be adjusted by temperature control. The higher the figure means the lower the temperature. The normal position is between 3 and 4.
2. The "1" knob refers to the refrigeration point, and the storage temperature in the cabinet is about 10.2°F. When you need to freeze food quickly, turn the knob clockwise to "7". At this time, the compressor will work continuously. After freezing, turn the knob counter clockwise back to its original position. Do not turn the temperature control knob clockwise from "7" to "1".



Food Storage and Quick-freezing

1. Do not put large amount of food into the unit at one time.
2. Let the compressor run for 2 to 3 hours for the first operation.
3. Warm food must be cooled down to normal temperature before put into the unit.
4. Make sure that there is enough space around food.
5. Keep the food in same or similar sort area.
6. Do not put glass bottles and cans whose freezing point is higher than the compartment temperature into the unit since they may be broken by frozen contents and cause the injury.

Defrost

1. Do not use the sharp or metal piece to scrape the frost when defrosting. It needs to turn off the power and open the doors for defrosting naturally.
2. Dry and clean the unit with the soft cloth after defrosting.

TROUBLESHOOTING GUIDE

PROBLEM	POSSIBLE CAUSE
The unit does not operate	<ul style="list-style-type: none"> ● Not plugged in. ● The circuit breaker tripped or blown fuse. ● The temperature control is set too warm.
The unit is not cold enough	<ul style="list-style-type: none"> ● Make sure that the temperature control is set to an appropriate value. ● The external environment may need to set a lower value. ● The door is often opened. ● The door is not completely closed. ● The door gasket is not properly sealed. ● The machine does not have the correct gap.
Compressor turns on and off frequently	<ul style="list-style-type: none"> ● The room temperature is higher than normal. ● Too much food has been put in the machine. ● The door is often opened. ● The door is not completely closed. ● The temperature control setting is incorrect. ● The door gasket is not properly sealed. ● The machine does not have the correct gap.ap.
Vibrationsly	<ul style="list-style-type: none"> ● Check to ensure that the unit is level.
The unit seems to make too much noise	<ul style="list-style-type: none"> ● The rattling noises may come from normal refrigerant flow. ● At the end of each cycle, you may hear a gurgling noise due to refrigerant flowing through the equipment. ● The contraction of the inner wall may cause crackling and popping noises. ● The freezer is not placed horizontally.
The door will not close properly	<ul style="list-style-type: none"> ● The unit is not level. ● The gasket is dirty. ● The shelves are out of position.

NORMAL PHENOMENA

- 1.If hearing the sound of water flowing in the unit, this is the refrigerant flowing sound inside the pipe.
- 2.If there is some dew on the surface of the unit, please wipe with dry cloth.
- 3.The temperature on the compressor surface can reach about 70℃ ~90℃ during its working time.

MAINTAINENCE GUIDELINES

- 1.Use the neutral detergent to wipe off the dirt on the surface of the unit then dry and clean the unit with soft cloth.
- 2.Use the dust collector to wipe off the dirt on the condenser to keep it in a good condensing condition.
- 3.Rubbing some talcum powder on the door gasket can prolong its life.



Correct disposal of this product

1. This marking shown on the product or its literature indicates that it should not be disposed with other household wastes at the end of its working life. In order to prevent any possible harm to the environment or human health from the uncontrolled waste disposal, please separate this from other types of wastes and recycle it responsibly to promote the sustainable reuse of material resources.
2. Household users should contact either the retailer where purchasing this product from or their local government office for details of where and how they can take this item for environmentally safe recycling.
3. Business users should contact their supplier and check the terms and conditions of the purchase contract. This product should not be mixed with other commercial wastes for disposal.

WARRANTY

After-sales Service Letter of Commitment:

All products purchased in our company are guaranteed to keep in good repair for 1 year. If quality problems happen in guarantee period, our company will maintain for free or provide replacement. Additionally, our company provides technical support and fittings for life. After-sales service isn't restricted by time and hear feedback idea of users and deal with them in time. If you are caught in some problems when using our products, welcome to contact us at any time.

Warning: Risk of fire / flammable materials, taking care to avoid causing a fire by igniting flammable material.

– WARNING: Keep ventilation openings, in the appliance enclosure or in the built-in structure, clear of obstruction.

– WARNING: Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.

DEFROSTING

When 5mm frost forms in the freezer, please shave it and throw it away.

If you defrost completely, please do it as follow:

- ① Please make inside empty. And disconnect the power cord plug.
- ② When frost start thawing, please shave it and you will be able to defrost in the short time.
- ③ After draining, please wipe the inside, and put a rubber cap on the drain bolt and inside drain.

For defrosting chest freezer, don't use hammer, knife or bolt. If you use it, it give damage to inside evaporator.

And chest freezer cannot cool, and inside goods can thaw.

Please do not destroy the freeze loop.

Please do not storage anything others except the manufacturer recommendation



WARNING



SAFETY PRECAUTIONS 1

- To ensure proper use. Please thoroughly study these SAFETY PRECAUTIONS before operating the Unito
- The purpose of the safety precautions in this manual is to ensure safe and correct use of the unit to minimize risks that could cause serious damage and injury to you or other persons. The safety precautions are divided into WARNINGS and CAUTIONS. Cases where improper handling of the unit could lead to death or serious injury are listed under the warning heading, However, the cases adhere strictly to both types of safety precautions.



WARNING Improper handling of the unit could lead to death or serious injury.



CAUTION Improper handling of the unit could lead to serious results depending on the circumstances.

- Text set off by the exclamation mark  contains information that should be strictly adhered to.

After reading the instruction manual, store the easily accessible place where the user(s) of this product can easily find it.

◆ PRECAUTIONS FOR INSTALLATION

WARNING

Installation should be performed only by the dealer or a qualified expert.



Attempting to install the unit yourself could result in water leakage, refrigerant leakage, electrical shock. or fire.



WARNING: Do not splash water directly onto the cooler and do not wash with water.

Short- circuit and electrical shock could result.