



Toll Free +1 (877) 847-3596 or +1 (604) 990-0988 -  
 whatsapp: +1 (604) 396-2000  
 email: info@stallionmfg.com -

## Motorcycle Tires

- High Speed tires...Stallion Sahara Moto gel coats the entire casing based on centrifugal force. Slower the speed the faster it will coat the casing. It may take up to 50 miles of drive time to cover the inner tire with bead to bead coverage.

**Formula for tire sizes not found in this section use the following formula...**  
**Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 16 = Ounces per tire**

Motorcycles	Ounce	mL	Motorcycles	Ounce	mL	Motorcycles	Ounce	mL			
	Per	Per		Per	Per		Per	Per			
Rim Size	Tire Size	Wheel	Wheel	Rim Size	Tire size	Wheel	Wheel	Rim Size	Tire Size	Wheel	Wheel
8	3.00-8	3	89		M110/100-12	6	177		4.60-17	7	207
	3.50-8	4	118	13	M130/60-13	6	177		M300/40-	19	562
	4.80-8	8	237		M130/70-13	6	177		M190/50-	11	325
	4.80/4.00-8	9	266		M150/70-13	8	237		M200/50-	12	355
	4.80/440-8	9	266		M110/90-13	5	148		M180/55-	10	296
	5.70-8	9	266	14	3.00-14	4	118		M190/55-	12	355
10	80/90-10	3	89		M140/60-14	7	207		M200/55-	12	355
	90/90-10	4	118		M160/60-14	8	237		M120/60-	7	207
	M120/90-	5	148		M120/70-14	6	177		M130/60-	7	207
	M130/90-	6	177		M150/70-14	8	237		M150/60-	9	266
	M70/100-	3	89		M120/80-14	6	177		M160/60-	9	266
	2.50-10	3	89		M180/80-14	11	325		M170/60-	10	296
	2.75-10	3	89		M80/90-14	4	118		M190/60-	12	355
	3.00-10	3	89		M90/90-14	4	118		M110/70-	6	177
	3.50-10	4	118		M60/100-14	3	89		M120/70-	7	207
	4.00-10	4	118		M80/100-14	4	118		M130/70-	7	207
11	M110/70-	4	118		M90/100-14	6	177		M140/70-	8	237
12	M120/70-	6	177	16	M140/90-16	9	266		M150/70-	9	266
	M130/70-	6	177		MT90-16	8	237		M160/70-	10	296
	M120/80-	6	177		MU90-16	9	266		M140/75-	8	237
	M90/90-12	4	118		M90/100-16	6	177		M200/75-	8	237
	M100/90-	4	118	17	3.00-17	4	118		M100/80-	6	177
	M110/90-	6	177		3.25-17	5	148		M110/80-	7	207
	M60/100-	3	89		3.50-17	5	148		M120/80-	8	237
	M80/100-	4	118		4.50-17	6	177		M130/80-	9	266



Toll Free +1 (877) 847-3596 or +1 (604) 990-0988 -  
 whatsapp: +1 (604) 396-2000  
 email: info@stallionmfg.com -

## Motorcycle Tires

- High Speed tires...Stallion Sahara Moto gel coats the entire casing based on centrifugal force. Slower the speed the faster it will coat the casing. It may take up to 50 miles of drive time to cover the inner tire with bead to bead coverage.

**Formula for tire sizes not found in this section use the following formula...  
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 16 = Ounces per tire**

Motorcycles	Ounce	mL	Motorcycles	Ounce	mL	Motorcycles	Ounce	mL			
	Per	Per		Per	Per		Per	Per			
Rim Size	Tire Size	Wheel	Wheel	Rim Size	Tire size	Wheel	Wheel	Rim Size	Tire Size	Wheel	Wheel
	M140/80-17	10	296		M250/40-18	16	473		MP90-18	7	207
	M150/80-17	8	237		M180/55-18	11	325		MR90-18	7	207
	M70/90-17	4	118		M200/55-18	13	384		MJ90-18	5	148
	M80/90-17	5	148		M150/60-18	9	266		M80/100-18	5	148
	M90/90-17	6	177		M160/60-18	10	296		M100/100-18	7	207
	M110/90-17	5	148		M170/60-18	10	296		M110/100-18	8	237
	M120/90-17	8	237		M120/70-18	7	207		M120/100-18	9	266
	M130/90-17	8	237		M130/70-18	8	237	19	2.5-19	4	118
	M60/100-17	3	89		M140/70-18	9	266		3.00-19	5	148
	MS90-17	7	207		M150/70-18	10	296		3.25-19	6	177
	MT90-17	8	237		M110/80-18	6	177		3.50-19	6	177
	M70/100-17	5	148		M120/80-18	7	207		4.00-19	7	207
18	2.75-18	4	118		M130/80-18	8	237		4.10-19	6	177
	3.00-18	5	148		M140/80-18	9	266		M120/70-19	8	237
	3.50-18	6	177		M150/80-18	10	296		M100/80-19	6	177
	4.00-18	7	207		MP85-18	7	207		M110/80-19	7	207
	4.10-18	6	177		MT85-18	8	237		M120/80-19	8	237
	4.25-18	7	207		M90/90-18	5	148		M90/90-19	5	148
	4.50-18	9	266		M100/90-18	6	177		M100/90-19	6	177
	4.60-18	8	237		M110/90-18	7	207		M110/90-19	7	207
	M360/35-18	24	710		M120/90-18	7	207		MJ90-19	5	148
	M330/35-18	21	621		M130/90-18	8	237		ML90-19	6	177
	M300/30-18	18	532		ML90-18	5	148		MM90-19	6	177
	M300/35-18	19	562		MM90-18	6	177		M70/100-19	5	148
	M240/40-18	15	444		MN90-18	6	177	20	3.00-20	5	148



Toll Free +1 (877) 847-3596 or +1 (604) 990-0988 -  
 whatsapp: +1 (604) 396-2000  
 email: info@stallionmfg.com -

## Motorcycle Tires

- High Speed tires...Stallion Sahara Moto gel coats the entire casing based on centrifugal force. Slower the speed the faster it will coat the casing. It may take up to 50 miles of drive time to cover the inner tire with bead to bead coverage.

**Formula for tire sizes not found in this section use the following formula...**  
**Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 16 = Ounces per tire**

Motorcycles		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	275/55-20	21	621
21	2.75-21	5	148
	3.00-21	6	177
	M70/100-21	4	118
	M80/100-21	5	148
	M90/100-21	7	207
	M80/90-21	5	148
	M90/90-21	6	177
	MH90-21	5	148
	MH120-70-21	8	237

