

NON-SLIP Kitty Cornered

Make eleven different sizes of the Kitty Cornered block – two at a time! All the cutting sizes and angles are printed on the tool. Perfect blocks everytime!

Designed by Deb Heatherly

#CGRDH5

Made in USA





SEE A DEMOSCAN WITH ANY
QR READER



Creative Grids® USA, Inc. 400 W. Dussel Dr. Ste B, Maumee, OH 43537 www.creativegridsUSA.com

Creative Grids® UK, Ltd. Unit 23A Pate Road Leicester Road Industrial Estate Melton Mowbray Leicestershire, LE13 0RG England www.creativegrids.com




NON-SLIP Kitty Cornered

Make eleven different sizes of the Kitty Cornered block – two at a time! Cut the odd angles with the tool, then trim them down to size after sewing. It's as easy as that!


Step 1: Referring to cutting chart Unit A on the Kitty Cornered tool, cut (2) squares. (Fig 1)

<u>Unit /</u> Finished Block Size	Cut 2	(Fig 1)
1"	2"	
1 ½"	- 2 ½"	
2"	3"	
2 ½"	3 1/2"	
3"	4"	
3 ½"	4 1/2"	
4"	5"	
4 1/2"	5 ½"	
5"	6"	
5 ½"	6 ½"	
6"	7"	


Fold the squares diagonally and press. (Fig 2)




Place the tip of the square at the corner of the Step 1 section of the tool, and align the folded edge on the dashed line. (Fig 3)



Cut. (Fig 4)



Repeat for second square. Open and press




Step 2: Referring to cutting chart B, on the Kitty Cornered tool, cut (2) rectangles. (Fig 6)


<u>Unit B</u>		(Fig 6)
Finished Block Size	Cut 2	
1" 1 ½" 2" 2 ½" 3" 3 ½" 4"	2" x 2 ¼" 2 ¼" x 2 ¾" 2 ½" x 3 ¼" 2 ¾" x 3 ¾" 3" x 4 ¼" 3 ¼" x 4 ¾" 3 ½" x 5 ¼"	
4 ½" 5" 5 ½" 6"	3 3/4" x 5 3/4" 4" x 6 1/4" 4 1/4" x 6 3/4" 4 1/2" x 7 1/4"	

NON-SLIP **Kitty Cornered** cont.


Place the rectangles **right sides together.** NOTE: It is important that you place them right sides together in order to make mirror image B units. (Fig 7)




Align the left side and the top left corner of the rectangles with the Step 2 B unit line on




Cut. (Fig 9)



Step 3: Align the B units with the Step 3 lines on the tool. (Fig 10)




Clip the corner of the B units as shown. (Fig 11)




Sewing the units: With right sides together, place the first B unit on the A unit as shown. The tip that was clipped off in step 3 will help with alignment. Start to sew from the clipped corner, sewing 1/4" from the edge.

NOTE: The B Unit is larger than the A Unit, which will be trimmed to size later. (Fig 12)


Press seam allowance away from the A unit. (Fig 13)




Align the opposite B unit using the clipped edge for placement. (Fig 14a) **Turn the unit over and start sewing from the edge with the clipped corner.**Sew ¼" from the edge. (Fig 14b)




Press seam allowance away from the A unit. (Fig 15) Repeat with second set of A and B units.




Trimming: Trim the corner with the small tip first by placing the "V" on the trim corner on the tip of the block as shown and aligning the diagonal line with the opposite corner of the block. Trim. (Fig 16)



Rotate the block. Align the trimmed edges with the lines for the size you are making. Make sure that the diagonal line goes through the center of the small tip. Trim. (Fig 17)



Repeat with second unit for 2" finished blocks. Yield = 2 perfect units. (Fig 18)





Creative Grids® USA, Inc 400 W. Dussel Dr. Ste B Maumee, OH 43537 www.creativegridsUSA.com Creative Grids® UK, Ltd. Unit 23A Pate Road Leicester Road Industrial Estate Melton Mowbray Leicestershire, LE13 0RG England www.creativegrids.com

Creative Grids is covered by U.S. Trademark Registration No. 2,796,615