

Ing. Christian Fuczik Chemisches Laboratorium Darwingasse 2/46, 1020 Wien E-Mail: info@hanfanalytik.at Tel.: +43 660 867 00 63 www.hanfanalytik.at

Certificate of Analysis Cannabinoids

Reference ID: Brick House	Client	The Goods
Description: Biomass-Fedora17	Sample ID	87700046
Sample material: herbal		

Further Information: Batch F1545 E941714 Ref: PB122020/i Sample entry: 2020-12-01 at 13:36

Abbr.	Substance	Result	Unit	M.U.*
Sa-We	Sample weight	6.938	g	-
T-CBD	Total Cannabidiol (CBD +CBDA)	20.54	w/w%	0.527
CBD	Cannabidiol	17.28	w/w%	0.364
CBDA	Cannabidiolic acid	2.32	w/w%	0.186
T-THC	Total Tetrahydrocannabinol (THC+ THCA)	0.18	w/w%	0.005
D9THC	D9-Tetrahydrocannabinol	0.11	w/w%	0.005
THCA	Tetrahydrocannabinolic acid	0.08	w/w%	0.005
D8THC	D8-Tetrahydrocannabinol	ND**	w/w%	-
T-CBG	Total Cannabigerol (CBG + CBGA)	0.08	w/w%	0.005
CBG	Cannabigerol	0.03	w/w%	0.005
CBGA	Cannabigerolic acid	0.06	w/w%	0.005
CBN	Cannabinol	ND**	w/w%	-
CBC	Cannabichromene	0.08	w/w%	0.005
THCV	Tetrahydrocannabivarin	ND**	w/w%	-
CBDV	Cannabidivarin	0.01	w/w%	0.005
CBDVA	Cannabidivarinic Acid	0.01	w/w%	0.005

Comment: The ratio of CBD to THC is unnaturally high. Indications of manipulated sample.

Picture of sample upon arrival:



Head of Laboratory Services:

Um. Jucich

Ing. Christian Fuczik, Chemist

Analysis finalized and reviewed: 2020-12-03 at 12:05

Footnotes:

*) The determined measurement uncertainty (M.U.) is always given in the same unit as the specified result.

**)ND= Not Detected. the measured value was below the detection limit of 0,01 % respectively 100 mg/kg.

For the calculations of the equivalence sums, the respective acid forms were multiplied by the factor of 0.877 and 0.878, respectively, to infer the equivalent amount of the neutral forms.

Method of Analysis: HPLC-DAD (High Performance Liquid Chromatography - Diode Array Detector). All measurement methods were calibrated and controlled with certified reference materials (CRM). The measurements with HPLC were carried out strictly according to the USA certified method of the HPLC manufacturer.

This Certificate of Analysis may only be reproduced in its entirety and not in parts. Any change to this document is liable to prosecution