Revision: 21.01.2020

## SECTION 1: Identification of the substance/mixture and of the company, undertaking

· 1.1 Product identifier

· Trade name: TEXTILE SPOT REMOVER

· CAS Number:

75-09-2

· EC number:

200-838-9

· Index number:

602-004-00-3

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Paint remover
- · 1.3 Details of the supplier of the safety data sheet
- · Further information obtainable from:

product safety department

SCREENPRINT ESSENTIALS LTD

UNIT 20 ROWES YARD

**MANSTON CT12 5FA** 

· 1.4 Emergency telephone number: 03300 553640

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Carc. 2

H351 Suspected of causing cancer.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS07, GHS08
- · Signal word Warning
- · Hazard-determining components of labelling:

dichloromethane

· Hazard statements

H302 Harmful if swallowed.

H351 Suspected of causing cancer.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

(Contd. on page 2)

Revision: 21.01.2020

#### Trade name: TEXTILE SPOT REMOVER

(Contd. of page 1)

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

· 3.1 Chemical characterisation: Substances

· CAS No. Description 75-09-2 dichloromethane

· Identification number(s)

· EC number: 200-838-9

· Index number: 602-004-00-3

#### SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

(Contd. on page 3)

Revision: 21.01.2020

### Trade name: TEXTILE SPOT REMOVER

(Contd. of page 2)

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### 75-09-2 dichloromethane

WEL Short-term value: 1060 mg/m³, 300 ppm Long-term value: 350 mg/m³, 100 ppm

Sk

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

Revision: 21.01.2020

## Trade name: TEXTILE SPOT REMOVER

(Contd. of page 3)

· Material of gloves

Rubber gloves

Plastic gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range Flash point: Ignition temperature: Decomposition temperature: Auto-ignition temperature: Explosive properties: Explosion limits: Lower: Upper: Vapour pressure at 20 °C:	Not applicable. 605 °C Not determined.
Form: Colour: Odour: Odour: Odour threshold:  pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range Flash point: Ignition temperature: Decomposition temperature: Auto-ignition temperature: Explosive properties: Explosion limits: Lower: Upper:	Colourless Like chlorine Not determined.  Not determined.  -95.1 °C : 40 °C  Not applicable.  605 °C  Not determined.
Colour: Odour: Odour: Odour threshold: pH-value: Change in condition    Melting point/freezing point:    Initial boiling point and boiling range Flash point: Ignition temperature: Decomposition temperature: Auto-ignition temperature: Explosive properties: Explosion limits: Lower: Upper:	Colourless Like chlorine Not determined.  Not determined.  -95.1 °C : 40 °C  Not applicable.  605 °C  Not determined.
Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range Flash point: Ignition temperature: Decomposition temperature: Auto-ignition temperature: Explosive properties: Explosion limits: Lower: Upper:	Like chlorine Not determined.  Not determined.  -95.1 °C : 40 °C  Not applicable.  605 °C  Not determined.
Odour threshold:  pH-value:  Change in condition  Melting point/freezing point:  Initial boiling point and boiling range  Flash point:  Ignition temperature:  Decomposition temperature:  Auto-ignition temperature:  Explosive properties:  Explosion limits:  Lower:  Upper:	Not determined.  Not determined.  -95.1 °C  40 °C  Not applicable.  605 °C  Not determined.
pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range Flash point: Ignition temperature: Decomposition temperature: Auto-ignition temperature: Explosive properties: Explosion limits: Lower: Upper:	Not determined.  -95.1 °C : 40 °C  Not applicable.  605 °C  Not determined.
Change in condition Melting point/freezing point: Initial boiling point and boiling range Flash point: Ignition temperature: Decomposition temperature: Auto-ignition temperature: Explosive properties: Explosion limits: Lower: Upper:	-95.1 °C : 40 °C  Not applicable.  605 °C  Not determined.
Melting point/freezing point: Initial boiling point and boiling range Flash point: Ignition temperature: Decomposition temperature: Auto-ignition temperature: Explosive properties: Explosion limits: Lower: Upper:	: 40 °C  Not applicable.  605 °C  Not determined.
Initial boiling point and boiling range Flash point: Ignition temperature: Decomposition temperature: Auto-ignition temperature: Explosive properties: Explosion limits: Lower: Upper:	: 40 °C  Not applicable.  605 °C  Not determined.
Flash point: Ignition temperature: Decomposition temperature: Auto-ignition temperature: Explosive properties: Explosion limits: Lower: Upper:	Not applicable. 605 °C Not determined.
Ignition temperature:  Decomposition temperature:  Auto-ignition temperature:  Explosive properties:  Explosion limits:  Lower:  Upper:	605 °C  Not determined.
Decomposition temperature: Auto-ignition temperature: Explosive properties: Explosion limits: Lower: Upper:	Not determined.
Auto-ignition temperature:  Explosive properties:  Explosion limits:  Lower:  Upper:	
Explosive properties: Explosion limits: Lower: Upper:	
Explosion limits: Lower: Upper:	Not determined.
Lower: Upper:	Product does not present an explosion hazard.
Upper:	ACC 20 100
(~0.00 <b>-</b> 0.000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	13 Vol %
Vanour pressure at 20 °C ·	22 Vol %
ruponi pressure ui 20 C.	453 hPa
Density at 20 °C:	1.33 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water at 20 °C:	20 g/l
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
	Not determined.
Dynamic: Kinematic:	Not determined. Not determined.

(Contd. on page 5)

Revision: 21.01.2020

Trade name: TEXTILE SPOT REMOVER

(Contd. of page 4)

· Solvent content:

 Organic solvents:
 100.0 %

 VOC (EC)
 100.00 %

• 9.2 Other information No further relevant information available.

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

· LD/LC50 va	lues relevant	t for classification:
--------------	---------------	-----------------------

#### 75-09-2 dichloromethane

Oral	LD50	1600 mg/kg (rat)
Inhalative	LC50/4 h	88 mg/l (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity

Suspected of causing cancer.

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

Revision: 21.01.2020

## Trade name: TEXTILE SPOT REMOVER

(Contd. of page 5)

- · Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	1593	
14.2 UN proper shipping name		
ADR	<i>1593 DICHLOROMETHANE</i>	
IMDG, IATA	DICHLOROMETHANE	
14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
ADR, IMDG, IATA		
Class	6.1 Toxic substances.	
Label	6.1	
Market and a second and the	V.1	
14.4 Packing group	111	
ADR, IMDG, IATA	III	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Warning: Toxic substances.	
Danger code (Kemler):	60	
EMS Number:	F- $A$ , $S$ - $A$	
Segregation groups	Liquid halogenated hydrocarbons	
14.7 Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	

\_\_\_ G

Revision: 21.01.2020

Trade name: TEXTILE SPOT REMOVER

	(Contd. of page 6
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	LQ7
· Transport category	2
· Tunnel restriction code	E
· UN "Model Regulation":	UN1593, DICHLOROMETHANE, 6.1, III

### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS07, GHS08
- · Signal word Warning
- · Hazard-determining components of labelling:

dichloromethane

· Hazard statements

H302 Harmful if swallowed.

H351 Suspected of causing cancer.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 59
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact: Mr T Wardle
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 8)

Revision: 21.01.2020

## Trade name: TEXTILE SPOT REMOVER

(Contd. of page 7)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4 Carc. 2: Carcinogenicity – Category 2