

Wine Bottle Peg Rack Installation Instructions

Step 1: Choose a location to install the 9 Bottle Peg Rack.

Step 2: Using a level tool, draw a straight line where you would like install the peg rack.



Step 3: Place the rack perpendicular to the wall on the line that you made and notice the screw holes on the back of the rack. Make a mark on the line at the position where the screw holes are located.





Figure 1


Wood Screws – 1 ¼"



Figure 2

Wall Anchors – 1 ¼"

Step 4: Using a drill with a 5/16" drill bit, make a hole for the screws. Insert a wall anchor into both screw holes and push them into the wall using a hammer. Use a phillips head screwdriver or drill to insert the provided screws into the wall anchors. Leave ¼" outside of the wall for the peg rack to hang on.




Step 5: Insert the threaded side of the peg into the peg rack. Install the pegs into the board using the bolt nuts provided and 17mm or 11/16" socket. Repeat the process for all pegs.

Peg With Nut And Washer



Peg Installed (Front)



Peg Installed (Rear)



Step 6: Hang the 9 Bottle Peg Rack on the wall by matching the location of the screws to the holes on back of the panels. After the screws are in the panels' premade hole, make sure to put downward pressure on the panel so the screw locks in place. Make sure the rack is locked in place before placing any bottles onto the rack. Use a level to make sure the rack is leveled properly.

