

Job Name: _____

Distributor: _____

Type: _____

VBD-MTR-73T Double Head Light Fixture Rectangular Recessed Downlight

SPECIFICATIONS



| | |
|--------------------------|---|
| Model No. | VBD-MTR-73T |
| Trim Color | White |
| Trim Material | Aluminum |
| Trim Shape | Rectangular |
| Compatible Light Engines | VBD-TR5-W (2400K • 2700K • 3000K • 3500K • 4000K • 5000K) VBD-TR4-RGBW |
| Dimensions | 181mm x 101.77mm (7.125" x 4.06") |
| Cut Size | 155.58mm x 82mm (6.125" x 3.23") |
| Depth | 52.80mm (2.08") |



Features



- Widely used by interior designers.
- This VBD-MTR-73T light fixture is compatible to work with our VBD-TR Series Light engines.
- Contact us for more assistance and to know more about bulk orders.




Two light engines are required for this light fixture.




VBD-TR5-W (Frosted Glass)


| | |
|----------------------|-------------------------------|
| Model No. | VBD-TR5-W-FG |
| Input Voltage | 12V DC |
| Wattage | 5W |
| Body Colour | Metallic Silver |
| Available Trim Color | Silver • White • Black • Gold |
| Diffuser Material | Frosted Glass |
| Fixture Material | Aluminum |
| Beam Angle | 110° |
| Rendering Index | CRI>90 |
| IP Rating | IP20 (Damp Location) |
| Dimensions | 49mm x 28.5mm (1.93" x 1.12") |



Beam Details



Available Colour Temperatures



ORDERING GUIDE

Example part number: **VBD-TR5-W-FG-24K-S**

| | | | | |
|-------|--------|----------|-------------------------------|-------------|
| MODEL | SERIES | DIFFUSER | COLOUR | TRIM COLOUR |
| VBD | TR5-W | FG | XXX | X |
| | | | 24K 35K 27K 40K 30K 50K | S B G W |

NOTES:
FG = Frosted Glass
S = Silver
G = Gold
B = Black
W = White

VBD-TR5-W (Clear Lens)


| | |
|----------------------|-------------------------------|
| Model No. | VBD-TR5-W-L |
| Input Voltage | 12V DC |
| Wattage | 5W |
| Body Colour | Metallic Silver |
| Available Trim Color | Silver • White • Black • Gold |
| Diffuser Material | Clear Lens |
| Fixture Material | Aluminum |
| Beam Angle | 35° |
| Rendering Index | CRI>90 |
| IP Rating | IP20 (Damp Location) |
| Dimensions | 49mm x 28.5mm (1.93" x 1.12") |




Available Colour Temperatures



Beam Details




Beam Angle



ORDERING GUIDE

Example part number: **VBD-TR5-W-L-24K-S**




NOTES:

L = Clear Lens
S = Silver
G = Gold
B = Black
W = White



VBD-TR4-RGBW (Frosted Glass)


| | |
|----------------------|-------------------------------|
| Model No. | VBD-TR4-RGBW-FG |
| Input Voltage | 12V DC |
| Wattage | 4W |
| Color Temperature | RGBW |
| Body Colour | Metallic Silver |
| Available Trim Color | Silver • White • Black • Gold |
| Diffuser Material | Frosted Glass |
| Fixture Material | Aluminum |
| Beam Angle | 110° |
| Rendering Index | CRI>80 |
| IP Rating | IP20 (Damp Location) |
| Dimensions | 49mm x 28.5mm (1.93" x 1.12") |



Beam Details




Beam Angle



ORDERING GUIDE

Example part number: **VBD-TR4-RGBW-FG-S**



NOTES:

FG = Frosted Glass
S = Silver
G = Gold
B = Black
W = White



AVAILABLE TRIM MODELS



MODEL No. VBD-MTR-1C



MODEL No. VBD-MTR-1W



MODEL No. VBD-MTR-13C



MODEL No. VBD-MTR-13W




MODEL No. VBD-MTR-13B



MODEL No. VBD-MTR-12C



MODEL No. VBD-MTR-12W



MODEL No. VBD-MTR-12B



MODEL No. VBD-MTR-11C



MODEL No. VBD-MTR-11W



MODEL No. VBD-MTR-11B



MODEL No. VBD-MTR-9C



MODEL No. VBD-MTR-9W




MODEL No. VBD-MTR-9B



MODEL No. VBD-MTR-7C



MODEL No. VBD-MTR-7W




MODEL No. VBD-MTR-14C



MODEL No. VBD-MTR-14W



MODEL No. VBD-MTR-14B



MODEL No. VBD-MTR-2C



MODEL No. VBD-MTR-2W



MODEL No. VBD-MTR-8C



MODEL No. VBD-MTR-8W




MODEL No. VBD-MTR-8B



MODEL No. VBD-MTR-5C



MODEL No. VBD-MTR-5W



MODEL No. VBD-MTR-6C



MODEL No. VBD-MTR-6W

AVAILABLE TRIM MODELS



MODEL No. VBD-MTR-3C



MODEL No. VBD-MTR-3W



MODEL No. VBD-MTR-4C



MODEL No. VBD-MTR-4W



MODEL No. VBD-MTR-16C



MODEL No. VBD-MTR-16W



MODEL No. VBD-MTR-10W



MODEL No. VBD-MTR-10B



MODEL No. VBD-MTR-54T



MODEL No. VBD-MTR-59T



MODEL No. VBD-MTR-60T



MODEL No. VBD-MTR-65T



MODEL No. VBD-MTR-67T



MODEL No. VBD-MTR-70T



MODEL No. VBD-MTR-75T



MODEL No. VBD-MTR-76T



MODEL No. VBD-MTR-73T



MODEL No. VBD-MTR-74T



MODEL No. VBD-MTR-77T



MODEL No. VBD-MTR-78T



MODEL No. VBD-MTR-17-1W



MODEL No. VBD-MTR-17C



MODEL No. VBD-MTR-79W



MODEL No. VBD-MTR-80W



MODEL No. VBD-MTR-81W



MODEL No. VBD-MTR-82W



MODEL No. VBD-MTR-83W



MODEL No. VBD-MTR-84W

AVAILABLE TRIM MODELS



| COLOUR TEMPERATURE | DIFFUSER | SKU NUMBER |
|------------------------|--------------------------------------|------------------------------|
| 2400K (Sunset White) | Frosted Glass (FG) Clear Lens (L) | 666561428518 666561428464 |
| 2700K (Soft White) | Frosted Glass (FG) Clear Lens (L) | 666561428525 666561428471 |
| 3000K (Warm White) | Frosted Glass (FG) Clear Lens (L) | 666561428532 666561428488 |
| 3500K (Mid-Warm White) | Frosted Glass (FG) Clear Lens (L) | 666561428549 666561428495 |
| 4000K (Natural White) | Frosted Glass (FG) Clear Lens (L) | 666561428556 666561428501 |
| 5000K (Daylight) | Frosted Glass (FG) Clear Lens (L) | 666561429997 666561429980 |
| RGBW | Frosted Glass (FG) | 666561428457 |

NOTES:

Disclaimer:

The data and information contained in this specification sheet are subject to change without notice; the ratings supplied are provided based on the product manufacturer. The information contained in this specification sheet should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. In no event shall Veroboard be liable for any incidental or consequential damages resulting from the use, misuse, or inability to use the product. This exclusion applies regardless of whether such damages are sought based on breach of warranty, breach of contract, negligence, strict liability in tort, or any other legal theory.