

PRODUCT  
CATALOG  
2024

# VEROBOARD®

CANADIAN-BASED LIGHTING MANUFACTURER

A COMPLETE COLLECTION OF

# LED STRIP LIGHTS



Indoor  
Outdoor  
RGB  
NEON




Our LED Strip Lights are manufactured with the highest quality of materials and craftsmanship. Each strip light is created with a heavy-duty, dual core, 4oz copper circuit board for optimal performance and long-life span. All of our LED strip lights have a CRI rating of 95 Plus.



## VEROBOARD'S LED Strip Light Models Breakdown

### VBDFS-315-3000-120-12-NS / WP



### VBDFS-L2835-2700-60-24-NS

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	4.8W/m (1.5W/ft)
<b>Color:</b>	Soft White 2700K±100K
<b>LED Qty:</b>	60 LED per meter
<b>Brightness:</b>	500 Lm/m (152 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**60 LED/m**

**UL US LISTED E514904**

**Dimensions**  
 Length: 20m (65.6')  
 Width: 10mm (0.395")

Spool of LED strip light.

Every 4 inches Cut Points



### VBDFS-L2835-3000-60-24-NS

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	4.8W/m (1.5W/ft)
<b>Color:</b>	Warm White 3000K±100K
<b>LED Qty:</b>	60 LED per meter
<b>Brightness:</b>	500 Lm/m (152 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**60 LED/m**

**UL US LISTED E514904**

**Dimensions**  
 Length: 20m (65.6')  
 Width: 10mm (0.395")

Spool of LED strip light.

Every 4 inches Cut Points



# VEROBOARD LED STRIPS

## VBDFS-L2835-3500-60-24-NS

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	4.8W/m (1.5W/ft)
<b>Color:</b>	Mid-Warm White 3500K±100K
<b>LED Qty:</b>	60 LED per meter
<b>Brightness:</b>	500 Lm/m (152 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

60  
LED/m



**Dimensions**  
Length: 20m (65.6')  
Width: 10mm (0.395")



3500K

SKU: 666561419615




## VBDFS-L2835-4000-60-24-NS

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	4.8W/m (1.5W/ft)
<b>Color:</b>	Natural White 4000K±100K
<b>LED Qty:</b>	60 LED per meter
<b>Brightness:</b>	500 Lm/m (152 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

60  
LED/m



**Dimensions**  
Length: 20m (65.6')  
Width: 10mm (0.395")



4000K

SKU: 666561419622




## VBDFS-L2835-5000-60-24-NS

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	4.8W/m (1.5W/ft)
<b>Color:</b>	Daylight 5000K±100K
<b>LED Qty:</b>	60 LED per meter
<b>Brightness:</b>	500 Lm/m (152 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

60  
LED/m



**Dimensions**  
Length: 20m (65.6')  
Width: 10mm (0.395")



5000K

SKU: 666561419639




## VBDFS-L2835-6000-60-24-NS

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	4.8W/m (1.5W/ft)
<b>Color:</b>	Cool White 6000K±200K
<b>LED Qty:</b>	60 LED per meter
<b>Brightness:</b>	500 Lm/m (152 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

60  
LED/m



**Dimensions**  
Length: 20m (65.6')  
Width: 10mm (0.395")



6000K

SKU: 666561419646



# VEROBOARD LED STRIPS

## VBDFS-5050-3000-60-12-NS

<b>Input Voltage:</b>	12V DC
<b>Power:</b>	14.4W/m (4.5W/ft)
<b>Color:</b>	Warm White 3000K±100K
<b>LED Qty:</b>	60 LED per meter
<b>Brightness:</b>	1200-1320 Lm/m (365-402 Lm/ft)
<b>Life Span:</b>	>50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**60**  
LED/m



**Dimensions**  
Length: 5m (16.4')  
Width: 12mm (0.473")



**3000K**

SKU: 666561420161




## VBDFS-5050-6000-60-12-NS

<b>Input Voltage:</b>	12V DC
<b>Power:</b>	14.4W/m (4.5W/ft)
<b>Color:</b>	Cool White 6000K
<b>LED Qty:</b>	60 LED per meter
<b>Brightness:</b>	1200-1320 Lm/m (365-402 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**60**  
LED/m



**Dimensions**  
Length: 5m (16.4')  
Width: 12mm (0.473")



**6000K**

SKU: 666561423803



## VBDFS-3528-3000-60-12-NS

<b>Input Voltage:</b>	12V DC
<b>Power:</b>	4.5W/m (1.5W/ft)
<b>Color:</b>	Warm White 3000K
<b>LED Qty:</b>	60 LED per meter
<b>Brightness:</b>	420-480 Lm/m (128-146 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**60**  
LED/m



**Dimensions**  
Length: 10m (32.8')  
Width: 8mm (0.31")



**3000K**

SKU: 666561423896



## VBDFS-3528-3500-60-12-NS

<b>Input Voltage:</b>	12V DC
<b>Power:</b>	4.5W/m (1.5W/ft)
<b>Color:</b>	Warm White 3500K
<b>LED Qty:</b>	60 LED per meter
<b>Brightness:</b>	420-480 Lm/m (128-146 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**60**  
LED/m



**Dimensions**  
Length: 10m (32.8')  
Width: 8mm (0.31")



**3500K**

SKU: 666561425593



# VEROBOARD LED STRIPS

## VBDFS-3528-4000-60-12-NS

<b>Input Voltage:</b>	12V DC
<b>Power:</b>	4.5W/m (1.5W/ft)
<b>Color:</b>	Natural White 4000K
<b>LED Qty:</b>	60 LED per meter
<b>Brightness:</b>	420-480 Lm/m (128-146 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**60**  
LED/m



**Dimensions**  
Length: 10m (32.8')  
Width: 8mm (0.31")



**4000K**

SKU: 666561423889



## VBDFS-3528-5000-60-12-NS

<b>Input Voltage:</b>	12V DC
<b>Power:</b>	4.5W/m (1.5W/ft)
<b>Color:</b>	Daylight 5000K
<b>LED Qty:</b>	60 LED per meter
<b>Brightness:</b>	420-480 Lm/m (128-146 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**60**  
LED/m



**Dimensions**  
Length: 10m (32.8')  
Width: 8mm (0.31")



**5000K**

SKU: 666561423902



## VBDFS-3528-Blue-120-12-NS

<b>Input Voltage:</b>	12V DC
<b>Power:</b>	9.6W/m (3W/ft)
<b>Color:</b>	Blue
<b>LED Qty:</b>	120 LED per meter
<b>Beam Angle:</b>	120°
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**120**  
LED/m




**Dimensions**  
Length: 5m (16.4')  
Width: 8mm (0.31")



**BLUE**

SKU: 666561409197



## VBDFS-L2835-2700-120-24-NS

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	10W/m (3W/ft)
<b>Color:</b>	Soft White 2700K±100K
<b>LED Qty:</b>	120 LED per meter
<b>Brightness:</b>	980 Lm/m (289 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**120**  
LED/m



**Dimensions**  
Length: 20m (65.6')  
Width: 12mm (0.47")



**2700K**

SKU: 666561419653



# VEROBOARD LED STRIPS

## VBDFS-L2835-3000-120-24-NS

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	10W/m (3W/ft)
<b>Color:</b>	Warm White 3000K±100K
<b>LED Qty:</b>	120 LED per meter
<b>Brightness:</b>	980 Lm/m (289 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**120**  
LED/m



**Dimensions**  
Length: 20m (65.6')  
Width: 12mm (0.47")



**3000K**

SKU: 666561419660



## VBDFS-L2835-3500-120-24-NS

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	10W/m (3W/ft)
<b>Color:</b>	Mid-Warm White 3500K±100K
<b>LED Qty:</b>	120 LED per meter
<b>Brightness:</b>	980 Lm/m (289 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**120**  
LED/m



**Dimensions**  
Length: 20m (65.6')  
Width: 12mm (0.47")



**3500K**

SKU: 666561419677



## VBDFS-L2835-4000-120-24-NS

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	10W/m (3W/ft)
<b>Color:</b>	Natural White 4000K±100K
<b>LED Qty:</b>	120 LED per meter
<b>Brightness:</b>	980 Lm/m (289 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**120**  
LED/m



**Dimensions**  
Length: 20m (65.6')  
Width: 12mm (0.47")



**4000K**

SKU: 666561419684



## VBDFS-L2835-5000-120-24-NS

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	10W/m (3W/ft)
<b>Color:</b>	Daylight 5000K±100K
<b>LED Qty:</b>	120 LED per meter
<b>Brightness:</b>	980 Lm/m (289 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**120**  
LED/m



**Dimensions**  
Length: 20m (65.6')  
Width: 12mm (0.47")



**5000K**

SKU: 666561419691



# VEROBOARD LED STRIPS

## VBDFS-L2835-6000-120-24-NS

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	10W/m (3W/ft)
<b>Color:</b>	Cool White 6000K±200K
<b>LED Qty:</b>	120 LED per meter
<b>Brightness:</b>	980 Lm/m (289 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**120**  
LED/m



**Dimensions**  
Length: 20m (65.6')  
Width: 12mm (0.47")



**6000K**

SKU: 666561419707



## VBDFS-2835-3000-120-24-NS

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	18W/m (5.5 W/ft)
<b>Color:</b>	Warm White 3000K-1
<b>LED Qty:</b>	120 LED per meter
<b>Brightness:</b>	2400-2640 Lm/m (731-804 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**120**  
LED/m



**Dimensions**  
Length: 5m (16.4')  
Width: 12mm (0.47")



**3000K**

SKU: 666561423858



## VBDFS-2835-4000-120-24-NS

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	18W/m (5.5 W/ft)
<b>Color:</b>	Natural White 4000K-1
<b>LED Qty:</b>	120 LED per meter
<b>Brightness:</b>	2400-2640 Lm/m (731-804 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**120**  
LED/m



**Dimensions**  
Length: 5m (16.4')  
Width: 12mm (0.47")



**4000K**

SKU: 666561423865



## VBDFS-2835-5000-120-24-NS

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	18W/m (5.5 W/ft)
<b>Color:</b>	Daylight 5000K-1
<b>LED Qty:</b>	120 LED per meter
<b>Brightness:</b>	2400-2640 Lm/m (731-804 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**120**  
LED/m



**Dimensions**  
Length: 5m (16.4')  
Width: 12mm (0.47")



**5000K**

SKU: 666561423872





# VEROBOARD LED STRIPS

## VBDFS-3528-2700-120-12-NS


<b>Input Voltage:</b>	12V DC
<b>Power:</b>	9W/m (3W/ft)
<b>Color:</b>	Soft White 2700K
<b>LED Qty:</b>	120 LED per meter
<b>Brightness:</b>	840-960 Lm/m (258-292 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

120  
LED/m



### Dimensions

Length: 10m (32.8')  
Width: 8mm (0.31")



2700K

SKU: 666561425562



## VBDFS-3528-3000-120-12-NS

<b>Input Voltage:</b>	12V DC
<b>Power:</b>	9W/m (3W/ft)
<b>Color:</b>	Warm White 3000K
<b>LED Qty:</b>	120 LED per meter
<b>Brightness:</b>	840-960 Lm/m (258-292 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

120  
LED/m



### Dimensions

Length: 10m (32.8')  
Width: 8mm (0.31")



3000K

SKU: 666561423926



## VBDFS-3528-3500-120-12-NS


<b>Input Voltage:</b>	12V DC
<b>Power:</b>	9W/m (3W/ft)
<b>Color:</b>	Mid-Warm White 3500K
<b>LED Qty:</b>	120 LED per meter
<b>Brightness:</b>	840-960 Lm/m (258-292 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

120  
LED/m



### Dimensions

Length: 10m (32.8')  
Width: 8mm (0.31")



3500K

SKU: 666561423957



## VBDFS-3528-4000-120-12-NS


<b>Input Voltage:</b>	12V DC
<b>Power:</b>	9W/m (3W/ft)
<b>Color:</b>	Natural White 4000K
<b>LED Qty:</b>	120 LED per meter
<b>Brightness:</b>	840-960 Lm/m (258-292 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

120  
LED/m



### Dimensions

Length: 10m (32.8')  
Width: 8mm (0.31")



4000K

SKU: 666561425579



# VEROBOARD LED STRIPS

## VBDFS-3528-5000-120-12-NS


<b>Input Voltage:</b>	12V DC
<b>Power:</b>	9W/m (3W/ft)
<b>Color:</b>	Daylight 5000K
<b>LED Qty:</b>	120 LED per meter
<b>Brightness:</b>	840-960 Lm/m (258-292 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**120**  
LED/m



### Dimensions

Length: 10m (32.8')  
Width: 8mm (0.31")



**5000K**

SKU: 666561425586



## VBDFS-2835-2700-240-24-NS


<b>Input Voltage:</b>	24V DC
<b>Power:</b>	28.8W/m (9W/ft)
<b>Color:</b>	Soft White 2700K-2800K
<b>LED Qty:</b>	240 LED per meter
<b>Brightness:</b>	4800-5280 Lm/m (1463-1609 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**240**  
LED/m



### Dimensions

Length: 5m (16.4')  
Width: 12mm (0.47")



**2700K**

SKU: 666561420048



## VBDFS-2835-3000-240-24-NS


<b>Input Voltage:</b>	24V DC
<b>Power:</b>	28.8W/m (9W/ft)
<b>Color:</b>	Warm White 3000K-2
<b>LED Qty:</b>	240 LED per meter
<b>Brightness:</b>	4800-5280 Lm/m (1463-1609 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**240**  
LED/m



### Dimensions

Length: 5m (16.4')  
Width: 12mm (0.47")



**3000K**

SKU: 666561420055



## VBDFS-2835-3500-240-24-NS


<b>Input Voltage:</b>	24V DC
<b>Power:</b>	28.8W/m (9W/ft)
<b>Color:</b>	Mid-Warm White 3500K-1
<b>LED Qty:</b>	240 LED per meter
<b>Brightness:</b>	4800-5280 Lm/m (1463-1609 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**240**  
LED/m



### Dimensions

Length: 5m (16.4')  
Width: 12mm (0.47")



**3500K**

SKU: 666561420086



# VEROBOARD LED STRIPS


## VBDFS-2835-4000-240-24-NS

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	28.8W/m (9W/ft)
<b>Color:</b>	Natural White 4000K-2
<b>LED Qty:</b>	240 LED per meter
<b>Brightness:</b>	4800-5280 Lm/m (1463-1609 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**240**  
LED/m



**Dimensions**  
Length: 5m (16.4')  
Width: 12mm (0.47")



**4000K**

SKU: 666561420093




## VBDFS-2835-5000-240-24-NS

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	28.8W/m (9W/ft)
<b>Color:</b>	Daylight 5000K-1
<b>LED Qty:</b>	240 LED per meter
<b>Brightness:</b>	4800-5280 Lm/m (1463-1609 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**240**  
LED/m



**Dimensions**  
Length: 5m (16.4')  
Width: 12mm (0.47")



**5000K**

SKU: 666561420109




## VBDFS-2835-6000-240-24-NS

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	28.8W/m (9W/ft)
<b>Color:</b>	Cool White 6000K-1
<b>LED Qty:</b>	240 LED per meter
<b>Brightness:</b>	4800-5280 Lm/m (1463-1609 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**240**  
LED/m



**Dimensions**  
Length: 5m (16.4')  
Width: 12mm (0.47")



**6000K**

SKU: 666561420116




## VBDFS-3014-2700-240-12-NS

<b>Input Voltage:</b>	12V DC
<b>Power:</b>	22W/m (7W/ft)
<b>Color:</b>	Soft White 2700K
<b>LED Qty:</b>	240 LED per meter
<b>Brightness:</b>	2400-2880 Lm/m (727-873 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**240**  
LED/m



**Dimensions**  
Length: 5m (16.4')  
Width: 12mm (0.47")



GOLD  
PLATED  
PCB

**2700K**

SKU: 666561414474



# VEROBOARD LED STRIPS


## VBDFS-3014-3000-240-12-NS

<b>Input Voltage:</b>	12V DC
<b>Power:</b>	22W/m (7W/ft)
<b>Color:</b>	Warm White 2800K-3000K
<b>LED Qty:</b>	240 LED per meter
<b>Brightness:</b>	2400-2880 Lm/m (727-873 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

240  
LED/m



**Dimensions**  
Length: 5m (16.4')  
Width: 12mm (0.47")



3000K

SKU: 666561423810




## VBDFS-3014-3500-240-12-NS

<b>Input Voltage:</b>	12V DC
<b>Power:</b>	22W/m (7W/ft)
<b>Color:</b>	Warm White 3400-3600K
<b>LED Qty:</b>	240 LED per meter
<b>Brightness:</b>	2400-2880 Lm/m (727-873 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

240  
LED/m



**Dimensions**  
Length: 5m (16.4')  
Width: 12mm (0.47")



3500K

SKU: 666561425838




## VBDFS-3014-4000-240-12-NS

<b>Input Voltage:</b>	12V DC
<b>Power:</b>	22W/m (7W/ft)
<b>Color:</b>	Natural White 4000K-4500K
<b>LED Qty:</b>	240 LED per meter
<b>Brightness:</b>	2400-2880 Lm/m (727-873 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>9
<b>IP Rating:</b>	IP20 (Indoor use only) 5

240  
LED/m



**Dimensions**  
Length: 5m (16.4')  
Width: 12mm (0.47")



4000K

SKU: 666561425609




## VBDFS-3014-5000-240-12-NS

<b>Input Voltage:</b>	12V DC
<b>Power:</b>	22W/m (7W/ft)
<b>Color:</b>	Daylight 5000K-5500K
<b>LED Qty:</b>	240 LED per meter
<b>Brightness:</b>	2400-2880 Lm/m (727-873 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

240  
LED/m



**Dimensions**  
Length: 5m (16.4')  
Width: 12mm (0.47")



5000K

SKU: 666561414504




**VBDFS-2216-CW&WW-336-24-NS**

**Input Voltage:** 24V DC  
**Power:** 15.3W/m (5W/ft)  
**Color:** CCT 1800-4200K  
**LED Qty:** 336 LED per meter  
**Brightness:** 2688-3360 Lm/m (815-1018 Lm/ft)  
**Life Span:** 50,000 hrs  
**Dimmable:** Yes  
**Ra:** CRI>95  
**IP Rating:** IP20 (Indoor use only)

**336 LED/m** DIM TO WARM LED STRIP

**Dimensions**  
 Length: 5m (16.4')  
 Width: 12mm (0.47")



**1800K- 4200K**

SKU: 666561425401



**VBDFS-2835-CW&WW-168-24-NS**

**Input Voltage:** 24V DC  
**Power:** 15W/m (5W/ft)  
**Color:** CCT 2700K-6000K  
**LED Qty:** 168 LED per meter  
**Brightness:** 3360-3696 Lm/m (1024-1126 Lm/ft)  
**Life Span:** >50,000 hrs  
**Dimmable:** Yes  
**Ra:** CRI>95  
**IP Rating:** IP20 (Indoor use only)

**168 LED/m** ADJUSTABLE COLOR TEMPERATURE

**Dimensions**  
 Length: 5m (16.4')  
 Width: 12mm (0.47")



**2700K-6000K**

SKU: 666561423940




**VBDFS-315-3000-120-12-NS**

**Input Voltage:** 12V DC  
**Power:** 9W/m (3W/ft)  
**Color:** Warm White 3000K±100K  
**LED Qty:** 120 LED per meter  
**Brightness:** 1080-1320 Lm/m (329-402 Lm/ft)  
**Life Span:** 50,000 hrs  
**Dimmable:** Yes  
**Ra:** CRI>95  
**IP Rating:** IP20 (Indoor use only)

**120 LED/m** C UL LISTED E514904

**Dimensions**  
 Length: 5m (16.4')  
 Width: 10mm (0.4")



**3000K**

SKU: 666561423827




**VBDFS-315-5000-120-12-NS**

**Input Voltage:** 12V DC  
**Power:** 9W/m (3W/ft)  
**Color:** Daylight 5000K±100K  
**LED Qty:** 120 LED per meter  
**Brightness:** 1080-1320 Lm/m (329-402 Lm/ft)  
**Life Span:** 50,000 hrs  
**Dimmable:** Yes  
**Ra:** CRI>95  
**IP Rating:** IP20 (Indoor use only)

**120 LED/m** C UL LISTED E514904

**Dimensions**  
 Length: 5m (16.4')  
 Width: 10mm (0.4")



**5000K**

SKU: 666561423834




**VBDFS-315-Green-120-12-NS**

<b>Input Voltage:</b>	12V DC
<b>Power:</b>	9W/m (3W/ft)
<b>Color:</b>	Green
<b>LED Qty:</b>	120 LED per meter
<b>Brightness:</b>	1080-1320 Lm/m (329-402 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>IP Rating:</b>	IP20 (Indoor use only)

**120**  
LED/m



**Dimensions**  
Length: 5m (16.4')  
Width: 10mm (0.4")



**GREEN**

SKU: 666561423841



**VBDFS-5050-RGBd-30-12-NS**

<b>Input Voltage:</b>	12V DC
<b>Power:</b>	6W/m (1.8W/ft)
<b>Color:</b>	RGB
<b>LED Qty:</b>	30 LED per meter
<b>Brightness:</b>	750 Lm/m (228 Lm/ft)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>IP Rating:</b>	IP20 (Indoor use only)

**30**  
LED/m

**DIGITAL**



**Dimensions**  
Length: 3m (9.8')  
Width: 12mm (0.47")



**RGB**

SKU: 666561428419



**VBDFS-4020-RGB-90-5-NS**


<b>Input Voltage:</b>	5V DC
<b>Power:</b>	9W/m (3W/ft)
<b>Color:</b>	RGB (SK6812)
<b>LED Qty:</b>	90 LED per meter
<b>IC Driver:</b>	V6842 (Built-in)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>IP Rating:</b>	IP20 (Indoor use only)

**90**  
LED/m

**DIGITAL**



**Dimensions**  
Length: 5m (16.4')  
Width: 8mm (0.31")



**RGB**

SKU: 666561425418



**VBDFS-4020-RGB-144-5-NS**


<b>Input Voltage:</b>	5V DC
<b>Power:</b>	14.4W/m (4.5W/ft)
<b>Color:</b>	RGB (SK6812)
<b>LED Qty:</b>	144 LED per meter
<b>IC Driver:</b>	V6842 (Built-in)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>IP Rating:</b>	IP20 (Indoor use only)

**144**  
LED/m

**DIGITAL**



**Dimensions**  
Length: 2,000mm (6.5')  
Width: 10mm (0.4")



**RGB**

SKU: 666561425661



*Addressable Side Emitting Digital RGB LED Strip*

*Addressable Side Emitting Digital RGB LED Strip*

**VBDFS-5050-RGB-30-12-NS**

<b>Input Voltage:</b>	12V DC
<b>Power:</b>	7W/m (2W/ft)
<b>Color:</b>	RGB
<b>LED Qty:</b>	30 LED per meter
<b>Brightness:</b>	2600-3000 MCD
<b>Life Span:</b>	>50,000 hrs
<b>Dimmable:</b>	Yes
<b>IP Rating:</b>	IP20 (Indoor use only)

**30**  
LED/m

**COLOR CHANGING LED STRIP**

**Dimensions**  
Length: 10m (32.8")  
Width: 12mm (0.473")



**RGB**

SKU: 666561423919

**VBDFS-5050-RGB-60-12-NS**

<b>Input Voltage:</b>	12V DC
<b>Power:</b>	15W/m (5W/ft)
<b>Color:</b>	RGBW
<b>LED Qty:</b>	60 LED per meter
<b>Brightness:</b>	2600-3000 MCD
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**60**  
LED/m

**COLOR CHANGING LED STRIP**

**Dimensions**  
Length: 5m (16.4")  
Width: 12mm (0.47")



**RGB**

SKU: 666561409562

**VBDFS-5050-WRGBWW-60-NS**

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	18W/m (5.5W/ft)
<b>Color:</b>	RGB+Warm White+Cool White
<b>LED Qty:</b>	60 LED per meter
<b>Brightness:</b>	1600-2200 MCD
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**60**  
LED/m

**COLOR CHANGING LED STRIP**

**Dimensions**  
Length: 5m (16.4")  
Width: 12mm (0.47")



**RGB 2700K-6000K**

SKU: 666561413224

**VBDCFS-5050-RGB32K-96-24-NS**

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	18W/m (5.5W/ft)
<b>Color:</b>	RGB-3200K (RGB+Warm White)
<b>LED Qty:</b>	96 LED per meter
<b>Brightness:</b>	2000-2400 MCD for RGB & 500 Lm/m for Warm White
<b>Life Span:</b>	>50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP20 (Indoor use only)

**96**  
LED/m

**COLOR CHANGING LED STRIP**

**Dimensions**  
Length: 4,000mm (13.12")  
Width: 12mm (0.473")



**RGB 3200K**

SKU: 666561420178


**VBDFS-COB480W2-2700-24S**

**Input Voltage:** 24V DC  
**Power:** 6W/m (2W/ft)  
**Color:** Soft White 2700K  
**LED Qty:** 480 LED per meter  
**Brightness:** 510Lm/m (155 Lm/ft)  
**Ra:** CRI>95+  
**Dimmable:** Yes  
**IP Rating:** IP20 (Indoor use only)

**480**  
LED/m



**Dimensions**  
 Length: 5m (16.4')  
 Width: 10mm (0.4")



**2700K**

SKU: 666561425944




**VBDFS-COB480W3-2700-24S**

**Input Voltage:** 24V DC  
**Power:** 9W/m (3W/ft)  
**Color:** Soft White 2700K  
**LED Qty:** 480 LED per meter  
**Brightness:** 765 Lm/m (233 Lm/ft)  
**Ra:** CRI>95+  
**Dimmable:** Yes  
**IP Rating:** IP20 (Indoor use only)

**480**  
LED/m



**Dimensions**  
 Length: 5m (16.4')  
 Width: 10mm (0.4")



**2700K**

SKU: 666561425890





**VBDFS-COB480W2-3000-24S**

**Input Voltage:** 24V DC  
**Power:** 6W/m (2W/ft)  
**Color:** Warm White 3000K  
**LED Qty:** 480 LED per meter  
**Brightness:** 510 Lm/m (155 Lm/ft)  
**Ra:** CRI>95+  
**Dimmable:** Yes  
**IP Rating:** IP20 (Indoor use only)

**480**  
LED/m



**Dimensions**  
 Length: 5m (16.4')  
 Width: 10mm (0.4")



GOLD  
PLATED  
PCB

**3000K**

SKU: 666561425951




**VBDFS-COB480W3-3000-24S**

**Input Voltage:** 24V DC  
**Power:** 9W/m (3W/ft)  
**Color:** Warm White 3000K  
**LED Qty:** 480 LED per meter  
**Brightness:** 765 Lm/m (233 Lm/ft)  
**Ra:** CRI>95+  
**Dimmable:** Yes  
**IP Rating:** IP20 (Indoor use only)

**480**  
LED/m



**Dimensions**  
 Length: 5m (16.4')  
 Width: 10mm (0.4")



**3000K**

SKU: 666561425906



**VBDFS-COB480W2-3500-24S**

**Input Voltage:** 24V DC  
**Power:** 6W/m (2W/ft)  
**Color:** Mid Warm White 3500K  
**LED Qty:** 480 LED per meter  
**Brightness:** 510 Lm/m (155 Lm/ft)  
**Ra:** CRI>95+  
**Dimmable:** Yes  
**IP Rating:** IP20 (Indoor use only)

**480**  
LED/m



**Dimensions**  
 Length: 5m (16.4')  
 Width: 10mm (0.4")



**3500K**

SKU: 666561425968





**VBDFS-COB480W3-3500-24S**

**Input Voltage:** 24V DC  
**Power:** 9W/m (3W/ft)  
**Color:** Mid Warm White 3500K  
**LED Qty:** 480 LED per meter  
**Brightness:** 765 Lm/m (233 Lm/ft)  
**Ra:** CRI>95+  
**Dimmable:** Yes  
**IP Rating:** IP20 (Indoor use only)

**480**  
LED/m



**Dimensions**  
 Length: 5m (16.4')  
 Width: 10mm (0.4")



GOLD  
PLATED  
PCB

**3500K**

SKU: 666561425913




**VBDFS-COB480W2-4000-24S**

**Input Voltage:** 24V DC  
**Power:** 6W/m (2W/ft)  
**Color:** Natural White 4000K  
**LED Qty:** 480 LED per meter  
**Brightness:** 510 Lm/m (155 Lm/ft)  
**Ra:** CRI>95+  
**Dimmable:** Yes  
**IP Rating:** IP20 (Indoor use only)

**480**  
LED/m



**Dimensions**  
 Length: 5m (16.4')  
 Width: 10mm (0.4")



**4000K**

SKU: 666561425975




**VBDFS-COB480W3-4000-24S**

**Input Voltage:** 24V DC  
**Power:** 9W/m (3W/ft)  
**Color:** Natural White 4000K  
**LED Qty:** 480 LED per meter  
**Brightness:** 765 Lm/m (233 Lm/ft)  
**Ra:** CRI>95+  
**Dimmable:** Yes  
**IP Rating:** IP20 (Indoor use only)

**480**  
LED/m



**Dimensions**  
 Length: 5m (16.4')  
 Width: 10mm (0.4")



**4000K**

SKU: 666561425920




**VBDFS-COB480W2-5000-24S**

**Input Voltage:** 24V DC  
**Power:** 6W/m (2W/ft)  
**Color:** Daylight 5000K  
**LED Qty:** 480 LED per meter  
**Brightness:** 510 Lm/m (155 Lm/ft)  
**Ra:** CRI>95+  
**Dimmable:** Yes  
**IP Rating:** IP20 (Indoor use only)

**480**  
LED/m



**Dimensions**  
 Length: 5m (16.4')  
 Width: 10mm (0.4")



**5000K**

SKU: 666561425982




**VBDFS-COB480W3-5000-24S**

**Input Voltage:** 24V DC  
**Power:** 9W/m (3W/ft)  
**Color:** Daylight 5000K  
**LED Qty:** 480 LED per meter  
**Brightness:** 765 Lm/m (233 Lm/ft)  
**Ra:** CRI>95+  
**Dimmable:** Yes  
**IP Rating:** IP20 (Indoor use only)

**480**  
LED/m



**Dimensions**  
 Length: 5m (16.4')  
 Width: 10mm (0.4")



**5000K**

SKU: 666561425937



**VBDFS-COB480W4.5-3000-24NS**

**Input Voltage:** 24V DC  
**Power:** 14W/m (4.5W/ft)  
**Color:** Warm White 3000K  
**LED Qty:** 480 LED per meter  
**Brightness:** 1190 Lm/meter (363 Lm/ft)  
**Ra:** CRI>95+  
**Dimmable:** Yes  
**IP Rating:** IP20 (Indoor use only)

**480**  
LED/m



**Dimensions**  
 Length: 5m (16.4')  
 Width: 12mm (0.473")



**3000K**

SKU: 666561429287

**VBDFS-COB480W4.5-3500-24NS**

**Input Voltage:** 24V DC  
**Power:** 14W/m (4.5W/ft)  
**Color:** Mid Warm White 3500K  
**LED Qty:** 480 LED per meter  
**Brightness:** 1190 Lm/meter (363 Lm/ft)  
**Ra:** CRI>95+  
**Dimmable:** Yes  
**IP Rating:** IP20 (Indoor use only)

**480**  
LED/m



**Dimensions**  
 Length: 5m (16.4')  
 Width: 12mm (0.473")



GOLD PLATED PCB



**3500K**

SKU: 666561432324

**VBDFS-COB480W4.5-4000-24NS**

**Input Voltage:** 24V DC  
**Power:** 14W Per meter (4.5W/ft)  
**Color:** Natural White 4000K  
**LED Qty:** 480 LED per meter  
**Brightness:** 1190 Lm/meter (363 Lm/ft)  
**Ra:** CRI>95+  
**Dimmable:** Yes  
**IP Rating:** IP20 (Indoor use only)

**480**  
LED/m



**Dimensions**  
 Length: 5m (16.4')  
 Width: 12mm (0.473")



**4000K**

SKU: 666561429270

**VBDFS-COB840W4.5-RGB-24NS**

**Input Voltage:** 24V DC  
**Power:** 15W/m (4.5W/ft)  
**Color:** RGB  
**LED Qty:** 840 LED per meter  
**Beam Angle:** 120°  
**Ra:** CRI>95+  
**Dimmable:** Yes  
**IP Rating:** IP20 (Indoor use only)

**840**  
LED/m



**Dimensions**  
 Length: 5m (16.4')  
 Width: 12mm (0.473")



**RGB**

SKU: 666561429294

**VBDFS-COB896W6.6-RGB27-24NS**

**Input Voltage:** 24V DC  
**Power:** 20W/m (6.6W/ft)  
**Color:** RGB+2700K (Soft White)  
**LED Qty:** 896 LED per meter  
**Beam Angle:** 120°  
**Ra:** CRI>95+  
**Dimmable:** Yes  
**IP Rating:** IP20 (Indoor use only)

**896**  
LED/m



**Dimensions**  
 Length: 5m (16.4')  
 Width: 12mm (0.473")



**RGB 2700K**

SKU: 666561429300

**VBDFS-3528-3000-60-12-WP**

<b>Input Voltage:</b>	12V DC
<b>Power:</b>	4.5W/m (1.5W/ft)
<b>Color:</b>	Warm White 3000K
<b>LED Qty:</b>	60 LED per meter
<b>Brightness:</b>	420-480 Lm/m (128-146 Lm/ft)
<b>Life Span:</b>	>50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP68 (Weatherproof)

60  
LED/m



**Dimensions**  
Length: 10m (32.8')  
Width: 10mm (0.395")



**3000K**

SKU: 666561423933



**VBDFS-3528-6000-60-12-WP**

<b>Input Voltage:</b>	12V DC
<b>Power:</b>	4.5W/m (1.5W/ft)
<b>Color:</b>	Cool White 6000K
<b>LED Qty:</b>	60 LED per meter
<b>Brightness:</b>	420-480 Lm/m (128-146 Lm/ft)
<b>Life Span:</b>	>50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP68 (Weatherproof)

60  
LED/m




**Dimensions**  
Length: 10m (32.8')  
Width: 10mm (0.395")



**6000K**

SKU: 666561420154



**VBDFS-L2835-3000-120-24-WP**

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	10W/m (3W/ft)
<b>Color:</b>	Warm White 3000K
<b>LED Qty:</b>	120 LED per meter
<b>Brightness:</b>	980 Lm/m (298 Lm/ft)
<b>Life Span:</b>	>50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP68 (Weatherproof)

120  
LED/m



**Dimensions**  
Length: 20m (65.6')  
Width: 14mm (0.55")



**3000K**

SKU: 666561429201



**VBDFS-L2835-4000-120-24-WP**

<b>Input Voltage:</b>	24V DC
<b>Power:</b>	10W/m (3W/ft)
<b>Color:</b>	Natural White 4000K
<b>LED Qty:</b>	120 LED per meter
<b>Brightness:</b>	980 Lm/m (298 Lm/ft)
<b>Life Span:</b>	>50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP68 (Weatherproof)

120  
LED/m



**Dimensions**  
Length: 20m (65.6')  
Width: 14mm (0.55")



**4000K**

SKU: 666561430146



**VBDFS-WW NEON-4MM-168 LED/m**


<b>Input Voltage:</b>	24V DC
<b>Power:</b>	12W/m (3.75W/ft)
<b>Color:</b>	Warm White 3000K
<b>LED Qty:</b>	168 LED per meter (Side LED)
<b>Brightness:</b>	93-95 Lm/ft
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP66 (Weatherproof)

**168 LED/m**



**Dimensions**

Length: 5m (16.4')  
Width: 10mm (0.4")



**3000K**

SKU: 666561423797



**VBDFS-W NEON-4MM-168 LED/m**


<b>Input Voltage:</b>	24V DC
<b>Power:</b>	12W/m (3.75W/ft)
<b>Color:</b>	Cool White 6000K
<b>LED Qty:</b>	168 LED per meter (Side LED)
<b>Brightness:</b>	112 Lm/ft
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP66 (Weatherproof)

**168 LED/m**



**Dimensions**

Length: 5m (16.4')  
Width: 10mm (0.4")



**6000K**

SKU: 666561425630



**VBDFS-R NEON-4MM-168 LED/m**


<b>Input Voltage:</b>	24V DC
<b>Power:</b>	12W/m (3.75W/ft)
<b>Color:</b>	RED
<b>LED Qty:</b>	168 LED per meter (Side LED)
<b>Brightness:</b>	112-115 Lm/ft
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP66 (Weatherproof)

**168 LED/m**



**Dimensions**

Length: 5m (16.4')  
Width: 10mm (0.4")



**RED**

SKU: 666561425616



**VBDFS-B NEON-4MM-168 LED/m**


<b>Input Voltage:</b>	24V DC
<b>Power:</b>	12W/m (3.75W/ft)
<b>Color:</b>	Blue
<b>LED Qty:</b>	168 LED per meter (Side LED)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP66 (Weatherproof)

**168 LED/m**



**Dimensions**

Length: 5m (16.4')  
Width: 10mm (0.4")



**BLUE**

SKU: 666561425623



**VBD-N0606-3000-SF-W**


<b>Input Voltage:</b>	24V DC
<b>Power:</b>	8W/m (2.5W/ft)
<b>Color:</b>	Warm White 3000K
<b>LED Qty:</b>	240 LED per meter (Side LED)
<b>Life Span:</b>	50,000 hrs
<b>Dimmable:</b>	Yes
<b>Ra:</b>	CRI>95
<b>IP Rating:</b>	IP66 (Weatherproof)

**240 LED/m**



**Dimensions**

Length: 5m (16.4')  
Width: 6mm (0.23")



**3000K**

SKU: 666561432768





The thin, bendable, and easily shaped LED sheet adapts flawlessly to various uses, including signage, **backlighting**, trade shows, displays, and panels. You can effortlessly create captivating designs by bending it into intricate shapes, and with cut lines in both directions, achieving odd shapes is a breeze.

# VEROBOARD LED STRIPS LED SHEET

Installing our LED sheet is easy with slot-in and push-it electrical connections, making it wired and ready to go within minutes. It has a long lifespan of over 50,000 hours and a high color rendering index (CRI). Illuminate curved objects like columns and point-of-sale displays with ease, opening up a world of creative possibilities.




## VBDFS-2835-3000-648-24-NS

Input Voltage:	24V DC
Power:	24W
Color:	Warm White 3000K
LED Qty:	648 LED
LED Type:	2835 SMD
Brightness:	1200Lm
Beam Angle:	120°
Operating Temperature:	-15°C to +40°C
Cut Size:	Every 16.50mm (0.65")
Life Span:	50,000 hrs
Dimmable:	Yes
Ra:	CRI>95
IP Rating:	IP20 (Indoor use only)


**648**  
LED/m

**Dimensions**  
Length: 610mm (24")  
Width: 305mm (12")



**3000K**

SKU: 666561432355




## VBDSH-2835-RGB27-1248-24-NS

Input Voltage:	24V DC
Power:	46W
Colors:	RGB-Soft White 2700K
LED Qty:	1248 LED
LED Type:	2835 SMD
Beam Angle:	120°
Operating Temperature:	-15°C to +40°C
Cut Size:	Every 25.5mm (1")
Life Span:	50,000 hrs
Dimmable:	Yes
Ra:	CRI>95
IP Rating:	IP20 (Indoor use only)


**1248**  
LED/m

**Dimensions**  
Length: 610mm (24")  
Width: 305mm (12")



**RGB 2700K**

SKU: 666561432331




## VBDSH-2835-27/65-1296-24-NS

Input Voltage:	24V DC
Power:	46W
Colors:	Soft White 2700K Cool White 6500K
LED Qty:	1296 LED
LED Type:	2835 SMD
Brightness:	2180Lm
Beam Angle:	120°
Operating Temperature:	-15°C to +40°C
Cut Size:	Every 16.50mm (0.65")
Life Span:	50,000 hrs
Dimmable:	Yes
Ra:	CRI>95
IP Rating:	IP20 (Indoor use only)

**1296**  
LED/m

**Dimensions**  
Length: 610mm (24")  
Width: 305mm (12")



**2700K-6500K**

SKU: 666561432348

