

VERUBOARD.

CANADIAN-BASED LIGHTING MANUFACTURER

STEP, WALL & OUTDOOR LIGHTS Intertek



Veroboards' fashionable and practical LED step/wall lights illuminate your stairways or pathways with ample luminance for a safer outdoor experience. The step/wall lights are protected against wet locations and are rated for 50,000 hours of life.

VEROBOARD STEP/WALL LIGHTS

Square LED Wall Light







Engine Dimensions:

Length: 50mm (1.97") Width: 50mm (1.97") Depth: 20mm (0.8")







BRUSHED NICKEL

SKU: 666561425319

Square LED Wall Light







Engine Dimensions:

Length: 50mm (1.97") Width: 50mm (1.97") Depth: 20mm (0.8")







SKU: 666561425333

Square LED Wall Light

Model No.:	VBD-SQ25-1W-3K-BK
Voltage:	12V DC
Wattage:	1W
Color Temperature:	3000K (Warm White)
Brightness:	80~100 Lumens
Light Source:	1x1W LED
Dimmable:	Yes
IP Rating:	IP20 (Indoor rated)





Engine Dimensions:

Length: 50mm (1.97") Width: 50mm (1.97") Depth: 20mm (0.8")







BLACK

SKU: 666561425340

Square LED Wall Light

VBD-SQ25-1W-3K-DB
12V DC
1W
3000K (Warm White)
80~100 Lumens
1x1W LED
Yes
IP20 (Indoor rated)





Engine Dimensions:

Length: 50mm (1.97") **Width:** 50mm (1.97") **Depth:** 20mm (0.8")







DARK BRONZE

VEROBOARD STEP/ WALL LIGHTS

Round LED Wall Light







Engine Dimensions: Diameter: 49.50mm (1.95") Depth: 20mm (0.8")







SKU: 666561425326

Round LED Wall Light

Model No.:	VBD-RD25-1W-3K-WH
Voltage:	12V DC
Wattage:	1W
Color Temperature:	3000K (Warm White)
Brightness:	80~100 Lumens
Light Source:	1x1W LED
Dimmable:	Yes
IP Rating:	IP20 (Indoor rated)





Engine Dimensions: Diameter: 49.50mm (1.95") Depth: 20mm (0.8")







SKU: 666561425296

Round LED Wall Light

Model No.:	VBD-RD25-1W-3K-BK
Voltage:	12V DC
Wattage:	1W
Color Temperature:	3000K (Warm White)
Brightness:	80~100 Lumens
Light Source:	1x1W LED
Dimmable:	Yes
IP Rating:	IP20 (Indoor rated)





Engine Dimensions: Diameter: 49.50mm (1.95") Depth: 20mm (0.8")







SKU: 666561425302

Round LED Wall Light

Model No.:	VBD-RD25-1W-3K-DB
Voltage:	12V DC
Wattage:	1W
Color Temperature:	3000K (Warm White)
Brightness:	80~100 Lumens
Light Source:	1x1W LED
Dimmable:	Yes
IP Rating:	IP20 (Indoor rated)





Engine Dimensions: Diameter: 49.50mm (1.95") Depth: 20mm (0.8")







SKU: 666561418250

VEROBOARD STEP/ WALL LIGHTS

Handrail Light 3000K

Model No.:	VBDL- 1014-0100-A
Voltage:	12-24V DC
Power:	1.5W
Brightness:	65 Lumens
Color Temperature:	3000K (Warm White)
Beam Angle:	60°
Material:	Stainless Steel
Light Source:	1 SMD
LED Type:	Integrated LED
Rendering Index:	CRI>90
IP Rating:	IP67 (Outdoor Rated)
Wire Length:	2 Meters
Installation:	Recessed



- Incandescent Equivalent Wattage (15W)
- · Spotlight with glass protection and silicone diffuser



7" Retaining Wall Light/Step Light











SKU: 666561418182


SKU: 666561416751

7" Retaining Wall Light/Step Light











SKU: 666561418199







	Intertek	
Model No.:	HSC-3W-13-3K	
Voltage:	12V AC/DC	
Wattage:	3W	
Color Temperature:	3000K (Warm White)	
Light Source:	6 SMD	
Wire Gauge:	5ft of AWG22	
Beam Angle:	45°	
Dimmable:	Yes	
Dimensions:	303 x 75 x 17mm (13 x 2.95 x 0.67")	
IP Rating:	IP67 (Outdoor rated)	
-		





VEROBOARD STEP/ WALL LIGHTS

Photocell LED Step Light with Motion Sensor

Model No.:	LSD033KBK
Voltage:	120V AC
Wattage:	3W
Incandescent Equivalent:	25W
Color Temperature:	3000K (Warm White)
Brightness:	100 Lumens
Dimmable:	No
Rendering Index:	CRI>90
LED Type:	Integrated LED
Available Face Plate Colors:	Matte Black and White
Outer Dimensions:	120 x 76 x 27mm x (4.75 x 3 x 1.06")
IP Rating:	IP65 (Wet Locations)



Photocell LED Step Light with Motion Sensor

Model No.:	LSD033KWH
Voltage:	120V AC
Wattage:	3W
Incandescent Equivalent:	25W
Color Temperature:	3000K (Warm White)
Brightness:	100 Lumens
Dimmable:	No
Rendering Index:	CRI>90
LED Type:	Integrated LED
Available Face Plate Colors:	Matte Black and White
Outer Dimensions:	120 x 76 x 27mm x (4.75 x 3 x 1.06")
IP Rating:	IP65 (Wet Locations)



LED Step Light

Model No.:	ST0130KBK
Voltage:	120V AC
Wattage:	5W
Color Temperature:	3000K (Warm White)
Brightness:	75 Lumens
Dimmable:	Yes (Triac Dimming)
Rendering Index:	CRI>90+
LED Type:	Integrated LED
Lifespan	50,000 Hours
Outer Dimensions:	120 x 80 x 28mm x (4.75 x 3.1 x 1.1")
IP Rating:	IP65 (Wet Locations)



LED Step Light

Model No.:	ST0130KWH
Voltage:	120V AC
Wattage:	5W
Color Temperature:	3000K (Warm White)
Brightness:	75 Lumens
Dimmable:	Yes (Triac Dimming)
Rendering Index:	CRI>90+
LED Type:	Integrated LED
Lifespan	50,000 Hours
Outer Dimensions:	120 x 80 x 28mm x (4.75 x 3.1 x 1.1")
IP Rating:	IP65 (Wet Locations)





These energy-efficient lighting solutions not only beautify outdoor areas but also contribute to sustainability efforts, making them a popular choice for homeowners and landscape architects alike.

VEROBOARD OUTDOOR LIGHTS

Landscape Bullet Light

Model No.:	UL-1012-MR16-A-54
Voltage:	12V AC/DC (MR16 Bulb Voltage)
LED Type:	Required MR16 Bulb
Beam Angle:	Depends on the MR16 Bulb
Material:	Aluminum
Spike Material:	Hight Strength PVC
Wire Gauge:	18 AWG
IP Rating:	IP67 (Outdoor Rated)
Body Dimensions:	Ø61 x 142.3 x 105mm x (Ø2.4 x 5.6 x 4.13")
Spike Height:	176.21mm (6.93")
Product Content:	Landscape Spotlight, Plastic Spike



In-Ground Light

Certifications:

Model No.:	UL-1022-0	300-A-XX
Voltage:	12-24V DC	
Wattage:	3W	
Color Temperature:	3000K (Wai	rm White)
Brightness:	240-300 Lu	ımens
Material:	315 Stainle	ss Steel
Bulb Type:	Integrated LED	
Available Trim Color:	1Way Trim	(Ø60mm x H16mm)
(Sold Separately)	2Way Trim	(Ø60mm x H16mm)
	4Way Trim	(Ø60mm x H16mm)
	Flat Trim	(Ø49mm x H2mm)

ETL, CE



Engine Dimensions

Diameter: 36.8mm (1.45") Height: 74.5mm (2.9")

Housing Dimensions

Diameter: 39.5mm (1.5") Height: 110mm (4.3")

Cable Size

Length: 100cm (39.3") Diameter: 7.7mm (0.3") 18AWG FT2



SKU: 666561424084

2.5" Round Inground Light with Concrete Box





Model No.:	VBD-RD33-3W-30K	
Voltage:	12V DC	
Wattage:	3W	
Color Temperature:	3000K (Warm White)	
Brightness:	1065 Lumens	
Beam Angle:	40°	
Operating Temperature:	-20°~40°	
IP Rating:	IP67 (Outdoor Rated)	
Material:	316 Stainless Steel	

3" Round Inground Light with Concrete Box





Model No.:	VBD-RD34-5W-30K	
Voltage:	12V DC	
Wattage:	5W	
Color Temperature:	3000K (Warm White)	
Brightness:	1350 Lumens	
Beam Angle:	40°	
Operating Temperature:	-20°~40°	
IP Rating:	IP67 (Outdoor Rated)	
Material:	316 Stainless Steel	

Engine Dimensions

Diameter: 62mm (2.4") Height: 67mm (2.6")

Box Dimensions

Diameter: 106mm (4.1") Height: 95mm (3.7")

Cable Size

Length: 530cm (20.8") Diameter: 5.5mm (0.21")

18AWG



Engine Dimensions

Diameter: 80mm (3.1") Height: 87.5mm (3.5")

Box Dimensions

Diameter: 106mm (4.1") Height: 117mm (4.6")

Cable Size

Length: 530cm (20.8") Diameter: 5.5mm (0.21") 18AWG



SKU: 666561430948



VEROBOARD OUTDOOR LIGHTS





Model No.: VBD-PW22-U-3K Voltage: 12V DC Wattage: 1-4W **Brightness:** 120~340Lm **Color Temperature:** 3000K (Warm White) Replaceable Bulb **IP Rating:** IP67 (Outdoor Rated) 145cm (57") 22 AWG Cable Length:

Dimensions:

Overall Height: 660mm (26") Height (without Cap): 558mm (22") Spike Height: 215mm (8.46")







22"

