

Version: 1.1

Released: 2020-09-15 Revision Date: 2020-09-15

## 1. IDENTIFICATION OF THE SUBSTANCE / APPLICATION AND THE COMPANY

**Supplier:** Product Name: Marine 4T Syn Blend 10W-40

Maxima Racing Oils

9266 Abraham Way

Santee, CA 92071

USA

Applications: Engine oil

Article Number: 30-529128

+1 619 449 5000 **Emergency Telephone:** CHEMTREC +1 703 527 3887 (24 hours)

## 2. HAZARDS IDENTIFICATION

GHS Classification Not classified as hazardous in accordance with

OSHA Hazcom 2012

GHS Pictogram None
Signal Word None
Hazard Statements None

Precautionary Statements

Prevention None
Response None
Storage None
Disposal None

Other Hazards None

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Components	Content %	<b>CAS Number</b>
Petroleum Distillates	50-70	64742-54-7
Petroleum Distillates	10-30	72623-87-1
Bis(nonylphenyl)amine	0-<1	36878-20-3
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl)-bis(phosphoro-dithioate)	0-<1	2215-35-2

The specific identity and/or exact percentage has been withheld as a trade secret.

#### 4. FIRST-AID MEASURES

**Inhalation** If inhaled remove to fresh air. If irritation or difficulty in breathing occurs, get

medical attention.



Version: 1.1

Released: 2020-09-15 Revision Date: 2020-09-15

**Skin Contact** Wash skin with soap and water. Remove clothing and shoes if contaminated.

Launder clothing before reuse. If irritation or rash develops, get medical

attention.

**Eye Contact** Flush eyes with water for several minutes. Remove contact lenses, if present

and easy to do so. If eye irritation persists, get medical attention.

**Ingestion** If conscious, rinse mouth with water. Do not induce vomiting. Never give

Immediate medical attention is not required.

anything by mouth to an unconscious person. Get medical attention.

Most Important Symptoms

May cause mild eye irritation. Prolonged skin contact may cause irritation. Inhalation of vapors or mists may cause respiratory irritation. Swallowing may

cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Indication of

Immediate Medical Attention Needed

Notes to Physician Treat appropriately

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing** 

Media

Specific Hazards

**Arising From The** 

Chemical

Special Protective Equipment And

**Precautions For Fire-**

**Fighters** 

Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish

flames.

This material will burn although it is not easily ignited. Combustion will

produce carbon oxide and unidentified organic compounds.

Firefighters should wear full emergency equipment and a NIOSH approved positive pressure self-contained breathing apparatus. Cool exposed intact

containers with water

#### **6. ACCIDENTAL RELEASE MEASURES**

**Personal Precautions** Wear appropriate protective equipment. Wash thoroughly after handling.

See also: "Personal Protection" section 8.

Environmental Hazards Avoid release into the environment. Report spill as required by local and

federal regulations.

Methods/Materials for

Cleaning up

Dike spill and collect with an inert absorbent. Place into closable containers for disposal. Collected material is handled in accordance with section 13

"Disposal Considerations".

#### 7. HANDLING AND STORAGE

**Precautions for Safe** 

Handling:

Avoid contact with skin, eyes and clothing. Avoid breathing vapors and mists. Wear protective clothing and equipment. Wash thoroughly with soap and water after handling. Remove oil-soaked clothing and launder before re-use.



Version: 1.1

Released: 2020-09-15 Revision Date: 2020-09-15

**Conditions for Safe** Store in a cool area away from oxidizing agents. Protect containers from

**Storage** physical damage.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Limits** Petroleum Distillates 5 mg/m³ TWA OSHA PEL (as oil Mist)

5 mg/m<sup>3</sup> TWA ACGIH TLV (inhalable)

(as mineral oil)

Bis(nonylphenyl)amine None Established Zinc O,O,O',O'-tetrakis(1,3-None Established

dimethylbutyl)- bis(phosphoro-

dithioate)

**Appropriate** Good general room ventilation (equivalent to outdoors) should be adequate

**Engineering Controls** under normal conditions. If the recommended exposure limit is exceeded increased mechanical ventilation such as local exhaust may be required.

**Personal Protection** 

**Respiratory** None needed under normal use conditions with adequate ventilation. If

**Protection:** exposure limits are exceeded, use a NIOSH approved respirator with organic

vapor cartridges and particulate pre-filter. Selection of respiratory protection depends on the contaminant type, form and concentration. Select in accordance with OSHA 1910.134 and good Industrial Hygiene

practice.

**Eye Protection:** Safety glasses or goggles recommended if splashing is possible.

Skin/Body Protection: No special protective clothing is normally required. If there is a potential

for prolonged skin contact, wear a long sleeved shirt and apron. Neoprene or nitrile rubber boots when necessary to avoid contaminating shoes.

**Hand Protection:** Use nitrile or neoprene gloves for prolonged or repeated skin contact.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Liquid

Color Colorless to yellow Odor Petroleum odor No data available **Odor Threshold** No data available рΗ **Freezing Point** No data available **Boiling Point** No data available **Flash Point** No data available **Evaporation Rate** No data available Flammability (solid, gas) No data available **Upper Explosion Limit** No data available **Lower Explosion Limit** No data available **Vapor Pressure** No data available





Version: 1.1

Revision Date: 2020-09-15

Vapor Density (Air=1) No data available
Relative Density No data available

**Solubility** Soluble in hydrocarbons; insoluble in water

Partition Coefficient: n- No data available

octanol/water

Released: 2020-09-15

Auto Ignition No data available

Temperature

**Decomposition** No data available

**Temperature** 

Volatile Organic No data available

Compounds (VOC)

**Viscosity** 96.1 cSt @ 104°F

#### 10. STABILITY AND REACTIVITY

**Reactivity** Not expected to be reactive.

**Chemical Stability** Stable.

**Possibility of Hazardous** None known.

Reactions

**Conditions to Avoid** Avoid temperatures over 120°F, open flames and sparks.

**Incompatible Materials** Avoid contact with strong oxidizing agents.

Hazardous Decomposition Product Thermal decomposition may produce carbon oxides and

unidentified organic compounds.

## 11. TOXICOLOGICAL INFORMATION

## **Potential Health Hazards**

**Eve Contact:** May cause mild irritation.

**Skin Contact:** Prolonged or repeated contact may cause mild irritation or dryness. Repeated skin

contact may cause dermatitis.

**Inhalation:** Excessive inhalation of vapors or mists may cause upper respiratory tract irritation and central nervous system effects including headache, dizziness and nausea. Breathing high

concentrations of oil mists may cause lung damage.

**Ingestion:** Swallowing large amounts may cause gastrointestinal effects including nausea and

diarrhea.

**Chronic Effects of Overexposure:** Used motor oils have been found to cause skin cancer in skin painting studies with laboratory animals.

Sensitization: None of the components have been found to cause sensitization in animals or humans.

**Mutagenicity:** This product is not expected to cause mutagenic activity.

**Reproductive Toxicity:** This product is not expected to cause reproductive or developmental effects.

Carcinogenicity: None of the major components of this product are listed as a carcinogen or

suspected carcinogen by IARC, NTP, or OSHA.

#### **Acute Toxicity:**





Version: 1.1

Released: 2020-09-15 Revision Date: 2020-09-15

Petroleum Distillates Oral rat LD50 >5000 mg/kg, Inhalation rat LC50 >5.5 mg/L/4 hr

(mist), Dermal rabbit LD50 >2000 mg/kg (CAS 64742-54-7)

Petroleum Distillates Oral rat LD50 >5000 mg/kg, Inhalation rat LC50 >5.53 mg/L/4 hr

(CAS 72623-87-1) (mist), Dermal rabbit LD50 >2000 mg/kg

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Petroleum Distillates LL50 fish >100 mg/L, EL50 aquatic invertebrates > 100 mg/L, EL50

(CAS 64742-54-7) algae > 100 mg/l

Petroleum Distillates 96 hr LL50 fish >100 mg/L, 24-48 hr EL50 aquatic invertebrates >

10000 mg/L, 72 hr NOEL algae ≥ 100 mg/L (CAS 72623-87-1)

Bis(nonylphenyl)amine 4 d LC50 Zebra fish >100 mg/L, 2 d EC50 Daphnia magna >100 mg/L,

3 d EC50 Selenastrum capricornutum 600 mg/L

Phosphorodithioic acid, mixed

O,O-bis(1,3-dimethylbutyl and

iso-Pr)esters, zinc salts

4 d LC 50 Rainbow trout 4.5 mg/l, 2 d EC 50 Daphnia magna 23

Not readily degradable, but regarded as inherently biodegradable

Log Kow of > 5.3 which suggests a potential for bioaccumulation

Log Kow of > 6 which suggests a potential for bioaccumulation

BCF of 1.6 (measured) which does not suggest a potential for

mg/l, 3 d EC 50 Scenedesmus quadricauda 21 mg/l

**Biodegradation** 

Petroleum distillates

(64742-54-7)

Petroleum distillates Not readily degradable (OECD TG 301B)

(CAS 72623-87-1)

Not readily degradable (OECD TG 301 B) Bis(nonylphenyl)amine Phosphorodithioic acid, mixed Not readily degradable (OECD TG 301 B)

iso-Pr)esters, zinc salts

**Bioaccumulation** 

Petroleum distillates (64742-

O,O-bis(1,3-dimethylbutyl and

54-7)

Petroleum distillates (CAS

72623-87-1)

Bis(nonylphenyl)amine

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and

iso-Pr)esters, zinc salts

bioaccumulation Log Kow of < 3 (measured) which does not suggest a potential for

bioaccumulation

Mobility in soil The product is not water soluble (floats on water) and may be

adsorbed to soil particles.

Other adverse effects: None known.

## 13. DISPOSAL CONSIDERATIONS

Disposal Dispose in accordance with all local, state and federal regulations.



Version: 1.1

Released: 2020-09-15 Revision Date: 2020-09-15

#### 14. TRANSPORT INFORMATION

	UN	Proper shipping name	Hazard	Packing	Environmental
	Number		Class	Group	Hazard
DOT		Not Regulated			
TDG		Not Regulated			
IMDG		Not Regulated			
IATA		Not Regulated			

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): Not applicable – product

is transported only in packaged form **Special precautions:** None known.

## 15. REGULATORY INFORMATION

**CERCLA:** This product is not subject to CERCLA reporting requirements, however, oil spills are reportable to the National Response Center under the Clean Water Act and many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**EPA SARA 302:** This product does not contain chemicals regulated under SARA Section 302.

EPA SARA 311 Hazard Classification: Not hazardous

**EPA SARA 313:** This product contains the following chemicals that are regulated under SARA Title III, section 313: None

**California Proposition 65:** This product contains the following chemicals known to the State of California to cause cancer and reproductive toxicity:

Naphthalene (<7.00PPB) which is known to the State of California to cause cancer.

Benzene (<743.00PPT) Toluene (<742.00PPT) which are known to the State of California to cause birtl defects or other reproductive harm.

## **Chemical Inventories**

**Toxic Substances Control Act:** All of the components of this product are listed on the TSCA inventory or are exempt.

## **16. OTHER INFORMATION**

NFPA Rating (NFPA 704): Health: 0 Fire: 1 Instability: 0 HMIS Rating: Health: 0 Fire: 1 Physical Hazard: 0

Date of Revision: September 15, 2020 Date of Previous Revision: None

**Revision History:** 



Version: 1.1

Released: 2020-09-15 Revision Date: 2020-09-15

New document.

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.