

Version: 1.1

Released: 2017-08-28 Revision Date: 2017-11-07

1. IDENTIFICATION OF THE SUBSTANCE / APPLICATION AND THE COMPANY

Supplier: Product Name: Syn ATF 10wt, 20wt, 30wt

Maxima Racing Oils Article Number: 49-00901, 49-009128, 49-00505, 49-00055, 49-01901,

Applications: Transmission Fluid

49-019128, 49-01505, 49-01055, 49-02901, 49-029128, 49-02505, 49-

02055

9266 Abraham Way

Santee, CA 92071

+1 619 449 5000

USA

ΙςΔ

Emergency Telephone: In USA: CHEMTREC +1 703 527 3887 (24 hours)

Outside USA: +1 619 449 5000

2. HAZARDS IDENTIFICATION

GHS Classification Skin Sensitizer Category 1

GHS Pictogram

(!)

H317 May cause an allergic skin reaction.

Signal Word Warning!

Hazard Statements

Precautionary

Statements

Prevention P261 Avoid breathing dust, fume, gas, mist, vapors or spray.

P272 Contaminated work clothing should not be allowed out of the

workplace.

P280 Wear protective gloves.

Response P302 + P352 IF ON SKIN: Wash with soap and water.

P333 + P313 If skin irritation or rash occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage None

Disposal P501 Dispose of contents and container in accordance with local, regional

and national regulations.

Other Hazards None



Version: 1.1

Released: 2017-08-28 Revision Date: 2017-11-07

3. COMPOSITION / INFORMATION ON INGREDIENTS

Components	Content %	CAS Number
Petroleum Distillates	40-60	64742-54-7
Synthetic Base Oils	20-40	Proprietary
Thiophene, tetrahydro-, 1,1-dioxide,	0.5-<2	398141-87-2
3-(C9-11-isoalkyl-oxy) derivs., C10-rich		
Acetamide, 2-hydroxy-, N,N-dicoco alkyl	0.5-<2	Proprietary
derivs.		
1-(tert-Dodecyl-thio)propan-2-ol	>0.1-<0.5	67124-09-8
1,2-Propane-diol, 3-amino-, N,N-dicoco	>0.1-<1	Proprietary
alkyl derivs.		

The specific identity and/or exact percentage has been withheld as a trade secret.

4. FIRST-AID MEASURES

Inhalation If inhaled remove to fresh air. If irritation or difficulty in breathing occ	urs, get
--	----------

medical attention.

Skin Contact Wash skin with soap and water. Remove clothing and shoes if contaminated.

Launder clothing before reuse. If irritation or rash develops, get medical

attention.

Eye Contact Flush eyes with water for several minutes. Remove contact lenses, if present

and easy to do so. If eye irritation persists, get medical attention.

If conscious, rinse mouth with water. Do not induce vomiting. Never give Ingestion

anything by mouth to an unconscious person. Get medical attention.

Most Important

May cause mild eye irritation. Prolonged skin contact may cause irritation. **Symptoms** May cause an allergic skin reaction. Inhalation of vapors or mists may cause

Immediate medical attention is not required.

respiratory irritation. Swallowing may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Indication of **Immediate Medical Attention Needed**

Notes to Physician Treat appropriately



Version: 1.1

Released: 2017-08-28 Revision Date: 2017-11-07

5. FIRE FIGHTING MEASURES

Suitable Extinguishing

Media

Specific Hazards

Arising From The

Chemical

Special Protective

Equipment And Precautions For Fire-

Fighters

Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish

flames.

This material will burn although it is not easily ignited. Combustion will

produce carbon oxide and unidentified organic compounds.

Firefighters should wear full emergency equipment and a NIOSH approved positive pressure self-contained breathing apparatus. Cool exposed intact

containers with water

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Wear appropriate protective equipment. Wash thoroughly after handling.

See also: "Personal Protection "section 8.

Environmental Hazards Avoid release into the environment. Report spill as required by local and

federal regulations.

Methods/Materials for

Cleaning up

Dike spill and collect with an inert absorbent. Place into closable containers for disposal. Collected material is handled in accordance with section 13

"Disposal Considerations".

7. HANDLING AND STORAGE

Precautions for Safe

Handling:

Avoid contact with skin, eyes and clothing. Avoid breathing vapors and mists. Wear protective clothing and equipment. Wash thoroughly with soap and water after handling. Remove oil-soaked clothing and launder

before re-use.

Conditions for Safe

Storage

Store in a cool area away from oxidizing agents. Protect containers from

physical damage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits Petroleum Distillates 5 mg/m3 TWA OSHA PEL (as oil Mist)

5 mg/m3 TWA ACGIH TLV (inhalable)

(as mineral oil)

Synthetic base oils None Established

Alcohols, C9-11-iso-, C10-rich 50 ppm TWA (manufacturer)

Appropriate

Engineering Controls

Good general room ventilation (equivalent to outdoors) should be adequate under normal conditions. If the recommended exposure limit is exceeded increased mechanical ventilation such as local exhaust may be required.



Version: 1.1

Released: 2017-08-28 Revision Date: 2017-11-07

Personal Protection

Respiratory None needed under normal use conditions with adequate ventilation. If **Protection:** exposure limits are exceeded, use a NIOSH approved respirator with organic

vapor cartridges and particulate pre-filter. Selection of respiratory protection depends on the contaminant type, form and concentration. Select in accordance with OSHA 1910.134 and good Industrial Hygiene

practice.

Eye Protection: Safety glasses or goggles recommended if splashing is possible.

Skin/Body Protection: No special protective clothing is normally required. If there is a potential

for prolonged skin contact, wear a long sleeved shirt and apron. Neoprene or nitrile rubber boots when necessary to avoid contaminating shoes.

Hand Protection: Use nitrile or neoprene gloves for prolonged or repeated skin contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Liquid Color Amber

Odor Petroleum odor **Odor Threshold** No data available рΗ No data available **Freezing Point** No data available **Boiling Point** No data available **Flash Point** No data available **Evaporation Rate** No data available No data available Flammability (solid, gas) No data available **Upper Explosion Limit Lower Explosion Limit** No data available **Vapor Pressure** No data available Vapor Density (Air=1) No data available **Relative Density** No data available

Solubility Soluble in hydrocarbons; insoluble in water

Partition Coefficient: n-

octanol/water

No data available

Auto Ignition No data available

Temperature

Decomposition No data available

Temperature

Volatile Organic No data available

Compounds (VOC)

Viscosity 26.6 cSt

SAFETY DATA SHEET





SYN ATF

Version: 1.1

Released: 2017-08-28 Revision Date: 2017-11-07

10. STABILITY AND REACTIVITY

Reactivity Not expected to be reactive.

Chemical Stability Stable.

Possibility of Hazardous None known.

Reactions

Conditions to Avoid Avoid temperatures over 120°F, open flames and sparks.

Incompatible Materials Avoid contact with strong oxidizing agents.

Hazardous Decomposition Product Thermal decomposition may produce carbon oxides and

unidentified organic compounds.

11. TOXICOLOGICAL INFORMATION

Potential Health Hazards

Eye Contact: May cause mild irritation.

Skin Contact: Prolonged or repeated contact may cause mild irritation or dryness. Repeated skin contact may cause dermatitis. May cause an allergic skin reaction.

Inhalation: Excessive inhalation of vapors or mists may cause upper respiratory tract irritation and central nervous system effects including headache, dizziness and nausea. Breathing high concentrations of oil mists may cause lung damage.

Ingestion: Swallowing large amounts may cause gastrointestinal effects including nausea and diarrhea.

Chronic Effects of Overexposure: Used motor oils have been found to cause skin cancer in skin painting studies with laboratory animals.

Sensitization: The product is classified as a skin sensitizer. Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs., 1-(tert-dodecyl-thio)propan-2-ol and 1,2-propane-diol, 3-amino-, N,N-dicoco alkyl derivs. are classified as skin sensitizers.

Mutagenicity: This product is not expected to cause mutagenic activity.

Reproductive Toxicity: This product is not expected to cause reproductive or developmental effects. **Carcinogenicity**: None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA.

Acute Toxicity:

Petroleum Distillates Oral rat LD50 >5000 mg/kg, Inhalation rat LC50 >5.5 mg/L/4 hr

(mist), Dermal rabbit LD50 >2000 mg/kg

Synthetic Base Oils Oral rat LD50 >5000 mg/kg, Inhalation rat LC50 1.17 mg/L/4 hr

(aerosol), Dermal rat LD50 >2000 mg/kg



Version: 1.1

Released: 2017-08-28 Revision Date: 2017-11-07

12. ECOLOGICAL INFORMATION

Ecotoxicity

Petroleum Distillates LL50 fish >100 mg/L, EL50 aquatic invertebrates > 100 mg/L, EL50

algae > 100 mg/L

Synthetic Base Oils Not expected to be harmful to aquatic organisms. Not expected to

demonstrate chronic toxicity to aquatic organisms.

Thiophene, tetrahydro-, 1,1-

4 d LC50 Rainbow Trout 2.4 mg/L, 2 d EC50 Daphnia magna 180

dioxide, 3-(C9-11-isoalkyl-oxy)

mg/L, 3 d EC50 Scenedesmus quadricauda 63 mg/L

derivs., C10-rich

Biodegradation Petroleum distillates are not readily biodegradable.

Synthetic base oils are inherently biodegradable.

Bioaccumulation Petroleum distillates have the potential to bioaccumulate.

Synthetic base oils are not expected to bioaccumulate

Mobility in soil The product is not water soluble (floats on water) and may be adsorbed to

soil particles.

Other adverse effects: None known.

13. DISPOSAL CONSIDERATIONS

Disposal Dispose in accordance with all local, state and federal regulations.

14. TRANSPORT INFORMATION

	UN	Proper shipping name	Hazard	Packing	Environmental
	Number		Class	Group	Hazard
DOT		Not Regulated			
TDG		Not Regulated			
IMDG		Not Regulated			
IATA		Not Regulated			

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): Not applicable – product is transported only in packaged form

Special precautions: None known.





Version: 1.1

Released: 2017-08-28 Revision Date: 2017-11-07

15. REGULATORY INFORMATION

CERCLA: This product is not subject to CERCLA reporting requirements, however, oil spills are reportable to the National Response Center under the Clean Water Act and many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

EPA SARA 302: This product does not contain chemicals regulated under SARA Section 302.

EPA SARA 311 Hazard Classification: Immediate (acute) health hazard.

EPA SARA 313: This product contains the following chemicals that are regulated under SARA Title III, section 313: None.

California Proposition 65: This product contains the following chemicals known to the State of California to cause cancer and reproductive toxicity:

Sulfur dioxide	7446-09-5	< 7 ppm	Developmental
Methanol	67-56-1	< 3 ppm	Developmental
Trimethyl phosphate	512-56-1	< 2 ppm	Cancer
Benzene	71-43-2	< 1 ppb	Cancer, developmental
Toluene	108-88-3	< 22 ppt	Developmental
Ethylbenzene	100-41-4	< 1 ppb	Cancer
Naphthalene	91-20-3	< 1 ppb	Cancer

Chemical Inventories

Toxic Substances Control Act: All of the components of this product are listed on the TSCA inventory

16. OTHER INFORMATION

NFPA Rating (NFPA 704): Health: 2 Fire: 1 Instability: 0 HMIS Rating: Health: 2 Fire: 1 Physical Hazard: 0

Date of Revision: November 7, 2017 Date of Previous Revision: August 2017

Revision History:

8/28/17: New document

11/7/17: Updated emergency telephone #

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.