



Version: 1.1

Released: 2021-01-07 Revision Date: 2021-01-07

### 1. IDENTIFICATION OF THE SUBSTANCE / APPLICATION AND THE COMPANY

**Article Number:** 

**Supplier:** Product Name: Tundra Full Syn

Maxima Racing Oils

9266 Abraham Way

Santee, CA 92071

USA

**Applications:** Full synthetic 2-stroke engine oil

+1 619 449 5000 **Emergency Telephone:** CHEMTREC +1 703 527 3887 (24 hours)

#### 2. HAZARDS IDENTIFICATION

#### **GHS Classification**

Eye Irritant Category 2B

GHS Pictogram None
Signal Word Warning
Hazard Statements None

**Precautionary** H320 Causes eye irritation

Statements

Other Hazards

**Prevention** P264 Wash hands and other exposed areas thoroughly after handling **Response** P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 If eye irritation persists: Get medical advice/attention.

Storage None
Disposal None
None

3. COMPOSITION / INFORMATION ON INGREDIENTS

Components	Content %	<b>CAS Number</b>	<b>GHS Hazard Codes</b>		
Synthetic base oils	20-40	68334-05-4			
Petroleum Distillates	10-30	64742-47-8	H227, H304		
Polyisobutylene	10-20	9003-27-4	H320		
Synthetic base oils	10-20	confidential			

The specific identity and/or exact percentage has been withheld as a trade secret.

### 4. FIRST-AID MEASURES

**Inhalation** If inhaled remove to fresh air. If irritation or difficulty in breathing occurs, get

medical attention.



Version: 1.1

Released: 2021-01-07 Revision Date: 2021-01-07

**Skin Contact** Wash skin with soap and water. Remove clothing and shoes if contaminated.

Launder clothing before reuse. If irritation or rash develops, get medical

attention.

Flush eyes with large quantities of water, holding the eyelids apart. Get **Eye Contact** 

medical attention if irritation develops or persists.

If conscious, rinse mouth with water. Do not induce vomiting. Never give Ingestion

Immediate medical attention is not required.

anything by mouth to an unconscious person. Get medical attention.

**Most Important** Symptoms

Causes eye irritation. Prolonged skin contact may cause irritation. Inhalation of vapors or mists may cause respiratory irritation. Swallowing may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Indication of

**Immediate Medical** 

**Attention Needed** 

**Notes to Physician** Treat symptomatically

#### 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing** 

Media

**Specific Hazards** 

**Arising From The** 

Chemical

**Special Protective Equipment And** 

**Precautions For Fire-**

**Fighters** 

Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish

flames.

This material will burn although it is not easily ignited. Combustion will

produce carbon oxide and unidentified organic compounds.

Firefighters should wear full emergency equipment and a NIOSH approved positive pressure self-contained breathing apparatus. Cool exposed intact

containers with water

## **6. ACCIDENTAL RELEASE MEASURES**

**Personal Precautions** Wear appropriate protective equipment. Wash thoroughly after handling.

See also: "Personal Protection" section 8.

**Environmental Hazards** Avoid release into the environment. Report spill as required by local and

federal regulations.

Methods/Materials for

Cleaning up

Dike spill and collect with an inert absorbent. Place into closable containers for disposal. Collected material is handled in accordance with section 13

"Disposal Considerations".

### 7. HANDLING AND STORAGE

**Precautions for Safe** 

Handling:

Avoid contact with skin, eyes and clothing. Avoid breathing vapors and mists. Wear protective clothing and equipment. Wash thoroughly with soap and water after handling. Remove oil-soaked clothing and launder

before re-use.



Version: 1.1

Released: 2021-01-07 Revision Date: 2021-01-07

**Conditions for Safe** Store in a cool area away from oxidizing agents. Protect containers from

**Storage** physical damage.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Limits** Synthetic base oils None Established

Petroleum Distillates 5 mg/m³ TWA OSHA PEL (as oil Mist)

200 mg/m³ TWA TLV ACGIH (total

hydrocarbon vapor)

Synthetic base oils 5 mg/m³ TWA OSHA PEL (as oil Mist)

5 mg/m<sup>3</sup> TWA TLV ACGIH (inhalable

fraction)

**Appropriate** Good general room ventilation (equivalent to outdoors) should be adequate

under normal conditions. If the recommended exposure limit is exceeded increased mechanical ventilation such as local exhaust may be required.

**Personal Protection** 

**Engineering Controls** 

**Respiratory** None needed under normal use conditions with adequate ventilation. If

**Protection:** exposure limits are exceeded, use a NIOSH approved respirator with organic

vapor cartridges and particulate pre-filter. Selection of respiratory protection depends on the contaminant type, form and concentration. Select in accordance with OSHA 1910.134 and good Industrial Hygiene

practice.

**Eye Protection:** Safety glasses or goggles recommended if splashing is possible.

Skin/Body Protection: No special protective clothing is normally required. If there is a potential

for prolonged skin contact, wear a long sleeved shirt and apron. Neoprene or nitrile rubber boots when necessary to avoid contaminating shoes.

**Hand Protection:** Use nitrile or neoprene gloves for prolonged or repeated skin contact.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Liquid

Color
Odor
Odor Petroleum odor
Odor Threshold
PH
No data available
Preezing Point
No data available
No data available
No data available
No data available

Flash Point, °C 196

Evaporation Rate
Flammability (solid, gas)
Upper Explosion Limit
Lower Explosion Limit
Vapor Pressure
No data available
No data available
No data available



Version: 1.1

Revision Date: 2021-01-07

Vapor Density (Air=1) No data available Relative Density No data available

**Solubility** Soluble in hydrocarbons; insoluble in water

Partition Coefficient: n- No data available

octanol/water

Released: 2021-01-07

**Auto Ignition** No data available

**Temperature** 

**Decomposition** No data available

**Temperature** 

Volatile Organic No data available

Compounds (VOC)

Viscosity 53.4 cSt @ 104°F

### 10. STABILITY AND REACTIVITY

**Reactivity** Not expected to be reactive.

**Chemical Stability** Stable.

**Possibility of Hazardous** None known.

Reactions

**Conditions to Avoid** Avoid temperatures over 120°F, open flames and sparks.

**Incompatible Materials** Avoid contact with strong oxidizing agents.

Hazardous Decomposition Product Thermal decomposition may produce carbon oxides and

unidentified organic compounds.

#### 11. TOXICOLOGICAL INFORMATION

#### **Potential Health Hazards**

**Eye Contact:** Causes eye irritation with redness, tearing and pain.

**Skin Contact:** Prolonged or repeated contact may cause mild irritation or dryness. Repeated skin contact may cause dermatitis.

**Inhalation:** Excessive inhalation of vapors or mists may cause upper respiratory tract irritation and central nervous system effects including headache, dizziness and nausea. Breathing high concentrations of oil mists may cause lung damage.

**Ingestion:** Swallowing large amounts may cause gastrointestinal effects including nausea and diarrhea.

**Chronic Effects of Overexposure:** Used motor oils have been found to cause skin cancer in skin painting studies with laboratory animals.

**Sensitization:** None of the components have been found to cause sensitization in animals or humans.

**Mutagenicity:** This product is not expected to cause mutagenic activity.

**Reproductive Toxicity:** This product is not expected to cause reproductive or developmental effects.

**Carcinogenicity**: None of the major components of this product are listed as a carcinogen or

suspected carcinogen by IARC, NTP, or OSHA.

#### **Acute Toxicity:**



Released: 2021-01-07

# **TUNDRA FULL SYN**

Version: 1.1

Revision Date: 2021-01-07

Synthetic base oils Oral rat LD50 >2000 mg/kg
Petroleum Distillates Oral rat LD50 >5000 mg/kg

(CAS 64742-47-8) Inhalation rat LC50 greater than near-saturated vapor concentration

Dermal rabbit LD50 >5000 mg/kg

Polyisobutylene Oral rat LD50 >5000 mg/kg

Inhalation rat LC50 >17.3 mg/L/4 hr

Dermal rat LD50 >3000 mg/kg

Synthetic base oils Oral rat LD50 >5000 mg/kg

Inhalation rat LC50 >5.2 mg/L/4 hr (aerosol)

Dermal rabbit LD50 >2000 mg/kg

#### 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Synthetic Base Oils LL/EL/IL50 fish >100 mg/L

LL/EL/IL50 crustacean > 100 mg/L

LL/EL/IL50 algae >100 mg/L LL/EL/IL50 fish >100 mg/L

Petroleum Distillates LL/EL/IL50 fish >100 mg/L (CAS 64742-47-8) LL/EL/IL50 crustacean > 100 mg/L

LL/EL/IL50 algae >100 mg/L

**Biodegradation** 

Synthetic Base Oils Not readily degradable, but regarded as inherently biodegradable.

Petroleum distillates (CAS Readily biodegradable. Oxidizes rapidly by photo-chemical

64742-47-8) reactions in air.

**Bioaccumulation** 

Synthetic Base Oils Not expected to bioaccumulate

Petroleum distillates (CAS Log Pow: 6.5-8.7

64742-47-8) Has the potential to bioaccumulate.

Mobility in soil The product is not water soluble (floats on water) and may be

adsorbed to soil particles.

Other adverse effects: None known.

#### 13. DISPOSAL CONSIDERATIONS

**Disposal** Dispose in accordance with all local, state and federal regulations.

#### 14. TRANSPORT INFORMATION

	UN Number	Proper shipping name	Hazard Class	Packing Group	Environmental Hazard
DOT		Not Regulated		-	
TDG		Not Regulated			
IMDG		Not Regulated			



Version: 1.1

Released: 2021-01-07 Revision Date: 2021-01-07

IATA Not Regulated

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): Not applicable – product

is transported only in packaged form **Special precautions:** None known.

#### 15. REGULATORY INFORMATION

**CERCLA:** This product is not subject to CERCLA reporting requirements, however, oil spills are reportable to the National Response Center under the Clean Water Act and many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

EPA SARA 302: This product does not contain chemicals regulated under SARA Section 302.

EPA SARA 311 Hazard Classification: Not hazardous

**EPA SARA 313:** This product contains the following chemicals that are regulated under SARA Title III, section 313: None

**California Proposition 65:** This product contains the following chemicals known to the State of California to cause cancer and reproductive toxicity:

https://www.p65warnings.ca.gov/products/petroleum-products

Distillates (petroleum), hydrotreated light 64742-47-8 Cancer

### **Chemical Inventories**

**Toxic Substances Control Act:** All of the components of this product are listed on the TSCA inventory or are exempt.

### 16. OTHER INFORMATION

NFPA Rating (NFPA 704): Health: 1 Fire: 1 Instability: 0 HMIS Rating: Health: 1 Fire: 1 Physical Hazard: 0

Date of Revision: January 7, 2021 Date of Previous Revision: None

Revision History: New document.

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.





Released: 2021-01-07

# **TUNDRA FULL SYN**

Version: 1.1

Revision Date: 2021-01-07