

Liberate Your Mobile Radio™

 **WIRELESS PACIFIC™**  
...WHEN IT MATTERS

**X10DR®**  
LIBERATE YOUR MOBILE RADIO

**Accessories & Spares**



# Replacement & Installation Accessories



**XDTC**  
Desktop Charger



**X6WC**  
6 Way charger



**XMVC**  
Mobile charger



**XMDM2**  
Multi directional mount  
for gateway/X1WK/XMVC



**XCCP**  
Firefront™  
Console



**XMPA**  
Multi-polarity roof mount  
vehicle antenna kit



**XSMA2**  
Replacement Elite/Pro  
X10DR handset/in-vehicle  
gateway antenna



**XICB-EXT**  
Firefront Smart Box  
IP67 External mount



**X3MK- X3MK-B**  
3 way charger mount (B) with DC battery back up  
Use with XMVC chargers.  
includes XDCC-RJ and 3 x XIC-0.15



**XIC-0.15**  
0.15m Interface (blk) Cable  
**XIC-0.4**  
0.4m Interface (wh) Cable  
**XIC-1.5**  
1.5m Interface (blk) Cable  
**XIC-1.8**  
1.8m Interface (wh) Cable  
**XIC-6.0**  
6m Interface (wh) Cable



**XDIA**  
Dual Interf.  
Adaptor



**XPB-C14B**  
In-line power bank  
vehicles with isolated  
vehicle batteries



**XMG2**  
Hughes 2100  
MSat interface



**XIC-0.5**  
0.5m Interface Cable  
**XIC-6.2**  
6.2m Interface Cable



**XDCC-RJ**  
12V DC, 3A  
fused, 1.5m  
cable RJ45



**XDCC**  
12V DC, 3A  
fused, 1.5m  
cable 2 pin



**XDCI**  
15 Watt DC-DC  
isolation junction box  
Supplies up to 3 gateways  
Includes XIC-0.15  
Dimensions 50x50mm



**XDCF**  
DC Low Pass Filter  
Includes XIC-0.15  
Dimensions 50x50mm



**XEC-4.5**  
4.5m Extension  
Cable M-F




**XSMB-C14**  
Replacement Battery  
1450mA Li-Pol



**XFSB**  
Firefront smart box  
3 Gateway/ 2 Radio



**XSJB (V2)**  
Dual Radio junction box  
3 Gateway/ 2 Radio



# Audio & General Accessories



**WPiTRQ-X10 WPTEP-TL WPTEH-TL WPEH-TL WPBEH-TL WPEB-TL WPLEH-TL**  
Advanced Ear Mic with 2.5mm twist and lock ear receivers



**XIPB** In-line PTT suits all X10DR audio X10 and XMCH accessories  
**WPHFH-X10** Industrial lightweight noise cancelling headset Use with/without XIPB in line PTT  
**WPATH-X10** Lightweight Acoustic tube headset Use with/without XIPB in line PTT  
**WPULH-X10** Ultra light headset Use with/ without XIPB in line PTT  
**WPSHD-F** Industrial heavy duty noise cancelling headset Use with/without XIPB in line PTT  
**WPFHC-X10** WPSHD or PeltorFLX2 Headset to Hirose cable



**WPWLP-X10** Large in-line PTT pad with wireless ring PTT for Nexus plug  
**WPWLP-X10D** Large In-Line PTT -for Draeger or similar Breathing Apparatus  
*For reference only Purchase elsewhere*  
**WPSHC-NEX** WPSHD Headset to Nexus plug  
**WPFLEX-X10** Peltor Flex headset interface cable  
**WPNEX-X10** Peltor™ J11 interface cable




**XMCH-C** Closed face motorcycle headset Use with/ without XIPB in line PTT  
**XMCH-O** Open face motorcycle headset Use with/ without XIPB in line PTT



**XATB2** Advanced Test Box includes AC/12vdc power supply and XMS speaker



**XFPK** Field Programming kit



**XTBM** Talk Back Remote Spk Mic - connects to any gateway port -includes:

**XDIA** Dual Adaptor

**XIC-0.15** 50 cm interface cable

**XCA-\*\* Plus Type 1** Connects to Radio interface connector  
 \*\* specific radio suffix



## Audio & Handset Accessories:

WPTRQ-X10	Advanced ear microphone (requires TL earpiece).
WPEH-TL	Large black "across ear" earpiece for iTRQ.
WPTEP-TL	Acoustic tube "quick disconnect" for iTRQ.
WPEB-TL	Black earbud "in ear style" earpiece for iTRQ.
WPBEH-TL	Black earhook - small earpiece for iTRQ.
WPLEH-TL	Extra loud across ear earpiece for iTRQ
WP3WS-X10	3 wire covert style surveillance audio accessory
XTBM	In -cab Talk Back Mic Kit.
XMS	10W IP65 rated external Speaker 1.5m with 3.5mm plug
XVCA	Velcro clip adaptor for XVMC/XWMC.

## Headsets and Adaptor cables

WPULH-X10#	Ultra light headset - earpiece style(no in-line PTT).
WPHFH-X10#	Industrial lightweight headset (no in-line PTT).
WPSHD-F	Noise canceling heavy duty headset for X10DR. (requires WPSHC-X10 or WPSHC-NEX).
WPFHC-X10#	X10DR interface cable for direct WPSHD or Peltor FLX2 use.
XMCH-C#	Closed face headset for Motorcycle helmet.
XMCH-O (V2)#	Open face headset for Motorcycle helmet.
XIPB	In-line PTT for WPSHC-X10 & XMCH M/C h/sets.
WPWLP-X10	Large in-line Nexus PTT adaptor. (use with Peltor 32 ohm J11 headsets or WPSHC-NEX)
WPWLP-X10 D	Large in-line Nexus PTT adaptor for Draeger etc.
WPSHC-NEX	WPSHD headset to Nexus cable - for WPWLP-X10.
WPNEX-X10#	Nexus-Hirose cable for Peltor J11 32 ohm headset.

## 3.5mm Earpieces

WPEH	Large black "across ear" earpiece
WPTEP	Acoustic tube "quick disconnect"
WPEB	Black earbud "in ear style" earpiece

## Chargers:

X6WC-*	6 way desktop charger includes AC/12VDC PSU
XDTC-*	Desktop charger incl: AC/5VDC USB-C Cbl & plug pack.
XMVC	Mobile charger (requires XDCC-RJ or XIC with junction box.)

## Spares:

	(order options as required)
X10DRSM-PU2	Spare Pro Plus Mobile Handset.
X10DRMD-PU2	Spare Pro Plus Mobile Gateway.
X10DRSM-EX2	Spare Elite Plus Mobile Handset.
X10DRMD-EX2	Spare Elite Plus Mobile Mobile Gateway.
XSMA2	X10DR Speaker Mic/Gateway internal antenna.
XMPA-ANT	Replacement Multipolarity roof mount - antenna only.
XMAK-ANT	Replacement N-Type rack mount - antenna only.
XSMB-C14	Spare X10DR 1450mA battery.

## Service Accessories :

XFPK -	X10DR 2nd Gen. Field Programming Kit
XATB2*-	X10DR Advanced Service Test Set

\* Specify AC Plug using suffix- US-EU-UK-AU

# can be used with XIPB

## Install Accessories:

XMDM2	Multi-position mounting bracket. (for Std gateway, XMVC & X1WK)
X3MK	3 way Gateway mounting bracket.(includes 3 x interf. cable)
X3MK-B	3 way mounting bracket. -as above but inbuilt DC back-up.
XPB-C14	1450mA "after hours" power bank (requires XIC-0.5 cable).
XMPA	Multi-polarity NMO roof or rack mount 2dBi antenna kit includes 5.2m LMR200 type coax w/fitted RP SMA-M.
XIC-0.5	0.5m shielded mm interface cable, black, M-M
XIC-1.5	1.5m shielded flat interface cable, black, M-M
XIC-6.2	6.2m shielded 6mm interface cable, Black, M-M
XIC-0.15	0.15m shielded flat interface cable, black, M-M.
XIC-0.4	0.4m shielded flat interface cable, white, M-M.
XIC-1.5	1.5m shielded flat interface cable, black, M-M.
XIC-6.0	6.2m shielded flat interface cable, white, M-M.
XEC-4.5	4.5m shielded extension 6mm cable, black, M-F
XFSB	FireFront™ junction box for multi (3) gateway handsfree installations.
XSJB (v2)	Smart Junction Box: Dual radio.
XDIA	2 way junction box.#
XDCF	12V DC in line low pass filter
XDCI	12V DC-DC isolation, 15W for up to 3 Gateways.
XDCC-RJ	1.5m 12VDC fused power cable for mobile charger

## XCA-\*\* Radio Cable Adaptor. \*\* radio model specific (refer to XCA Master Charts on [www.x10dr.com](http://www.x10dr.com))

XCA-APX	Suits Motorola APX/XTL
XCA-M26	Suits Motorola 26 pin Mototrbo
XCA-M26T	Suits Motorola 26 pin MTM5400 Tetra
XCA-M16	Suits Motorola 16 pin GM360/MCX/PM400/CDM etc
XCA-M16T	Suits Motorola 16 pin MTM800 Tetra
XCA-H26	Suits Hytera MD68/78X
XCA-X25	Suits Harris XL-185M/200M DB25
XCA-X44	Suits Harris XL-185M/200M DB44
XCA-RJi	Suits Icom Mic socket interface
XCA-I15	Suits Icom DB15HD:for F5011/F6011/ F5021/F6021/F5121D
XCA-I25A	Suits Icom DB25:IC-F9511/9521/ 5061/5062 etc
XCA-K15D	Suits Kenwood DB15HD:NX720/3720/TK7360/7302/D840 etc
XCA-K25	Suits Kenwood DB25:NX700,TK5710/5720/8180 VM5000
XCA-RJK	Suits Kenwood Mic socket interface
XCA-T15	Suits Tait DB15 TM8000/9000(Non DMR)
XCA-T15D	Suits Tait TM9300 DMR radio
XCA-EXP	Suits Cobham Explorer Sat Link
XCA-U25M	Build your own DB25 interface
XCA-CUS*	Custom configurations *MOQ 100 - Call for pricing - delivery

# Not recommended for Mototrbo, DMR or TETRA radios - use XDCI  
ø when connecting more than four X10DRs also order 1 x XDCC-RJ.



Copyright © 2020 Wireless Corporation Ltd. All rights reserved.  
WIRELESS PACIFIC, X10DR, LIBERATE YOUR MOBILE RADIO, WHEN IT MATTERS are trademarks or registered trademarks of Wireless Corporation. All other trademarks are the property of their respective owners. V: 2023-O