

## bulknaturalswholesale.com

212 N Jefferson Unit 12A Ava, Mo 65608, USA / Phone: 1-573-465-0612

## CERTIFICATE OF COMPLIANCE

BARRIER PROTECT - OIL SOLUBLE

INCI Name: Hordeum Distichon (Barley) Extract & Santalum Album (Sandalwood) Extract &

Phellodendron Amurense Bark Extract

**INCI Status:** Conforms

**CAS #:** 94349-67-4 & 84787-70-2 & 164288-52-2

**EINECS #:** 305-187-5 & 284-111-1 & N/A

Hordeum Distichon (Barley) Extract & Santalum Album (Sandalwood) Extract & Phellodendron Amurense Bark Extract

Conforms

94349-67-4 & 84787-70-2 & 164288-52-2

305-187-5 & 284-111-1 & N/A

Country / Regulatory Body	Status of Produc
EU (Cosing)	Compliant
USA (TSCA)	Compliant
Japan (METI)	Compliant
Canada (DSL)	Compliant
China (IECIC)	Compliant
Brazil (ANVISA)	Compliant
Korea (KECI)	Compliant
Philippines (PICCS)	Compliant
Mexico (COFEPRIS)	Compliant

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.



212 N Jefferson Unit 12A Ava, Mo 65608, USA / Phone: 1-573-465-0612

## BARRIER PROTECT - OIL SOLUBLE

Attention must be paid to the use of Barrier Protect - Oil Soluble in the equivalent of OTC formulations (e.g. quasi-drugs in Japan, or therapeutic goods in Australia). Some countries maintain restricted inventories of raw materials that can be used in those applications so more detailed guidance may be required.

Barrier Protect - Oil Soluble and its components and impurities are in compliance with the rules governing cosmetic products in the European Union (Directive 76/768/ECC & Regulation No. 1223/2009). The recommended use levels for AC Barrier Protect is 1.00 – 10.00%

Barrier Protect - Oil Soluble is in compliance with the standardized set of rules developed and approved by the NPA (Natural Products Association).

The Nagoya Protocol provides a scheme for the fair and equitable sharing of benefits derived from Genetic Resources. Information regarding the Nagoya Protocol and Access and Benefit Sharing (ABS) is available at https://www.cbd.int/abs/. The agreement focuses on wild taxa and excludes most commercially cultivated crops. For the signatories to the agreement, responsibility for Benefit Sharing falls on the entity exporting or extracting the resource from the signatory country. Bulk Naturals Wholesale LLC audits its suppliers to confirm compliance with the Nagoya Protocol where applicable.

Barrier Protect - Oil Soluble is considered a non-hazardous material. All significant toxicological routes of absorption have been considered as well as the systemic effects and margin of safety (MoS) based on a no observed adverse effects level (NOAEL). Due to the restriction placed on animal testing of cosmetic raw materials, and Bulk Naturals Wholesale LLC's internal non-animal testing policy, this product was not tested for NOAEL.

Barrier Protect - Oil Soluble was tested using in vitro dermal and ocular irritation models. This product was found to be non-irritating in both models.

To our knowledge the above material is free of CMR (\*) substances, as defined according to Regulation (EC) No 1272/2008 and Cosmetic Regulation (EC) No 1223/2009 as amended. Products supported for Personal Care applications will not be classified as CMR (\*), as defined by (EC) 1272/2008 on the Classification, Labelling and Packaging of Substances and Mixtures, unless supported by a positive SCCS opinion. (\*) Carcinogenic, Mutagenic, toxic for Reproduction

Bulk Naturals Wholesale LLC certifies that to the best of our knowledge, our product does not contain any material listed on California Proposition 65.

Bulk Naturals Wholesale LLC certifies that Barrier Protect - Oil Soluble does not contain any materials prohibited by Halal laws.

Santalum Album was assessed by the IUCN Red List of Threatened Species on January 1, 1998, and was found to be vulnerable by the Asian Regional Workshop. We further certify that this material has not been manufactured using any of the species listed in the CITES Appendices as of January 14, 2014.

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.



212 N Jefferson Unit 12A Ava, Mo 65608, USA / Phone: 1-573-465-0612

## BARRIER PROTECT - OIL SOLUBLE

Barrier Protect - Oil Soluble is REACH Compliant and free of the following:

- Butylphenyl methylpropional (Lilial)
- Formaldehyde or formaldehyde donors
- Glycol ethers
- Gluten
- Lactose
- Nanoparticles
- Nitrosamines
- Palm oil/palm kernel oil (or derivatives)

- Parabens
- Paraffin/petroleum products
- Phthalates
- Polyethylene glycol (PEG)
- Residual solvents
- Sulfates
- Volatile organic compounds

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.