### Page 1 of 8

# SODIUM METABISULFITE

# 

# SODIUM METABISULFITE

DISTRIBUTED BY:

BEBBINGTON INDUSTRIES
44 WRIGHT AVENUE

DARTMOUTH, NS B3B 1G6

PREPARED BY: PREPERATION DATE:

REGULATORY DEPARTMENT

FEBRUARY 2014

PRODUCT NAME: CHEMICAL FAMILY:

SODIUM METABISULFITE NONE KNOWN

### **GHS** Classification

Acute Toxicity Category 4 (Oral) Eye Damage Category 1

#### **Label Elements:**





#### DANGER!

Harmful if swallowed. Causes serious eye damage.

Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear eye protection and face protection.
IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
Rinse mouth.

# SODIUM METABISULFITE

Page 2 of 8

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor.

Dispose of contents and container in accordance with local, state, and federal regulations.

INGREDIENT NAME Sodium metabisulfite CAS NUMBER 7681-57-4 <u>WEIGHT %</u> >98

Trace impurities and additional material names not listed above may appear in Section 15 of this SDS. These materials may be listed for local "Right-To-Know" compliance and for other reasons. The exact concentrations are a trade secret.

#### A contraction of the second section of the section of the second section of the section of the second section of the section of the second section of the section of the

SKIN:

Immediately wash skin with plenty of soap and water. Remove contaminated clothing

and launder before reuse. Get medical attention if irritation persists.

EYES:

Flush eyes immediately with water for at least 15 minutes. Remove contact lenses if

present after the first 5 minutes if you can do so easily and continue flushing. Get

immediate medical attention.

INHALATION:

Promptly remove to fresh air. Get immediate medical attention if signs of suffocation,

irritation or other symptoms develop.

INGESTION:

If conscious, immediately rinse mouth with water and give 1 glass of water to drink. Do

not induce vomiting unless directed to do so be medical personnel. Get immediate

medical attention.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED: May irritate the skin. May cause irritation and/or burns to the eyes. Harmful if swallowed or inhaled. May cause severe and possibly fatal allergic reactions if inhaled or swallowed by some asthmatics and other 'sulfite-sensitive' individuals. Reacts with acids to form toxic and irritating sulfur dioxide gas. Releases sulfur

dioxide if heated above 150C.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT, IF NEEDED: Treat symptomatically. Note potential for anaphylactic shock with allergic individuals.

### 

## SUITABLE (AND UNSUITABLE) EXTINGUISHING MEDIA:

Material is not flammable. Use extinguishing media appropriate for material in surrounding fire.

#### SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

Releases toxic and irritating sulfur dioxide at fire temperatures.

## SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTING:

Wear NIOSH-approved self-contained breathing apparatus.

# SODIUM METABISULFITE

Page 3 of 8

### 

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES: Provide ventilation to clear sulfur dioxide fumes which may be generated by contact with water. Wear appropriate personal protective equipment.

**ENVIRONMENTAL PRECAUTIONS:** Spills and releases may have to be reported to Federal and/or local authorities. See Section 15 regarding reporting requirements.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP: Promptly sweep up material with minimum dusting and shovel into an empty container with a cover. Rinse spill area with plenty of water.

PRECAUTIONS FOR SAFE HANDLING: (See section 8 for recommended personal protective equipment.)
Avoid contact with skin, eyes and clothing. Do not breathe dust. Do not eat or drink in the work area. Use normal personal hygiene and housekeeping. Keep away from water, ice, acids, heat and oxidizing agents. For Food Grade product, see precautions in section 16 regarding on-board use in preserving shrimp and fish.

#### CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

Store in a cool, dry, well-ventilated area away from water, ice, acids, and oxidizing agents. Releases sulfur dioxide gas slowly at ambient temperatures.

#### **EXPOSURE GUIDELINES**

INGREDIENT NAME
Sodium metabisulfite

ACGIH TLV

OSHA PEL None OTHER LIMIT None

## OTHER EXPOSURE LIMITS FOR POTENTIAL DECOMPOSITION PRODUCTS:

Sulfur dioxide: OSHA TWA = 5 ppm ACGIH STEL = 0.25 ppm

#### APPROPRIATE ENGINEERING CONTROLS:

Local exhaust if dusty conditions exist or if there is a release of sulfur dioxide gas. Do not use in unventilated spaces, e.g., the holds of fishing boats, walk-in coolers or confined spaces.

### INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT

SKIN PROTECTION:

For handling dry material, wear rubber gloves and full work clothing, including long-sleeved shirt and trousers. When handling solutions and there is prolonged or repeated contact, wear impervious gloves, clothing and boots.

EYE PROTECTION:

Wear chemical safety goggles.

# SODIUM METABISULFITE

Page 4 of 8

RESPIRATORY PROTECTION:

Where required, use a NIOSH-approved respirator for dust, mist and/or sulfur dioxide gas, as conditions indicate. Some exposures may require a NIOSHapproved self-contained breathing apparatus or supplied-air respirator. Equipment selection depends on contaminant type and concentration. Select in accordance with 29 CFR 1910.134 and good industrial hygiene practice.

ADDITIONAL RECOMMENDATIONS: Eyewash and safety shower are recommended.

### 

APPEARANCE:

PHYSICAL STATE:

ODOR:

ODOR THRESOLD: MOLECULAR WEIGHT:

CHEMICAL FORMULA: RELATIVE DENSITY (water = 1.0):

SOLUBILITY IN WATER (weight %):

INITIAL BOILING POINT/RANGE:

MELTING/FREEZING POINT: **VAPOR PRESSURE:** 

VAPOR DENSITY (air = 1.0): **EVAPORATION RATE:** 

% VOLATILES:

PARTITION COEFFICIENT (N-OCTANOL/WATER):

VISCOSITY: FLASH POINT: FLASH POINT METHOD: **AUTOIGNITION TEMPERATURE:** UPPER FLAME LIMIT (volume % in air):

LOWER FLAME LIMIT (volume % in air): **DECOMPOSITION TEMPERATURE:** FLAMMABILITY (SOLID, GAS)

Fine, white granular material.

Solid.

Pungent sulfur dioxide odor.

Not determined.

190.11 Na<sub>2</sub>S<sub>2</sub>O<sub>5</sub> 1,48 39% at 16C

1% solution - 4.3 Not applicable.

Begins to rapidly decompose above 150C

Not applicable. Not applicable.

Not applicable. Not applicable.

Not applicable. Not flammable.

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Not determined.

Not flammable.

COMPARED TO: Not determined.

Not applicable.

**OSHA FLAMMABILITY CLASS:** Not applicable.

REACTIVITY:

Not normally reactive

CHEMICAL STABILITY:

Normally stable.

POSSIBILITY OF HAZARDOUS REACTIONS:

Reacts with acids to form toxic and irritating sulfur dioxide gas.

CONDITIONS TO AVOID:

Avoid elevated temperatures. Temperatures above 150C cause the rapid evolution of toxic and corrosive sulfur dioxide gas.

# SODIUM METABISULFITE

Page 5 of 8

#### **INCOMPATIBILITIES:**

Oxidizers: may cause strong exothermic reactions.

Acids, water and ice: releases sulfur dioxide gas which is toxic, corrosive, and potentially deadly. Water and/or ice speeds the production of sulfur dioxide gas.

#### HAZARDOUS DECOMPOSITION PRODUCTS:

Sulfur dioxide and sodium sulfide residue. Sodium sulfide is flammable, a dangerous fire risk, a strong irritant to skin and tissue, and is incompatible with acids.

# 

## POTENTIAL HEALTH HAZARDS

#### ACUTE EFFECTS OF EXPOSURE:

SKIN: Repeated or prolonged contact with dust may cause irritation. Contact with solutions will

cause skin irritation and possibly burns.

EYES: Dust or mist may irritate or burn the eyes. Solutions will irritate or burn. Permanent eye

injury is possible.

INHALATION: Inhalation of dust or mist can irritate the respiratory tract. May cause severe or deadly

allergic reactions in some asthmatics and sulfite sensitive individuals. Possible signs and symptoms of allergic reactions include bronchoconstriction, sweating, flushing, hives, rapid heart rate, decreased blood pressure, and anaphylaxis. Contact with acids, water and leading the standard of the stan

and/or ice, releases sulfur dioxide gas which may be harmful or deadly if inhaled.

INGESTION: May irritate the gastrointestinal tract. May cause severe or deadly allergic reactions in

some asthmatics and sulfite sensitive individuals. Very large doses may cause violent

colic, diarrhea, depression, and even death.

CHRONIC EFFECTS: None known.

Ingredients found on one of the three OSHA designated carcinogen lists are listed below.

INGREDIENT NAME NTP STATUS IARC STATUS OSHA LIST

No ingredients listed in this section.

#### NUMERICAL MEASURES OF TOXICITY:

#### Immediate (Acute) Effects:

Sodium metabisulfite - LD<sub>so</sub> (oral, rat) ≈ 1131 - 3200 mg/kg

#### Delayed (Subchronic and Chronic) Effects:

Sodium metabisulfite is not mutagenic in microbial systems or in rat bone marrow metaphase assay or dominant lethal test in rats. A 2 year feeding study in rats was negative for carcinogenicity. In a three generation feeding study in rats, no adverse effects on reproduction was observed.

### Other Data:

None

# SODIUM METABISULFITE

Page 6 of 8

#### **ECOTOXICITY:**

The following ecotoxicity data is available for Sodium metabisulfite:

Daphnia EC50 48h

89 mg/L

Fish LC50 96h

32 mg/L

Algae EC50 72h

48 mg/L

#### PERSISTENCE AND DEGRADABILITY:

Chemical Oxygen Demand (COD) 168 mg/g

#### BIOACCUMULATIVE POTENTIAL:

No data available

#### MOBILITY IN SOIL:

No data available

#### OTHER ADVERSE EFFECTS:

No data available.

#### **RCRA**

Is the unused product a RCRA hazardous waste if discarded? No

If yes, the RCRA ID number is: Not applicable.

## OTHER DISPOSAL CONSIDERATIONS:

Dispose of in accordance with applicable Federal, State and Local regulations.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product such as mixing with other materials may significantly change the characteristics of the material and alter the RCRA classification and the proper disposal method.

US DOT HAZARD CLASS:

Not regulated.

US DOT ID NUMBER:

Not applicable.

PROPER SHIPPING NAME:

Not applicable.

# SODIUM METABISULFITE

Page 7 of 8

# COSTRECT CONTINUED PACAGONIC

#### TOXIC SUBSTANCES CONTROL ACT (TSCA)

TSCA INVENTORY STATUS:

All components are listed on TSCA Inventory of Chemical Substances.

OTHER TSCA ISSUES: No

None.

# SARA TITLE III/CERCLA

"Reportable Quantities" (RQs) and/or "Threshold Planning Quantities" (TPQs) exist for the following ingredients.

INGREDIENT NAME

SARA/CERCLA RQ (Ib)

SARA EHS TPQ (Ib)

No ingredients listed in this section.

Spills or releases resulting in the loss of any ingredient at or above its RQ requires immediate notification to the National Response Center [(800) 424-8802] and to your Local Emergency Planning Committee. Many states have more stringent regulations. Report all spills in accordance with local, state and federal regulations.

SECTION 311 HAZARD CLASS:

Acute Health

#### SARA 313 TOXIC CHEMICALS:

The following ingredients are SARA 313 "Toxic Chemicals" and may be subject to annual reporting requirements. CAS numbers and weight percents are found in Section 2.

#### INGREDIENT NAME

COMMENT

No ingredients listed in this section.

#### STATE RIGHT-TO-KNOW

In addition to the ingredients found in Section 2, the following are listed for state right-to-know purposes.

#### INGREDIENT NAME

WEIGHT %

COMMENT

No ingredients listed in this section.

## **CALIFORNIA PROPOSITION 65**

This product does not contain any ingredients known to the State of California to cause cancer and/or reproductive harm.

#### ADDITIONAL REGULATORY INFORMATION:

None

#### WHMIS CLASSIFICATION (CANADA):

D2B

#### FOREIGN CHEMICAL CONTROL INVENTORY STATUS:

Listed on Canadian DSL, Australian AICS, Phillipines PICCS, Chinese IECSC, Japanese MITI, Korean KECL, and EU EINECS.

# SODIUM METABISULFITE

Page 8 of 8

A GOVERNMENT OF THE STATE OF TH

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. BEBBINGTON INDUSTRIES SHALL NOT BE HELD LIABLE FOR ANY DAMAGE OF INJURY RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. ALL PERSONS USING THIS PRODUCT SHOULD BE TRAINED ACCORDING TO WHMIS REQUIREMENTS.