

Manual Load Stacker

A 304L Stainless Steel Manual Load Stacker is a great way to transport products in sanitary settings. The compact 304L stainless steel design not only helps transport heavy loads around the work area, but also fits in a compact area for space saving when not in use. The unit is raised manually for a more precise height positioning, which diminishes bending and twisting when loading/unloading materials. Due to the cradle design, goods can be placed on the stacker from three sides without the need to change the placement of the stacker. Cradle adjusts in 1" increments up to 16" wide. Rolling casters are attached to provide a smooth transfer of products, while the braking system maintains safety once the unit is in place.

MODEL	CRADLE SIZE	MAXIMUM	SERVICE	UNIFORM	WEIGHT
Number	(W x L)	Roll Diameter	Range	Capacity	(POUND)
ULM-WMS-550	16" x 16"	24"	51/8" to 62"	440 lb.	195



Electric Work Positioner 24V DC STANDARD

This Stainless Steel Electric Work Positioner is a light weight and compact unit. Ideal for light industrial or commercial applications. Good maneuverability in narrow aisles and confined spaces. Robust design with 304 grade all stainless steel construction. Automatic electric overload protection system ensures safe operation. The stainless steel platform is easy to clean and retains an attractive appearance. Two (2) 3" swivel load casters and two (2) 5" total-locking swivel, polyurethane steering casters. Includes two (2) 12V AGM batteries with an integral battery charger.

MODEL	PLATFORM	SERVICE	OVERALL SIZE	UNIFORM	WEIGHT
Number	Size (W x L)	RANGE	(W x L X H)	Capacity	(POUND)
MWP-330-DC-SS	24½" x 18½"	5" to 60"	24½" x 34" x 71"	330 lb.	145



Manual Work Positioner

A Stainless Steel Manual Work Positioner is a lightweight lift that is designed to take the strain out of any lifting job. Ideal for use in narrow aisles and confined spaces. The platform height is adjustable with a manual hand winch. An auto-brake system prevents uncontrolled lowering. Robust design - 304 grade all stainless steel construction. Rolls on two (2) 3" swivel load casters and two (2) 5" total-locking swivel, polyurethane steering casters.

MODEL	PLATFORM	SERVICE	OVERALL SIZE	UNIFORM	WEIGHT
Number	Size (W x L)	Range	(W x L X H)	Capacity	(POUND)
MWP-440-SS	24½" x 18½"	5" to 60"	24½" x 34" x 76"	440 lb.	130



Electric Powered Stacker 12V DC STANDARD

An Electric Powered Stacker is an outstanding advantage in the workplace cleanliness. The design promotes accessibility to all surface area for simple washing and drying after or before transferring hygiene safe products. The upright high handle allows the user to maintain the proper posture throughout the moving of the unit, both loaded and unloaded. Front and back caster lets the stacker maneuver throughout the workplace with ease. Once in position the forks are raised and lowered by a 12V DC operation which minimizes productivity by reducing transfer time.

MODEL	LOWERED	RAISED	UNIFORM	WEIGHT (POUND)
Number	Height	HEIGHT	Capacity	
ULM-EMS-600	3½"	70 ⁷ /8"	1,300 lb.	275

