Air Sit-Stand

Sedentary working has now become widely recognised as one of the biggest health threats in the modern office.

Employees sitting at desks for long periods of time risk a possibility of developing a variety of conditions.

Our Sit-Stand height adjustable desking provides a solution to the health at work challenge.

By using our Sit-Stand desking with a choice of four widths, two frames and six finishes, users will enjoy better general health that will also improve their efficiency at work.

Healthy and happy employees equal increased productivity and efficiency.









QUALITY COUNTS

Twin motors lift and safely support up to 120kg of weight on your adjustable desktop.



EASY TO USE

The units come with four memory presets. You can save an ideal position for sitting, perching, standing & still have one spare.



SAFETY FIRST

A safety stop feature is fitted to every desk, it will stop rising/falling if an object becomes trapped.



THE BIG CHOICE

Tri-telescopic legs provide both more stability when fully extended and a greater height range to accommodate all users.

FINISH OPTIONS



Air Sit-Stand

Height Adjustable Desk 600mm Depth





Code	Width	Depth	Height	
600 Depth with Cable Ports				
HASCP126*	1200mm	600mm	660-1310mm	
HASCP146*	1400mm	600mm	660-1310mm	
HASCP166*	1600mm	600mm	660-1310mm	
HASCP186*	1800mm	600mm	660-1310mm	

Height Adjustable Desk 800mm Depth





Code	Width	Depth	Height
800 Depth with	Cable Ports		
HASCP128*	1200mm	800mm	660-1310mm
HASCP148*	1400mm	800mm	660-1310mm
HASCP168*	1600mm	800mm	660-1310mm
HASCP188*	1800mm	800mm	660-1310mm













Walnut (WNT)

IT) White (WHT)

Height Adjustable Desk with Black Legs





Height Adjustable Desk without Cable Ports

Code	Width	Depth	Height	
800 Depth without Cable Ports				
HAS128*	1200mm	800mm	660-1310mm	
HAS148*	1400mm	800mm	660-1310mm	
HAS168*	1600mm	800mm	660-1310mm	
HAS188*	1800mm	800mm	660-1310mm	

Height Adjustable Desk with Silver Frame Legs





Height Adjustable Desk without Cable Ports

Code	Width	Depth	Height	
800 Depth without Cable Ports				
HAS128*	1200mm	800mm	660-1310mm	
HAS148*	1400mm	800mm	660-1310mm	
HAS168*	1600mm	800mm	660-1310mm	
HAS188*	1800mm	800mm	660-1310mm	

Height Adjustable Desk with White Legs





Height Adjustable Desk without Cable Ports

Width	Depth	Height			
800 Depth without Cable Ports					
1200mm	800mm	660-1310mm			
1400mm	800mm	660-1310mm			
1600mm	800mm	660-1310mm			
1800mm	800mm	660-1310mm			
	out Cable Ports 1200mm 1400mm 1600mm	out Cable Ports 1200mm 800mm 1400mm 800mm 1600mm 800mm			




















Height Adjustable Boardroom Table



- Powerful twin motors provide smooth movement
- 4x pre-programmable height settings
- Adjustable feet, for levelling and anti-rock
- 40mm per second height adjustment speed

Code	Width	Depth	Height
IHABT1800	1800mm	1000mm	730mm
IHABT2400	2400mm	1000mm	730mm





Walnut (WNT)








White (WHT) Black (BLK)


High Gloss Height Adjustable Writable Boardroom Tables



Code	Width	Depth	Height
HABGW1800 (Black)	1800mm	1200mm	660-1310mm
HAWGW1800 (White)	1800mm	1200mm	660-1310mm
HABGW2400 (Black)	2400mm	1200mm	660-1310mm
HAWGW2400 (White)	2400mm	1200mm	660-1310mm












White (WGW)

Air Sit-Stand Desk Accessories



Code	Width	Depth	Height	
Cable Management Tray				
ICB10	1000mm	115mm	55mm	
ICB12	1200mm	115mm	55mm	
ICB14	1400mm	115mm	55mm	
ICB16	1600mm	115mm	55mm	
Cable Spine				
IP000144 Black	68mm	36mm	1600mm	
IP000145 White	68mm	36mm	1600mm	
CPU Holder				
IP000091	205mm	465mm	450mm	
Anti-Fatigue Mat				
AFBB	560mm	460mm	60mm	
Frame Only				
Code		Name		

Silver Leg Frame Only

White Leg Frame Only

Black Leg Frame Only

Backdrop Screens









Anti-Fatigue Mat AFBB

Oblong Backdrop Screens

HASLF

HAWLF

HABLF

Code	Width	Depth	Height	
SBRCR40120	1200mm	20mm	400mm	
SBRCR40140	1400mm	20mm	400mm	
SBRCR40160	1600mm	20mm	400mm	
SBRCR40180	1800mm	20mm	400mm	
Wave Backdrop Screens				
SBRCW40120	1200mm	20mm	400mm	
SBRCW40140	1400mm	20mm	400mm	
SBRCW40160	1600mm	20mm	400mm	
SBRCW40180	1800mm	20mm	400mm	