series Ornellaia











OK / BL

NA

NA

NA

NA

NA




87..211

Single handle lavatory faucet. 7 3/8" overall height. 6" 3/16" spout reach. 2 3/4" maximum deck thickness. Deck plate & pop-up drain included.

Flow Rate: 1.2 GPM @ 60 PSI







\$396,00

replacement cartridge 53CC956GMD

\$467,50

PW

\$385,00

CR


\$330,00

87..211LL

Single handle lavatory faucet. 13 11/16" overall height. 6 1/4" spout reach. 2 3/4" maximum deck thickness. Push drain included.

Flow Rate: 1.2 GPM @ 60 PSI







\$407,00

replacement cartridge 53CC956GMD

\$533,50

87..214

Widespread lavatory faucet. 8" centers.

7 1/8" overall height.


6 5/8" spout reach. Spout rotates.

2 3/4" maximum deck thickness.

Pop-up drain included.

Flow Rate: 1.2 GPM @ 60 PSI







\$396,00

replacement valve 49CC581XAD right 49CC581XAS left

\$522,50

87..214W

Widespread lavatory faucet.

8" centers.

7" overall height.


5 3/8" spout reach. Spout rotates.

2 3/4" maximum deck thickness.

Pop-up drain included.

Flow Rate: 1.2 GPM @ 60 PSI







replacement valve 49CC581XAD right 49CC581XAS left


87..207

Wall mount lavatory faucet. 8" centers.

6 7/8" spout reach.

Flow Rate: 1.2 GPM @ 60 PSI





\$407,00 \$539,00



replacement valve 49CC581XAD right 49CC581XAS left



PW



NA




87..102 \$660,00 \$797,50 NA

Roman tub. 7 15/16" spout height. 8 5/8" spout reach.

2 3/4" maximum deck thickness.

Flow Rate: 9.6 GPM @ 60 PSI








replacement valve 53CC5813/4D right 53CC5813/4S left

87..109

Roman tub with diverter and hand held shower. 7 15/16" spout height. 8 5/8" spout reach. 2 3/4" maximum deck thickness.

Flow Rate: 9.6 GPM @ 60 PSI



\$880,00 \$1.017,50



replacement valve 53CC5813/4D right 53CC5813/4S left


87..136 \$1.265,00 \$1.430,00 NA


Floor mounted tub filler. Single Hole Free-Standing Tub Filler with Hand held shower.

Flow Rate: 7.0 GPM @ 60 PSI Flow Rate and spray: 1.8 GPM @ 80 PSI

NEEDS ROUGH VALVE 136









replacement valve diverter cartridge 53CC956G25



volume control 53CC956G11



VALVE 136 \$00.00

Rough-in Valve 3/4" inch inlet connections

Flows 9.0 GPM @ 60 PSI






VALVE 690 \$190,00

Thermostatic Valve with ¾" volume control ½" inch inlet connections

Flows 7.1 GPM @ 60 PSI






VALVE 691 \$200,00

Thermostatic Valve 2 ways diverter cartridge ½" inch inlet connections

Flows 5.5 GPM @ 60 PSI






VALVE 400 \$82,50

½" Volume Control ¾" inch inlet connections Flows 12.5 GPM @ 60 PSI

VALVE 402

3/4" Volume Control 3/4" inch inlet connections Flows 15.0 GPM @ 60 PSI





\$137,50

VALVE 425 \$137,50

3 ways Diverter Rough-in Valve ½" inch inlet connections

Flows 9.7 GPM @ 60 PSI









CR PW OK/BL

NA

NA

NA


\$275,00 \$385,00

87..690

Thermostatic valve with 3/4" ceramic disc volume control.

NEEDS ROUGH VALVE 690







replacement ceramic disc valve 53CC5813/4S25

replacement cartridge 2TCC959


\$330,00 \$440,00

87..691

Thermostatic valve with 2 way diverter volume control.

NEEDS ROUGH VALVE 691





Δ

replacement ceramic disc valve 53CC956DEV35

A STATE OF THE STA

\$110,00

replacement cartridge 2TCC959


\$154,00

87..400

Volume control trim kit.

NEEDS ROUGH VALVE 400 OR 402







A


replacement ceramic disc valve 49**5813/4D

87..425

3 way diverter. 3/4" ceramic disc valve. 1/2" inlet connections.

NEEDS ROUGH VALVE 425





\$137,50 \$181,50

NA



replacement diverter cartridge 53CC956DRG40

CR



KIT 2

Thermostatic tub & shower KIT including:

- 8" Brass Round rain shower head - Anti Limestone
- 12" Brass Round wall mounted arm & flange
- Trim 691 with thermostatic valve & 2 way diverter volume control
- Rough in valve 691
- 8" Brass tub spout 1/2" inlet connections




\$770,00 \$979,00 NA COLD

KIT 4

Thermostatic shower KIT including:

- 8" Brass round rain shower head - Anti Limestone - 12" Brass round wall
- mounted arm & flange
- Trim 690 with thermostatic valve & 3/4" ceramic disc volume control
- Rough in valve 690 1/2" inlet connections






\$786,00 NA \$612,00

\$782,00 \$999,00 NA

KIT 6

Thermostatic hand shower KIT including:

- 8" Brass round rain shower head - Anti Limestone
- 12" Brass round wall mounted arm & flange
- Trim 691 with thermostatic valve & 2 way diverter volume control
- Rough in valve 691
- Round wall mounted brass handshower set including
- 1-jet round handshower, wall mounted bracket & supply elbow + flange, 78" flexible hose 1/2" inlet connections





\$126,50 \$176,00




NA



RD..74512

12" wallmount shower arm with strengthened fixing.






RD..74516 \$137,50 \$187,00 NA

16" wallmount shower arm with strengthened fixing.






RD..74406 \$71,50 \$93,50 NA

6" Ceiling mount shower arm with strengthened fixing.






RD..74412 \$104,50 \$137,50 NA

12" Ceiling mount shower arm with strengthened fixing.







RD..75908 \$99,00 \$126,50 NA

Extraslim 8" showerhead only. Round design. ½" connections.


Flow Rate: 1.8 GPM @ 60 PSI MAX






Extraslim 10" showerhead only. Round design. ½" connections.

Flow Rate: 1.8 GPM @ 60 PSI MAX






\$126,50 \$154,00 NA


CR

RD..75912

Extraslim 12" showerhead only. Round design. ½" connections.

Flow Rate: 1.8 GPM @ 60 PSI MAX






\$154,00 \$181,50 NA

78..75908

8" round brass shower head. Anti-limestone. 1/2" connections.

Flow Rate: 1.8 GPM @ 60 PSI MAX





\$173,50 \$231,00

NA


78..75910

10" round brass shower head. Anti-limestone.

½" connections.

Flow Rate: 1.8 GPM @ 60 PSI MAX






\$242,00 \$330,00 NA

78..75912

12 round brass shower head. Anti-limestone. ½" connections.

Flow Rate: 1.8 GPM @ 60 PSI MAX





\$385,00 \$522,50

NA



PW OK / BL CR

\$467,50

NA


\$330,00

RD..129

24" brass slide bar kit. Includes: Handshower, Wall mount bracket & supply elbow, 78" flexible hose.

Flow Rate: 1.8 GPM @ 60 PSI MAX





\$192,50 \$247,50

NA


Wallmounted brass handshower kit. 1-jet hand shower.

RD..440

Wall mount bracket & supply elbow. 78" flexible hose.

Flow Rate: 1.8 GPM @ 60 PSI MAX





\$27,50 \$49,50 \$60,50

78" metal shower hose.

50..162



NA RD..503 \$38,50 \$60,50

Round brass drop elbow.

1/2" NPT Connection








RD..721 \$220,00 \$253,00 NA

Round brass body tile spray. Directional Body Spray. 30° Rotation. ½" Female NPT Connection.

Flow Rate: 1.5 GPM @ 60 PSI MAX






86..721 \$110,00 \$137,50 NA

Round brass body spray. Directional Body Spray 30° Rotation ½" Female NPT Connection

Flow Rate: 1.5 GPM @ 60 PSI MAX






87..430 \$132,00 \$176,00 NA

Brass tub spout wall mount.






RD..945 \$82,50 \$110,00 NA

Push down pop up drain.





PW

CR

OK / BL