

IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



IAPMO R&T Product Listing



This IAPMO R&T Listing is current as of March 13, 2022

File Number:

11345

Issued To:

PULSE SHOWERSPAS., INC.

297 ANNA ST. WATSONVILLE, CA , United States

Product:

Plumbing Fixture Fittings

Products are in compliance with the following code(s):


Uniform Plumbing Code (UPC®)

National Plumbing Code of Canada

Products are in compliance with the following standard(s)

ASME A112.18.1-2018/CSA B125.1-18

**IAPMO RESEARCH AND TESTING, INC.
CERTIFICATE OF LISTING**



Issued To: PULSE SHOWERSPAS., INC.

File Number: 11345

Product: Plumbing Fixture Fittings

This IAPMO R&T Listing is current as of March 13, 2022

Identification:

Plumbing supply fittings shall be marked with the manufacturer's recognized name, trademark, or other mark or, in the case of private labeling, the name, trademark or other mark of the customer for whom the fitting was manufactured. The marking shall be accomplished by use of a permanent mark or by placing a permanent label on the product. Markings on plumbing supply fittings shall be visible after installation.

Showerheads and hand-held showers shall be marked with the manufacturer's specified maximum flow rate, in L/min and gpm.

Kitchen, lavatory, and metering faucets shall be marked with the manufacturer's specified maximum flow rate, in L/min and gpm or L/cycle and gpc.

Single-handle and single-control bath and shower mixing valves shall have their temperature control settings identified alphabetically, numerically, or graphically.

High-efficiency commercial pre-rinse spray valves shall be marked with the manufacturer's specified maximum flow rate, in L/min (gpm).

Listed products shall bear the cUPC® certification mark.

Packaging for plumbing supply fittings shall be marked with the manufacturer's name, trademark, or other mark as well as the model number or, in the case of private labeling, the name, trademark, or mark of the customer for whom the fitting was manufactured as well as the model number.

Packaging for showerheads and hand-held showers shall be marked with the manufacturer's specified maximum flow rate and either the manufacturer's specified minimum flow rate or the statement "For use with automatic compensating valves rated at xxx L/min (yyy gpm) or less", where xxx L/min (yyy gpm) is the manufacturer's specified minimum flow rate.

Packaging for kitchen, lavatory, and metering faucets shall be marked with the manufacturer's specified maximum flow rate, in L/min and gpm or L/cycle and gpc.

Characteristics:

Fittings may include lavatory, sink, bath & shower, lawn and sediment faucets. Plumbing fixture fittings to be installed in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code and National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Models

Model Number	Description
1011-BN-1.8GPM	Rain Shower System
1011-CH	Rain Shower System
1011-BN	Rain Shower System
1011-CH-1.8GPM	Rain Shower System
1011-ORB	Rain Shower System

Model Number	Description
1011-ORB-1.8GPM	Rain Shower System
1052-BN-1.8GPM	Rain Shower System
1052-CH	Rain Shower System
1052-BN	Rain Shower System
1052-CH-1.8GPM	Rain Shower System
KAUAI 1077-CH	Retrofit Shower System