

## **Features**

- Dimmable LED task lighting
- Integrated touch sensor control with memory
- Energy efficient LED lighting 6000K
- 3100 Lumens
- CRI 90+
- Integrated Defogger

## Construction

- Quality polished edge mirror
- Single phase wire installation
- 5 MM Silver Backed Copper Free
- Installation Either Surface Mount (Side Mirror Trim Panels included) or Recessed
- Includes installation hardware

## **Codes/Standards Applicable**

- Conforms to UL Std. 962
- Cert. to CSA Std. C22.2 No.250.0-08
- ETL Intertek 5004931


## **Electrical System**

Requirements for each cabinet:

- 120Vac, 60Hz, 53W
- Electric Current: 0.44A
- Wattage: 53W

## Model

- SVANGE 6036DLRR Right & Left Swinging Doors
- Included models in this configuration: Cabinet 1 = 2436L Cabinet 2 = 1236R Cabinet 3 = 2436R




## **Outlet**


- Performance Requirements: Contains the required Supervisory Circuit with the Auto-Monitoring Function as noted by UL 1310
- Input Voltage: Min 112Vac, Nom 125Vac, Max 137Vac
- Frequency: 60Hz
- Front Receptacle Current: 102-132VAC Nominal 15A
- USB Output Current: 5VDC Nominal 4A



## **CABINET CONFIGURATION**


• Included models in this configuration: Cabinet 1 = 2436L Cabinet 2 = 1236R Cabinet 3 = 2436R






# Krug

# **SVANGE 6036DLRR Wall Mirror - Specification Sheet**








## **FRONT & BACKS**

MODEL	А	В	С	D	E	F
SVANGE6036DLRR	36	60-1/4	24	12	36	60-1/4

These measurements are for reference, for best results we suggest you measure actual product as small variations in size are possible





These measurements are for reference, for best results we suggest you measure actual product as small variations in size are possible

12

24

35-1/8

59-1/4


3-1/2

SVANGE6036DLRR

36

60-1/4






# 

#### **DOOR & CABINET**

MODEL	А	В	С	D	Е	F	G
SVANGE6036DLRR	7/8	3-1/2	5	18	3-1/8	5-1/4	13



### **INTERIOR CABINET**

MODEL	А	В	С	D	Е	F	G	Н	1	J
SVANGE6036DLRR	3-3/4	5-5/8	1-1/4	32	2-1/4	22-1/4	10-1/4	2-3/8	3/8	3-5/8

These measurements are for reference, for best results we suggest you measure actual product as small variations in size are possible