

Features

- Dimmable LED task lighting
- Integrated touch sensor control with memory
- Energy efficient LED lighting 6000K
- 3100 Lumens
- CRI 90+
- · Integrated Defogger

Construction

- · Quality polished edge mirror
- Single phase wire installation
- 5 MM Silver Backed Copper Free
- Installation Either Surface Mount (Side Mirror Trim Panels included) or Recessed
- · Includes installation hardware




- Conforms to UL Std. 962
- Cert. to CSA Std. C22.2 No.250.0-08
- ETL Intertek 5004931

Electrical System

- 120Vac, 60Hz, 53W
- Electric Current: 0.44A
- Wattage: 53W

Model

- SVANGE 6036LRR Right Swinging Door
- Included models in this configuration: Cabinet 1 = 1836L Cabinet 2 = 2436R Cabinet 3 = 1836R




Outlet

- Performance Requirements: Contains the required Supervisory Circuit with the Auto-Monitoring Function as noted by UL 1310
- Input Voltage: Min 112Vac, Nom 125Vac, Max 137Vac
- Frequency: 60Hz
- Front Receptacle Current: 102-132VAC Nominal 15A
- USB Output Current: 5VDC Nominal 4A



CABINET CONFIGURATION


• Included models in this configuration: Cabinet 1 = 1836L Cabinet 2 = 2436R Cabinet 3 = 1836R







Krugo

SVANGE 6036LRR Wall Mirror - Specification Sheet










FRONT & BACK


MODEL	А	В	С	D	Е	F
SVANGE6036LRR	36	60-1/4	24	18	36	60-1/4

These measurements are for reference, for best results we suggest you measure actual product as small variations in size are possible

Kruge

SVANGE 6036LRR Wall Mirror - Specification Sheet






FRONT & BACK


MODEL	А	В	С	D	E	F	G
SVANGE6036LRR	36	60-1/4	24	18	35-1/8	59-1/4	3-1/2

These measurements are for reference, for best results we suggest you measure actual product as small variations in size are possible






INTERIOR DOOR



DOOR & CABINET

MODEL	А	В	С	D	Е	F	G
SVANGE6036LRR	7/8	3-1/2	5	18	3-1/8	5-1/4	13



INTERIOR CABINET

MODEL	А	В	С	D	Е	F	G	Н	- 1	J
SVANGE6036LRR	3-3/4	5-5/8	1-1/4	32	2-1/4	22-1/4	16-1/4	2-3/8	3/8	3-5/8

These measurements are for reference, for best results we suggest you measure actual product as small variations in size are possible