

# SVANGE 6042DLRR Wall Mirror - Specification Sheet

## Features

- Dimmable LED task lighting
- Integrated touch sensor control with memory
- Energy efficient LED lighting 6000K
- 8200 Lumens
- CRI 90+
- Integrated Defogger

## Construction

- Quality polished edge mirror
- Single phase wire installation
- 5 MM Silver Backed Copper Free
- Installation Either Surface Mount
- (Side Mirror Trim Panels included) or Recessed
- Includes installation hardware



## Codes/Standards Applicable

- Conforms to UL Std. 962
- Cert. to CSA Std. C22.2 No.250.0-08
- ETL Intertek 5004931

## Electrical System

- 120Vac, 60Hz, 55W
- Electric Current: 0.45A
- Wattage: 55W

## Model


- SVANGE 6042DLRR Swinging Doors
- Included models in this configuration:  
Cabinet 1=2442L Cabinet 2=2442R  
Cabinet 3=1242R

## Electrical System


- Performance Requirements: Contains the required
- Supervisory Circuit with the Auto-Monitoring Function as noted by UL 1310
- Input Voltage: Min 112Vac, Nom 125Vac, Max 137Vac
- Frequency:60Hz
- Front Receptacle Current: 102-132Vac Nominal 15A
- USB Output Current:5VDC Nominal 4A

## CABINET CONFIGURATION

- Included models in this configuration:  
Cabinet 1 = 2442L    Cabinet 2=2442R    Cabinet 3=1242R






# SVANGE 6042DLRR Wall Mirror - Specification Sheet



# SVANGE 6042DLRR Wall Mirror - Specification Sheet



## SURFACE MOUNT



### FRONT & BACKS




MODEL	A	B	C	D	E	F	G	H
SVANGE6042DLRR	42	60	24	12	41-1/8	59-1/8	1-1/8	12

These measurements are for reference, for best results we suggest you measure actual product as small variations in size are possible

# SVANGE 6042DLRR Wall Mirror - Specification Sheet



## RECESSED MOUNT




### FRONT & BACKS

MODEL	A	B	C	D	E	F	G
SVANGE6042DLRR	42	60	24	12	41-1/8	59-1/8	3-1/2

These measurements are for reference, for best results we suggest you measure actual product as small variations in size are possible

## RECESS INSTALLATION OPTIONAL ELECTRICAL CORD LOCATIONS




### ELECTRICAL CORD LOCATIONS

MODEL	A	B	C	D
SVANGE6042DLRR	1-1/8	1-1/8	1-1-8	12


These measurements are for reference, for best results we suggest you measure actual product as small variations in size are possible

# SVANGE 6042DLRR Wall Mirror - Specification Sheet



## DOOR & CABINET

MODEL	A	B	C	D	E	F	G
SVANGE6042DLRR	7/8	3-1/2	5	18	3/8	5-1/4	12



## INTERIOR CABINET

MODEL	A	B	C	D	E	F	G	H	I	J
SVANGE6042DLRR	3-3/4	5-5/8	1-1/4	38	2-1/4	10-1/4	22-1/4	2-3/8	3/8	3-5/8

These measurements are for reference, for best results we suggest you measure actual product as small variations in size are possible