

# Fabuletta

## User Manual

Ultrasonic Cool Mist Humidifier



Model: FHM002



## Package Contents

1 x 6L Ultrasonic Cool Mist Humidifier

1 x Remote Control

2 x Aroma Pad

1 x Cleaning Brush

1 x User Manual

## Specifications

Power Supply: AC120V 60Hz

Water Tank Capacity: 1.59gal / 6L

Rated Power: 25W

Dimension: 180 x 260 x 340.5 mm / 7.09 x 10.24 x 13.4 inch

Weight: 2.17KG / 5.77 LBS

# TABLE OF CONTENTS

---

<b>IMPORTANT SAFEGUARDS</b>	1
<b>GETTING TO KNOW YOUR HUMIDIFIER</b>	2
· Humidifier Diagram	2
· Remote Control	3
· Control Panel	4
<b>GETTING STARTED</b>	5
· Filling and Refilling	6
· Using The Aroma Box	7
<b>OPERATING YOUR HUMIDIFIER</b>	8
· Turn On The Humidifier	8
· Auto Mode	8
· Timer Setting	9
· Night Light	9
· Intelligent Sleep Mode	9
· Display Off Mode	9
<b>CARE &amp; MAINTENANCE</b>	10-11
<b>TROUBLESHOOTING</b>	12-13
<b>WARRANTY</b>	14
<b>WE'RE HERE TO HELP!</b>	15

# IMPORTANT SAFEGUARDS

---

To reduce the risk of fire, electric shock, or other injury, when using your humidifiers, basic safety precautions should always be followed.

**Read all instructions before using.**



1. Place the humidifier on a dry, flat, stable surface. Do not place the humidifier directly on carpets or rugs.
2. Place the humidifier and cord so that the humidifier will not be knock over.
3. **Do not** place the humidifier on or near heat sources such as radiators, heated ovens, etc.
4. Close supervision is necessary when the humidifier is used by or near children
5. **Do not** fill the water tank above the MAX level.
6. **Only** fill the tank with cold and clean water. Never fill the humidifier with other liquids.
7. **Do not** add essential oils or other foreign objects into the water tank or base chamber.
8. **Do not** cover the nozzle while the humidifier is on.
9. **Do not** attempt to inhale the mist directly from nozzle.
10. **Always** unplug the humidifier when it is not being used and before cleaning. Allow to cool before cleaning.
11. **Do not** immerse cord, plug, or base in water or other liquids.
12. **Do not** use the humidifier for other than intended use.
13. **Do not** use the humidifier if it is malfunctioning, or if any part, including the base, water tank, cord, or plug, is damaged in any way. Do not try to repair it. Contact Consumer Support.

**SAVE THESE INSTRUCTIONS  
FOR HOUSEHOLD USE ONLY**

---


# GETTING TO KNOW YOUR HUMIDIFIER








## Humidifier Diagram



# GETTING TO KNOW YOUR HUMIDIFIER

## Remote Control



Button	Icon	Function
Power Button		<ul style="list-style-type: none"><li>• Press to turn the humidifier on or off.</li></ul>
Mist Level Button		<ul style="list-style-type: none"><li>• Press repeatedly to cycle through mist level settings: Low, Medium, and High.</li></ul>
Auto Mode Button		<ul style="list-style-type: none"><li>• Press once to turn Auto Mode on or off.</li><li>• Press repeatedly to choose a Relative Humidity between 40% and 80% for Auto Mode.</li></ul>
Sleep Mode Button		<ul style="list-style-type: none"><li>• Press once to turn Sleep Mode on or off.</li></ul>
Timer Button		<ul style="list-style-type: none"><li>• Press to choose a time setting between 0 and 16h.</li></ul>
Night Light Button		<ul style="list-style-type: none"><li>• Press to turn the night light on or off.</li></ul>
Display		<ul style="list-style-type: none"><li>• Press to turn off all display lights.</li></ul>

# GETTING TO KNOW YOUR HUMIDIFIER

---

## Control Panel



### Power Button



- Press to turn the humidifier on or off.
- Press and hold for 3 seconds to turn the beeps on or off.

### Mist Level Button



- Press repeatedly to cycle through mist level settings: Low, Medium, and High.

### Auto Mode Button



- Press once to turn Auto Mode on or off.
- Press repeatedly to choose a Relative Humidity between 40% and 80% for Auto Mode.

### Sleep Mode Button



- Press once to turn Sleep Mode on or off.
- Press and hold for 3 seconds to turn all display lights off.

### Timer Button



- Press to choose a time setting between 0 and 16h.

### Power Button



- Press to turn the night light on or off.



### Sleep Mode Indicator



### Humidity percentage (RH)



### No Water Indicator



### Timer Indicator



### Low Mist Indicator=100ml/h



### Medium Mist Indicator=200ml/h



### High Mist Indicator=300ml/h



# GETTING STARTED

---

1. Remove all packaging.
2. Remove the adhesive tapes between the tank and base. [Figure 1.1]
3. Take the water tank off of the base, remove the tape on the float. [Figure 1.2]
4. Choose a flat, hard location for the humidifier at least 6 in/15 cm away from any walls. The surface must be water-resistant. [Figure 1.3]

5. Rotate the nozzle to keep mist directed away from any walls, furniture, bedding and appliances. [Figure 1.4]

**Note: DO NOT** place the humidifier on the towels, carpets, rugs, or any surfaces with fibers. This may block the air inlet at the bottom of the humidifier and cause malfunctioning. [Figure 1.5]




Figure 1.1




Figure 1.2




Figure 1.3



Figure 1.4




Figure 1.5

# GETTING STARTED

---

## Filling and Refilling

1. Take out the water tank cover by holding the nozzle and pulling upward.
2. Fill the water tank with cold water. We recommend using purified water.  
**Avoid using tap water**, because the mineral content is too high and will create white dust around the humidifier.
3. Make sure the water tank is properly placed on the base.
4. Place the water tank cover back on the tank. Make sure the nozzle align with the mist tube.
5. Wipe off any excess water on the tank and base.

### Note:

- **Do not** fill with hot water or other liquids.
- **Do not** add water through the mist tube, or the inner chamber.
- **Do not** add essential oils into the water tank or base chamber. Please add through AROMA BOX.[Refer to next page]




# GETTING STARTED

---

## Using The Aroma Box


Your humidifier can be used for aromatherapy. Follow the below instructions to add essential oil.

1. Gently push the aroma box at the back of the base and pull it out. *[Figure 3.1]*



*Figure 3.1*

2. Put 10-15 drops of essential oil on the aroma pad. *[Figure 3.2]*



*Figure 3.2*

3. Replace the aroma box into the humidifier.


### Note:



- The aroma is intended to be light. This humidifier is not an aroma diffuser.
- For best results, we recommend using pure essential oil.
- The aroma pads can be cleaned and reused after diffusing essential oils.

# OPERATING YOUR HUMIDIFIER

---



## Turn On The Humidifier

Please filling the tank before turning humidifier ON. If there is no water in the tank, no water indicator  will appear on the display, and the humidifier will turn off.

1. Plug in the humidifier. All indicators will light on for 1 second.
2. Press  to turn on the humidifier. The humidifier will start on the medium mist level.
3. Press  repeatedly to choose your desired mist level: low, medium or high.
4. Rotate the nozzle to adjust the direction of the mist. Keep the mist directly away from walls, furniture, bedding and appliance.
5. Optionally, you can choose Auto Mode, Sleep Mode, Timer or Night light.  
Please see the detail instructions in the following pages.

## Auto Mode

The Auto Mode will maintain the room humidity at a comfortable level as your needed.

- Press  button repeatedly to choose a RH percentage between 40% and 80%. Once a RH percentage is selected, the humidity percentage indicator  will flash 5 times and then start Auto Mode. Humidifier automatically produce mist based on room humidity level.
- When the humidity percentage of the environment reaches the set RH percentage, it will automatically stop misting. when the humidity drops to 5% below the set level, It will start misting again.


## Note:

Changing the mist level while in Auto Mode will cancel the Auto Mode function.


# OPERATING YOUR HUMIDIFIER

---

## Timer Setting







- Press  repeatedly to choose a time setting between 1 hour to 16 hours.
- Once a time was set, the timer will start.
- The humidifier will automatically power off once the timer is finish.

## Night Light

- The humidifier features a night light. You can press  button to turn it on/off.




## Intelligent Sleep Mode

Intelligent Sleep Mode uses a humidity sensor to automatically adjust the mist level to maintain a 50% - 60% relative humidity (RH) while you sleep. It won't bother you at night with beeping or bright lights.

- Press  button to start Sleep Mode.
- Optionally, press  button a second time to activate the control panel, then press  button to set timer or press  button turn on/off the night light if need.
- Optionally, press and hold  button for 3 seconds to turn off all displays.
- When the control panel is light on, press  button can exit sleep mode.

## Display Off Mode

Display Off Mode allows you to set mist level or relative humidity level to suit your personal needed, turn off all display lights.

- First, press  button repeatedly to choose your desired mist level or press  button to set a target humidity level.
- Then, press and hold  button for 3 seconds to enter display off mode.
- To exit, press any button.

# CARE & MAINTENANCE

---

## Note:

- All maintenance should be done in the kitchen or bathroom on a water resistant surface near a faucet.
- **DO NOT** wash any components of this humidifier in the dishwasher.
- If not using the humidifier for 1 week or longer, do not leave water inside. Clean and dry the humidifier instead.

1. Turn off and unplug the humidifier.
2. Remove water tank from base. Empty water from water tank and base.
3. Add 2-3 cups of white vinegar to water tank. Replace the tank cover and swish the vinegar around the tank.
4. Place water tank on base. Soak for 15-20 minutes.
5. Remove the water tank from base, pour out any vinegar solution.  
Use the soft cloth and the cleaning brush to clean all parts . [Figure 5.1]
6. Rinse the tank, tank cover and base chamber with room temperature water.
7. Remove the water filter from the tank by rotating it counterclockwise and rinse it. [Figure 5.2]
8. Flip the water tank over. Remove the noise silencer by pressing the release tab and gently pulling it off. [Figure 5.3]




Figure 5.1




Figure 5.2




Figure 5.3

## CARE & MAINTENANCE

---

9. Remove the float from the base chamber by pulling the shaft out from the float brackets and rinse it.

**Note:**

One side of the brackets is open to allow removal and installation. [Figure 5.4]




Figure 5.4

10. Rinse all parts until any vinegar smell is completely gone.
11. Dry all parts with a cloth. Make sure all parts are completely dry before reassembling or storing.

# TROUBLESHOOTING

---

Problems	Actions / Solutions
Humidifier doesn't turn on	Make sure the plug is securely inserted into the outlet
	Insert the plug into a different outlet for checking
	Fill the water tank and placed properly onto the base
Little or no mist comes out	Please check if too much water in the base chamber. Make sure the water level in the base chamber not exceed the MAX line
	Please check the air inlet on the bottom of the base is not blocked. The humidifier should not be set on carpet or other surfaces that may block the air inlet
	The water temperature may be too low. Turn on the humidifier and let it run for a while, then adjust to the desired setting
Humidifier uses water too quickly	If the room humidity level is too low, the humidifier will run out of water faster
Humidifier makes a loud noise	Set mist level to a lower setting
	Check if the noise silencer is installed properly.
White dust appears around the humidifier	Clean the humidifier
	Please use purified or distilled water to fill the humidifier. Avoid using water with high mineral content



# TROUBLESHOOTING

---

Problems	Actions / Solutions
Water leaks from the humidifier	Make sure to place the humidifier on a flat, level surface
	Make sure the silicone sealing ring around the water outlet valve is secure
	Wipe any excess water off the top and bottom of the base
	Do not shake the humidifier.
	Do not remove the water tank from base when it is full
	Avoid running the humidifier in a room with over 65% relative humidity
Condensation forms around humidifier or windows	Humidity may be too high. Turn down the mist level, turn off the humidifier, or open a door or window to the room
Mold grows inside the humidifier	Clean the water tank and base chamber regularly
Essential oil has little or no smell	Add more essential oil. For best results, use pure essential oil

# WARRANTY

---

The One-Year Limited Warranty is valid for products purchased from our Fabuletta only, starting from the date of original retail purchase against defects in quality and materials under normal, non-commercial use. According to the requirements outlined in this instruction manual, subject to the following conditions and exclusions.

## What Is Covered

The repair or replacement of your Fabuletta appliance if your Fabuletta appliance is found to be defective due to faulty materials, workmanship or function within one year of purchase or delivery (if any part is no longer available or out of manufacture, Fabuletta will replace it with a functional replacement part). This warranty provides, at no extra cost to you, all labor and parts necessary to ensure your machine is in proper operating condition during the warranty period.

## What Is Not Covered

Under your Fabuletta guarantee, Fabuletta shall not be liable for costs of repair or replacement of a product incurred as a result of: Accidental damage, faults caused by negligent use or care, misuse, neglect, careless operation or handling of the Fabuletta appliance which is not in accordance with this Fabuletta Operating Manual. Machines purchased from an unauthorized dealer. Use of parts and accessories other than those produced or recommended by Fabuletta. Repairs or alterations carried out by unauthorized parties or agents. Use of the machine other than for normal domestic purposes within the United States, e.g. for commercial or rental purposes.

## Warranty Service

If you have a query about your Fabuletta appliance, please contact the Fabuletta customer service email: [support.us@fabuletta.com](mailto:support.us@fabuletta.com)  
Please inform us your model name/number, purchase date, order number, machine problem and your requirement. Your model number can be found on rating plate. Please keep your purchase receipt in a safe place to ensure you have this information. Service under this warranty will not extend the period of this warranty.

# WE'RE HERE TO HELP!

---

If you have any questions about our products, please contact our customer support team.

 [support.us@fabuletta.com](mailto:support.us@fabuletta.com)



[www.Fabuletta.com](http://www.Fabuletta.com)

\* Please have your invoice and order ID ready before contacting Customer Support.

**Thanks for your purchase!**  
**Hope you will love it as much as we do.**

**Fabuletta**  
Start your fabulous life with Fabuletta

