





THREAD LIST



Isacord Thread Colors

0015 White

0145 Skylight

0832 Sisal

0933 Redwood

1140 Meringue

1141 Tan

1301 Paprika

1753 Strawberries N' Cream

1860 Shell

1900 Geranium

1906 Tulip

1911 Foliage Rose

2051 Teaberry

3572 Summer Grey

4174 Charcoal

5643 Green Dust

5722 Green Grass

5730 Apple Green

5740 Mint

*Project instructions included after design list



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Felt Required



12881-01 Cozy Cup Applique Card

Size Inches:	Size mm:	Stitch Count:
6.25 X 4.62 in.	158.8 X 117.5 mm	6174 St.
7.00 X 5.00 in.	177.8 X 127.0 mm	6866 St.
1. Card Placen	nent Guide	0015
2. White Felt P	lacement Stitch	0015
3. White Felt Tale	ackdown	1140
4. Light Pink D	etail	1860
_	l	
6. Green Detai	l	5722
7. Light Brown	Detail	0832
	cement Stitch	
9. Light Red Ta	ckdown and Detail	1753
•		

*Felt Required



12881-02 Joy Applique Card

Size Inches:	Size mm:	Stitch Count:
6.25 X 4.62 in.	158.8 X 117.5 mm	4857 St.
7.00 X 5.00 in.	177.8 X 127.0 mm	6605 St.
☐ 1. Card Placer	ment Guide	0015
2. Green Felt I	Placement Stitch	0015
3. Green Felt	Tackdown	5740
4. Light Green	Detail	5730
5. White Felt F	Placement Stitch	5643
6. White Felt T	ackdown	1860
7. Red Detail.		1900
8. Dark Red D	etail	1911



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Felt Required



12881-03 House Applique Card

Size Inches:	Size mm:	Stitch Count:
6.25 X 4.62 in. 7.00 X 5.00 in.	158.8 X 117.5 mm 177.8 X 127.0 mm	
	nent Guide	
	ckdown	
	Detail	
_		
7. Light Pink D	etail	1860
	l	
	Placement Stitch	
10. Light Brown	Tackdown	0832
11. Brown Detail	1	0933
13. Red Detail		1900
14. Light Pink D	etail	1860
15. Light Red De	etail	1753

*Felt Required



12881-04 Cookies Applique Card

Size mm:	Stitch Count:
nent Guide	0015
Placement Stitch	0015
Tackdown	5730
l	0015
Placement Stitch	5643
Tackdown	0832
l	0015
	1141
etail	1860
	158.8 X 117.5 mm 177.8 X 127.0 mm nent Guide





Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Felt Required



12881-05 Candies Applique Card

Size Inches:	Size mm:	Stitch Count:
6.25 X 4.62 in. 7.00 X 5.00 in.	158.8 X 117.5 mm 177.8 X 127.0 mm	7194 St. 8488 St.
	nent Guide	
2. White Felt P	lacement Stitch	0015
3. White Felt Table	ackdown	3572
4. Light Pink D	etail	1860
5. Light Red De	etail	1753
6. Tan Detail		1141
7. Dark Red De	etail	1911
8. Light Green	Detail	5730
10. Light Tan De	etail	1140
11. Green Detai	l	5722

*Felt Required



12881-06 Happy Holidays Applique Card

Size Inches:	Size mm:	Stitch Count:
6.25 X 4.62 in.	158.8 X 117.5 mm	7879 St.
7.00 X 5.00 in.	177.8 X 127.0 mm	8942 St.
☐ 1. Card Placer	nent Guide	0015
2. Brown Felt I	Placement Stitch	0015
3. Brown Felt	Tackdown	0832
4. Red Letters		1900
5. Green Lette	rs	5722
6. White Detai	l	0015
7. Light Green	Detail	5730
8. Green Deta	il	5722
9. Dark Red D	etail	1911



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity where rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12881-07 Gingerbread Man Ornament FSA

Size Inches: 4.82 X 3.87 in.	Size mm: 122.4 X 98.4 mm	
1. Front Brown	Felt Placement Stitch	0015
2. Front Brown	Felt Tackdown	0015
3. Brown Detai	l	0933
4. White Icing.		0015
•	etail	
•	d Detail	
7. White Scarf	Detail	0015
8. Light Pink D	etail	1860
•	Felt Tackdown	



12881-08 Christmas Tree Ornament FSA

Size Inches:	Size mm:	Stitch Count:
4.71 X 3.60 in.	119.7 X 91.5 mm	6766 St.
☐ 1. Front Green	Felt Placement Stitch	0015
2. Front Green	Felt Tackdown	0015
3. Light Green	Detail	5730
4. Red Detail		1900
5. Light Red De	etail	1753
☐ 6. White Detail		0015
7 Back Green	Felt Tackdown	5730



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12881-09 Heart Ornament FSA

Size Inches:	Size mm:	Stitch Count:
4.15 X 3.28 in.	105.3 X 83.4 mm	4444 St.
☐ 1. Front Red F	elt Placement Stitch	0015
2. Front Red F	elt Tackdown	0015
3. Light Red De	etail	1753
4. White Detail		0015
5. Light Pink D	etail	1860
	elt Tackdown	



12881-10 Snowflake Ornament FSA

Size Inches:	Size mm:	Stitch Count:
3.91 X 3.80 in.	99.3 X 96.5 mm	4541 St.
☐ 1. Front White	Felt Placement Stitch	0015
2. Front White	Felt Tackdown	0015
3. Gray Detail.		3572
4. Light Gray D	etail	0145
5. Back White	Felt Tackdown	3572



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity where rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12881-11 House Ornament FSA

Size Inches: 5.45 X 3.74 in.	Size mm: 138.4 X 94.9 mm	
☐ 1. Front Brown	Felt Placement Stitch	0015
2. Front Brown	Felt Tackdown	0015
3. Brown Detai	l	0933
4. Light Green	Detail	5730
•		
6. Dark Red De	etail	1911
7. White Detail		0015
8. Back Brown	Felt Tackdown	0832



12881-12 Cozy Cup Ornament FSA

Size Inches:	Size mm:	Stitch Count:
4.02 X 4.20 in.	102.2 X 106.6 mm	6636 St.
1. Front Red F	elt Placement Stitch	0015
2. Front Red F	elt Tackdown	0015
3. Light Brown	Detail	0832
4. Light Red De	etail	1753
5. Light Pink D	etail	1860
6. White Detail		0015
7. Back Red Fe	elt Tackdown	1900



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity wher rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Felt Required



12881-13 Heart Applique Gift Tag

Size Inches:	Size mm:	Stitch Count:
5.00 X 3.52 in.	127.1 X 89.3 mm	2962 St.
☐ 1. Front Tag Pl	acement Guide	0015
2. Front Tag Tackdown		0015
3. Light Green Leaves		5730
4. Dark Green	Outlines	5643
5. Red Felt Pla	cement Stitch	0015
6. Red Felt Tag	ckdown and Detail	1753
7. Light Pink D	etail	1860
8. Pink Detail		2051
9. Back Tag Tag	ckdown and Hole Punch.	5730

*Felt Required



12881-14 Noel Applique Gift Tag

	Size mm: 127.1 X 88.7 mm	
	acement Guide	
2. Front Tag Tackdown 3. Light Green Leaves		
4. Stems		5643
5. Green Felt F	Placement Stitch	0015
6. Green Felt	Tackdown	5722
7. Light Green	Letters	5730
8. White Letter	Outlines	0015
9. Berries		1900
10. Back Tag Tag	ckdown and Hole Punch	1860



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Felt Required



12881-15 Jingle Bell Applique Gift Tag

Size Inches:	Size mm:	Stitch Count:
5.00 X 3.50 in.	127.1 X 88.8 mm	4142 St.
1. Front Tag Pla	acement Guide	0015
2. Front Tag Tackdown		0015
3. Light Red Detail		1753
4. Red Detail		1900
☐ 5. Brown Felt F	Placement Stitch	0015
6. Brown Tacko	lown and Detail	0933
7. White Detail		0015
8. Tan Detail		1141
9. Light Green	Detail	5730
10. Back Tag Tag	ckdown and Hole Punch.	1140

*Felt Required



12881-16 Snowman Applique Gift Tag

Size Inches:	Size mm:	Stitch Count:
5.00 X 3.52 in.	127.1 X 89.3 mm	4233 St.
☐ 1. Front Tag Pl	acement Guide	0015
2. Front Tag Tackdown		
3. Light Pink Detail		1860
4. White Felt Placement Stitch		
5. White Felt Tackdown		0145
6. Gray Detail.		3572
7. Red Detail		1900
	etail	
9. Nose		1301
■ 10. Charcoal De	etail	4174
11. Back Tag Ta	ckdown and Hole Punch	1860



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Felt Required



12881-17 Cozy Cup Applique Gift Tag

Size Inches:	Size mm:	Stitch Count:
5.00 X 3.49 in.	127.1 X 88.7 mm	3901 St.
1. Front Tag Pl	acement Guide	0015
2. Front Tag Tag	ckdown	0015
3. Tan Detail		1141
4. Green Felt F	Placement Stitch	0015
5. Green Felt T	ackdown and Detail	5722
6. Light Green	Detail	5730
7. Light Red De	etail	1753
8. White Detail		0015
9. Back Tag Ta	ckdown and Hole Punch.	1860

*Felt Required



12881-18 House Applique Gift Tag

Size Inches:	Size mm:	Stitch Count:
5.00 X 3.50 in.	127.1 X 88.8 mm	3982 St.
☐ 1. Front Tag Pl	acement Guide	0015
2. Front Tag Tackdown		
3. Light Brown Detail		0832
4. Brown Felt Placement Stitch		
5. Brown Felt Tackdown		1141
6. Brown Detail	1	0933
7. Red Detail		1900
8. White Detail		0015
9. Light Red D	etail	1753
10. Light Pink D	etail	1860
11. Back Tag Ta	ckdown and Hole Punch	1140

ORNAMENT INSTRUCTIONS



Stabilizers

- OESD StabilStick TearAway
- OESD Applique Fuse and Fix

Fabrics/Notions

- Green felt (1) 9" x 6"
- Ribbon 9"
- Embroidery Needle Sharp 75/11
- Isacord thread per thread chart



NOTE

- The ornament instructions included in the design pack are general instructions for all the ornament designs. For demonstration purposes, a sample design is used that best demonstrates general technique. Fabric and thread requirements will vary by design, consult the templates at the end of the instructions for specific size requirements.
- The sample design is 12881-08.

- Print the ornament template and the mirrored version of the ornament templates (at 100% scale or 1:1 ratio) onto the paper side of Applique Fuse and Fix.
- Roughly cut out the templates about 1/4" from the outer edge.
- TIP: Mark the paper side of the mirrored template with an "M" to differentiate between the two.





STEP 2

- Fuse each template onto the felt following the package instructions.
- Cut each template on the outer edge of the printed design.



STEP 3

• Hoop 1 layer of Medium Weight TearAway.





STEP 4

• Stitch Machine Step 1, Front Green Felt Placement Stitch.



- Remove the hoop from the machine, but NOT the project from the hoop.
- Score the paper backing of the mirrored template, and remove the paper backing to expose the adhesive surface.
- Position the felt, adhesive side down, within the placement lines.
- Return the hoop to the machine.





STEP 6

• Stitch Machine Step 2, Front Green Felt Tackdown.



STEP 7


• Stitch Machine Steps 3-6, changing thread colors per thread chart.





STEP 8

Cut ribbon 9" long.



- Remove the hoop from the machine, but NOT the project from the hoop.
- Turn the hoop over, right side down on a flat surface.
- Fold the ribbon in half and tape in place with about 1" of the ribbon below the placement stitch of the design as shown.
- Tape in place to secure, but do not press firmly on the project.





STEP 10

- Score and remove the paper from the remaining felt piece to expose the adhesive surface.
- Gently position in place within the original placement line.
- Once properly positioned, turn the hoop over, place on a flat surface and finger press from the front to secure the positioning.
- Tip: To ensure that the ornament back matches the ornament front placement, hold the hoop up to the light.



- Return the hoop to the machine.
- Stitch Machine Step 7, Back Green Felt Tackdown.







- Remove the hoop from the machine and the project from the hoop.
- Tear away the stabilizer.
- The ornament is complete.



GIFT TAG INSTRUCTIONS



Stabilizers

- OESD StabilStick TearAway
- OESD Applique Fuse and Fix

Fabrics/Notions

- OESD Perfect Punch Tool
- Red felt (1) 3.5" x 4.5"
- Start Here by OESD Blank Greeting Cards Size A7 (5" x 7")
- Embroidery Needle Sharp 75/11
- · Isacord thread per thread chart




NOTE

- The gift tag instructions included in the design pack are general instructions for all the gift tag designs.
 For demonstration purposes, a sample design is used that best demonstrates general technique. Fabric and thread requirements will vary by design, consult the templates at the end of the instructions for specific size requirements.
- The sample design is 12881-13.
- Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.

STEP 1

• Print the mirrored version of the templates (at 100% scale or 1:1 ratio) onto the paper side of Applique Fuse and Fix. Roughly cut out the templates about 1/4" from the outer edge.






STEP 2

- Fuse the applique design template onto the felt per the package instructions.
- Cut the template on the outer edge of the printed design. Set aside.



- Fuse the tag template onto the back of the card stock per package instructions.
- Fold the card stock in half. Place the template on the folded card stock.
- Cut through both layers on the black line of the printed template to create 2 tag pieces: 1 plain and 1 with Applique Fuse and Fix.





STEP 4

• Hoop 1 layer of StabilStick TearAway paper side up.



STEP 5

• Score the paper only with a pin or seam ripper, and remove the paper covering to reveal the adhesive surface.





STEP 6

• Stitch Machine Step 1, Front Tag Placement Guide.



- Remove the hoop from the machine, but NOT the project from the hoop.
- Position the plain tag within the placement lines. Finger press to secure.
- Return the hoop to the machine.





STEP 8

• Stitch Machine Step 2, Front Tag Tackdown.



- Stitch Machine Steps 3 and 4, changing thread colors per the thread chart.
- Stitch Machine Step 5, Red Felt Placement Stitch.





STEP 10

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Score the paper backing of the red felt heart and remove the paper to reveal the adhesive surface.
- Position the red felt heart on the placement line.
- Finger press to secure.



- Return the hoop to the machine.
- Stitch Machine Steps 6-8 changing thread colors per the thread chart.





STEP 12

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop right side down on a flat surface.



- Score and remove the paper from the remaining card stock tag to expose the adhesive surface.
- Gently position in place within the original placement line.
- Once properly positioned, turn the hoop over, place on a flat surface and finger press from the front to secure the positioning.
- Tip: To ensure that the gift tag back matches the gift tag front placement, hold the hoop up to the light.





STEP 14

- Return the hoop to the machine.
- Stitch Machine Step 9, Back Tag Tackdown and Hole Punch.



- Remove the project from the hoop.
- Using OESD Punch Tool and the 3mm attachment, punch holes in the eyelet indicated.





STEP 16

• Trim away the excess stabilizer along all the edges of the tag.

NOTE: Cutting the stabilizer away prevents bending or creasing of the cardstock and prevents pulling

outer stitches.

The gift tag is now complete.



CARD INSTRUCTIONS



Stabilizers

- OESD StabilStick TearAway
- OESD Applique Fuse and Fix
- OESD Fuse and Seal

Fabrics/Textiles

- OESD Start Here Greeting Cards, size A7 (5" x 7")
- White felt, 5" x 7"
- Note: Two sizes of cards are included in this collection. Card designs ending in the letter 'S' use the Start Here Greeting Cards, size A6 (4.5" x 6.25"). Card designs ending with 'L' use Start Here Greeting Cards, A7 (5" x 7").

Notions & Tools

- Embroidery Needle Sharp 75/11
- Expert Embroidery Tape TearAway
- Isacord Threads per thread chart



NOTE

- The greeting card instructions included in the design pack are general instructions for all the greeting card designs. For demonstration purposes, a sample design is used that best demonstrates the general technique. Fabric and thread requirements will vary by design, consult the templates at the end of the instructions for specific size requirements.
- The sample design is 12881-05L.
- Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.

- Print the mirrored version of the templates (at 100% scale or 1:1 ratio) onto the paper side of Applique Fuse and Fix.
- Roughly cut out the template about a ¼" from the outer edge.
- Fuse the applique design template onto the felt following the package instructions.
- Trim Template on the outer edge of the printed black line.





STEP 2

• Hoop a piece of StabilStick TearAway paper side up.




- Score the paper with scissors, pin, or seam ripper.
- Remove the paper to expose the adhesive surface.





STEP 4

- Place the hoop on the machine.
- Thread the machine per thread chart.
- Stitch Machine Step 1, Card Placement Guide.
- Note: A darker thread color was used in the sample for visibility.



- Remove the hoop from the machine, but NOT the project from the hoop.
- Set the hoop on a flat surface.
- Place the front of the card face up within the placement stitch, lining up all edges.
- Finger press the card to secure to the adhesive surface.





STEP 6

- Return the hoop to the machine.
- Stitch Machine Step 2, White Felt Placement Stitch.
- Note: A darker thread color was used in the sample for visibility.



- Remove the hoop from the machine, but NOT the project from the hoop.
- Score the paper of the template on the back of the white felt.
- Remove the paper to expose the adhesive surface.
- Position the felt, sticky side down, within placement stitch, aligning all edges.





STEP 8

- Return the hoop to the machine.
- Change threads per thread chart.
- Stitch Machine Step 3, White Felt Tackdown.



STEP 9

• Stitch the remainder of the design. Change thread colors as required.





STEP 10

- Remove hoop from machine and the project from the hoop.
- On a flat surface, fold the stabilizer back and trim it away close to the design.
- NOTE: Cutting the stabilizer away prevents bending or creasing of the cardstock.



- Cut another card of the same size in half.
- Cut a piece of Fuse and Seal the same size.
- Iron the Fuse and Seal to the cut card with a medium warm iron.



EMBROIDERY



STEP 12

- Remove paper from Fuse and Seal.
- Cover the back of embroider in the inside of card and iron to adhere.
- The card is complete!







PUNCH TOOL GUIDES




12881-13



12881-14



12881-15



12881-16



12881-17



12881-18







= 4 MM


CRAFT KNIFE

PRINTING INSTRUCTIONS




ATTENTION

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.




TO SAVE PAPER

Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.








Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12881-01L








12881-01S






Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12881-02L






Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12881-02S






Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12881-03L






Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12881-03S






Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12881-04L





Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12881-04S



12881-05L	



12881-05S	




Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12881-06L




12881-06S










APPLIQUE PATTERNS Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates. 12881-12 12881-11 54





Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12881-13













12881-15







Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12881-16























Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12881-01L




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



12881-01S






Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12881-02L









12881-02S





12881-03L






Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.


12881-03S





12881-04L





Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

12881-04S



Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12881-05L



12881-05L




12881-06L	




Print at 100%. No scaling. This box measures 1"x 1". Use the box as an accuracy guide when printing templates.

12881-06S









MIRRORED PATTERNS Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates. 12881-11 12881-12 75



