# CLASSIC LEGACIES IN LACE
PACK 75200 • 26 DESIGNS

Note: Some designs in this collection were created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

OC33401 FSL Teardrop
4.87 X 3.57 in.
123.70 X 90.68 mm
21,278 St.

OC33402 FSL Triangle
4.28 X 3.60 in.
108.71 X 91.44 mm
14,251 St.

OC33403 FSL Paisley
3.54 X 4.50 in.
89.92 X 114.30 mm
20,006 St.

OC33404 FSL Paisley
2.22 X 3.04 in.
56.39 X 77.22 mm
10,628 St.

OC33405 FSL Paisley
1.88 X 3.04 in.
47.75 X 77.22 mm
8,357 St.

OC33406 FSL Flourish
4.76 X 2.64 in.
120.90 X 67.06 mm
16,704 St.

**OC33407 FSL Flourish**
3.78 X 2.23 in.
96.01 X 56.64 mm
10,295 St.

**OC33408 FSL Flourish**
1.85 X 3.14 in.
46.99 X 79.76 mm
8,343 St.

OC33409 FSL Flourish Flower
1.09 X 1.07 in.
27.69 X 27.18 mm
2,568 St. S

OC33410 FSL Collar
6.27 X 3.45 in.
159.26 X 87.63 mm
20,892 St. L

OC33411 FSL Ribbon
95.00 X 6.97 in.
2413.00 X 177.04 mm
15,966 St. L

OC33412 FSL Long Ribbon
.96 X 13.92 in.
24.38 X 353.57 mm
32,036 St. L S

OC33413 FSL Ribbon Connector
1.33 X 1.34 in.
33.78 X 34.04 mm
4,700 St. S

OC33414 FSL Edging Corner
2.34 X 2.33 in.
59.44 X 59.18 mm
9,678 St.

OC33415 FSL Edging
1.02 X 1.43 in.
25.91 X 36.32 mm
3,230 St. S

OC33416 FSL Edging Border
1.43 X 5.03 in.
36.32 X 127.76 mm
16,128 St. L S

OC33417 FSL Long Edging Border
1.43 X 15.08 in.
36.32 X 383.03 mm
48,426 St. L S

OC33418 FSL Wine Glass
3.18 X 3.18 in.
80.77 X 80.77 mm
16,994 St.

OC33419 FSL Coaster (Appliqué)
4.82 X 4.83 in.
122.43 X 122.68 mm
21,088 St.

OC33420 FSL Wine Bottle Cover
6.12 X 8.67 in.
155.45 X 220.22 mm
44,502 St. L

⌘ Design contains a loose fill.
✿ Some white areas shown are not stitched.

L Design is larger than 5" (127 mm) in either direction.
S Design is smaller than 1.5" (38.1 mm) in either direction.

Collections

OC33421 FSL Vase Cover
6.12 X 6.06 in.
155.45 X 153.92 mm
37,864 St. L

OC33422 FSL Doile
7.04 X 7.03 in.
178.82 X 178.56 mm
61,429 St. L

**OC33423 FSL Photo Frame
(Appliqué)**
7.36 X 5.54 in.
186.94 X 140.72 mm
42,149 St. L

**OC33424 FSL Frame Stand
(Appliqué)**
5.01 X 4.67 in.
127.25 X 118.62 mm
27,515 St. L

**OC33425 FSL Gift Card
Holder (Appliqué)**
4.58 X 7.08 in.
116.33 X 179.83 mm
21,973 St. L

**OC33426 FSL Large Doile
(Appliqué)**
9.09 X 13.24 in.
230.89 X 336.30 mm
158,264 St. L

⌘ Design contains a loose fill.
✿ Some white areas shown are not stitched.

L   Design is larger than 5" (127 mm) in either direction.
S   Design is smaller than 1.5" (38.1 mm) in either direction.

e Collections

Listings below indicate color sample, stitching order and suggested thread color number, Isacord, Yenmet or YLI Variegated threads.

OC33401 FSL Teardrop
1. Single Color Design.....................0870

OC33402 FSL Triangle
1. Single Color Design.....................0870

OC33403 FSL Paisley
1. Single Color Design.....................0870

OC33404 FSL Paisley
1. Single Color Design.....................0870

OC33405 FSL Paisley
1. Single Color Design.....................0870

OC33406 FSL Flourish
1. Single Color Design.....................0870

OC33407 FSL Flourish
1. Single Color Design.....................0870

OC33408 FSL Flourish
1. Single Color Design.....................0870

OC33409 FSL Flourish Flower
1. Single Color Design.....................0870

OC33410 FSL Collar
1. Single Color Design.....................0870

OC33411 FSL Ribbon
1. Single Color Design.....................0870

OC33412 FSL Long Ribbon
1. Single Color Design.....................0870

OC33413 FSL Ribbon Connector
1. Single Color Design.....................0870

OC33414 FSL Edging Corner
1. Single Color Design.....................0870

OC33415 FSL Edging
1. Single Color Design.....................0870

OC33416 FSL Edging Border
1. Single Color Design.....................0870

OC33417 FSL Long Edging Border
1. Single Color Design.....................0870

OC33418 FSL Wine Glass
1. Single Color Design.....................0870

OC33419 FSL Coaster (Appliqué)
1. Appliqué Fabric Placement
   Guide Stitch 0870
2. Appliqué Cutting Stitch 0870
3. Appliqué Tack Down....................0870
4. Lace..0870

OC33420 FSL Wine Bottle Cover
1. Single Color Design.....................0870

OC33421 FSL Vase Cover
1. Single Color Design.....................0870

OC33422 FSL Doile
1. Single Color Design.....................0870

OC33423 FSL Photo Frame (Appliqué)
1. Appliqué Fabric Placement
   Guide Stitch 0870
2. Appliqué Cutting Stitch 0870
3. Appliqué Tack Down
   & Stitched Details 0870
4. Lace..0870

OC33424 FSL Frame Stand (Appliqué)
1. Appliqué Fabric Placement
   Guide Stitch 0870
2. Appliqué Cutting Stitch 0870
3. Appliqué Tack Down &
   Stitched Details........................0870
4. Lace..0870

OC33425 FSL Gift Card Holder (Appliqué)
1. Appliqué Fabric Placement
   Guide Stitch 0870
2. Appliqué Cutting Stitch 0870
3. Appliqué Tack Down &
   Stitched Details........................0870
4. Lace..0870

OC33426 FSL Large Doile (Appliqué)
1. Appliqué Fabric Placement
   Guide Stitch 0870
2. Appliqué Cutting Stitch 0870
3. Appliqué Tack Down....................0870
4. Lace..0870

GENERAL FREESTANDING LACE GUIDELINES

SUPPLIES:

Embroidery Thread:
• Use the same Isacord thread in the bobbin as the needle.

Needles:
• Use an Organ 80/12 Titanium needle for extended needle life.

Stablilizer:
• OESD AquaMesh or OESD BadgeMaster water-soluble stabilizer.

GENERAL INSTRUCTIONS
1. Hoop two layers of OESD AquaMesh or one layer of OESD Badge Master water-soluble stabilizer.
2. Attach the hoop to the machine and select the design of your choice.
3. Stitch the design.
4. Remove the hoop from the machine and the design from the hoop. Trim excess stabilizer from the design.
5. Rinse away remaining stabilizer and allow it to dry.

HANDY HINTS:

For Stiffer Lace:
• DO NOT RINSE away all of the stabilizer for a "stiffer" lace. However, do note that the thread may appear a shade darker if stabilizer is not removed completely.
• If you happen to wash too much out, easily re-stiffen by diluting some stabilizer scraps in water and dipping the item in the solution.

For Very Soft Lace:
• Cut away excess stabilizer. Remove remaining stabilizer by rinsing under warm running water until all traces of the stabilizer are gone.
• Note: If lace should become too limp to work with, dissolve stabilizer scraps in warm water and apply to the lace.

Drying Lace:
• Lay lace piece with right side down to dry. This will minimize the tendancy for the lace to curl.

Appliqué Instructions

**There are two different methods to appliqué. We have included both below.
Both methods are equally effective. The choice of method is a personal one.**

1. Print out the necessary pages from the PDF of the appliqué pattern(s).
2. Mark the right side of the pattern pieces so you'll know which direction to lay the pattern on the fabric.
3. Lightly spray the wrong side of the pattern pieces with temporary adhesive spray and allow it to set for a few minutes.
4. Place the pattern pieces on the right side of the fabric and carefully cut them out. **PHOTO 01**
5. Sew the guide stitch on your hooped fabric. **PHOTO 02**
6. With the paper still stuck to the right side of the appliqué fabric, spray the wrong side of the fabric with temporary spray adhesive.
7. Place the fabric inside the sewn guide stitch so that it matches the stitching line then remove the paper pattern. **PHOTO 03**
8. Sew the tackdown. **PHOTO 04**
9. Sew the remainder of the design and repeat for any remaining pieces. **PHOTO 05**

NOTE: The patterns are sized for the designs as they were made. If you resize the design, you will need to resize the pattern the same amount. You can print out the pattern at the normal size and then copy it on a copy machine at the changed size, i.e. resize the design to 80%, resize the printed pattern to 80%.

TIP: When printing the patterns, make sure that the "Fit to page" option is UNCHECKED in the Print Dialog Box. If this option is checked the printed patterns will not be actual size.

CUT IN PLACE METHOD

1. Hoop your fabric and backing.
2. Sew the pattern/placement. **PHOTO 06**
3. Place a piece of appliqué fabric over the pattern/placement so that it is completely covered.
4. Sew the trim stitch/tackdown.
5. Carefully cut away the excess appliqué fabric. **PHOTO 07**
6. Sew the remainder of the design and repeat for any remaining pieces. **PHOTO 08**