

Firefield



2022 **PRODUCT CATALOG**

2022

New Products	3
RapidStrike Riflescopes	4 – 5
Barrage Riflescopes	6 – 7
Tactical Riflescopes	8 – 9
Impulse Red Dot Sights	10 – 11
Impact Reflex Sights	12 – 13
Spotting Scopes / Magnifiers	14 – 15
Binoculars	16 – 17
Charge Light / Laser Sights	18 – 19
BattleTek Light / Laser Sights	20 – 21
Rival XL Kits / Laser Sights	22 – 23
Verge Rails	24 – 25
Edge Rails	26 – 27
Mounts & Slings	28 – 29
Laser Boresights	30 – 31
Bipods	32 – 33
Accessories	34 – 35

AR 30MM FIXED MOUNT

Model Number	FF34011
Ring Diameter	30mm
Material	Aluminum 6061-T6
Length (in/mm)	5.1 / 130.3
Width (in/mm)	2 / 51.7
Height (in/mm)	2.5 / 63.9
Weight (oz/g)	4.9 / 139



DIVERGE 3X MAGNIFIER

Model Number	FF19023
Magnification (x)	3
Objective lens diameter (mm)	24
Eyepiece diameter (mm)	23
Exit pupil diameter (mm)	8
Eye relief (in/mm)	1.9 / 48
Field of view (m @100m)	10
Field of view (ft. @100yd)	33
Dimensions (in/mm)	4.3 x 1.2 x 2.6 / 109 x 31 x 65
Weight (oz/g)	6.7 / 190



RIVAL XL RED LASER AND FLASHLIGHT

Model Number	FF35010K
Laser Wavelength	630 – 650 nm
Laser Type	Red, Class IIIA
Effective Range (Day/Night) (yd/m)	20-300 / 18-274
Wind. / Elev. Adjustment	Continuous
LED Output	180 Lumens
Battery Life (Laser/Light/Both)	6 / 7 / 4 hours
Dimensions (in/mm)	8x1.5x3.8 / 202x38x96
Weight (oz/g)	5.6 / 159



6.5 CREEDMOOR BORESIGHT

Model Number	FF39019
Battery Life	1 hour
Construction	Brass



RIVAL XL GREEN LASER AND FLASHLIGHT

Model Number	FF35011K
Laser Wavelength	532 nm
Laser Type	Green, Class IIIA
Effective Range (Day/Night) (yd/m)	50 - 600 / 46 - 549
Wind. / Elev. Adjustment	Continuous
LED Output	180 Lumens
Battery Life (Laser/Light/Both)	6 / 7 / 4 hours
Dimensions (in/mm)	8x1.5x3.8 / 202x 8x96
Weight (oz/g)	5.6 / 159



9MM BORESIGHT

Model Number	FF39018
Battery Life	1 hour
Construction	Brass



RAPIDSTRIKE RIFLESCOPES

With the RapidStrike 1-6x24mm AR-15 rifle scope kit, you get speed, accuracy and distance—a combination you just can't get out of a red dot sight. The 1-6x magnification provides fast and accurate point-and-shoot capabilities without target or reticle distortion making it perfect magnification for medium-range usage. Included is a cantilever mount to provide the correct cheekweld for AR-15s, throw lever for rapid magnification changes, a honeycomb filter to reduce glare and pop-up resettable locking turrets that return to zero.




RAPIDSTRIKE 1-6X24 KIT

Model Number	FF13070K
Magnification	1 - 6x
Objective Lens (mm)	24
Eye Relief (in/mm)	4 / 101.2
Field of View @ 100 (yds/m)	102 - 18.2 / 34 - 6.1
MOA Adjustment	1/2
Range of Adjustment	100 MOA
Tube Diameter (mm)	30 mm
Battery Life	100
Dimensions (in/mm)	9.8 x 1.9 / 248.9 x 48.2
Weight (oz/g)	14.5 / 411



ILLUMINATED RED/GREEN CIRCLE DOT RETICLE



REMOVABLE HONEYCOMB FILTER



ADJUSTABLE THROW LEVER



RETICLE COLOR SELECTOR



OTHER RAPIDSTRIKE MODELS

RIFLESCOPES

Housed in a durable aluminum body, the RapidStrike 1-4x24 Kit is IP67 waterproof and dustproof, fog-proof, able to withstand up to .338 caliber recoil and capable of operating in temperatures ranging from -13F to 131F. Utilizing CR2032 batteries, the RapidStrike will function up to 100 hours and weighs a mere 13.8 ounces. In addition to the Impact Mini reflex sight value, the RapidStrike 1-4 Kit includes a cantilever mount, pop-up locking turrets and a dual optic setup for close-to-medium range engagements.

RAPIDSTRIKE 1-4X24 KIT

Model Number	FF13071K
Magnification	1 - 4x
Objective Lens (mm)	24
Eye Relief (in/mm)	3.98 / 101.2
Field of View @ 100 (yds/m)	107.3 - 24.24 / 32.7 - 7.38
MOA Adjustment	1/2
Range of Adjustment	50 MOA
Tube Diameter (mm)	30 mm
Battery Life	100
Dimensions (in/mm)	8.86 x 1.9 / 225 x 48
Weight (oz/g)	13.86 / 393



ILLUMINATED RED/GREEN CIRCLE DOT RETICLE



IMPACT RED DOT SIGHT



EASILY ADJUSTED TURRETS



TACTICAL ONE-PIECE MOUNT



BARRAGE RIFLESCOPES

OTHER BARRAGE MODELS

RIFLESCOPES

From close- to mid-range engagements the Firefield Barrage 2.5-10x40 Riflescope is the ideal ready-for-anything optic. Built for rugged reliability the Barrage Riflescopes boast a 2 piece mount, IPX4 waterproof performance, 6061-T6 aircraft-grade aluminum construction, a red/green illuminated Mil-Dot reticle and 100-hr. battery life.



BARRAGE 2.5-10X40 W/ GREEN LASER

Model Number	FF13066
Magnification	2.5 – 10x
Objective Lens (mm)	40
Eye Relief (in/mm)	2.36 - 2.17 / 60-55
Field of View @ 100 (yds/m)	34.8 – 11.5 / 11.6 - 3.8
MOA Adjustment	1/4
Range of Adjustment	110 MOA
Laser Type	Green, Class IIIA
Battery Life (Optic / Laser)	100 / 16 hours
Dimensions (in/mm)	8.07 x 3.35 / 205 x 85
Weight (oz/g)	21.4 / 606



ILLUMINATED RED/GREEN MIL-DOT RETICLE



GREEN, CLASS IIIA LASER



RETICLE BRIGHTNESS SELECTOR



INTEGRATED SUN SHADE



BARRAGE 1.5-5X32

Model Number	FF13061
Magnification	1.5 – 5x
Objective Lens (mm)	32
Eye Relief (in/mm)	5.1 – 1.97 / 130-50
Field of View @ 100 (yds/m)	42.0 – 14.7 / 14 - 4.9
MOA Adjustment	1/2
Range of Adjustment	130 MOA
Battery Life (hrs)	100 hours
Dimensions (in/mm)	8.26 x 3.14 / 210 x 80
Weight (oz/g)	17.2 / 487



BARRAGE 2.5-10X40

Model Number	FF13064
Magnification	2.5 – 10x
Objective Lens (mm)	40
Eye Relief (in/mm)	2.36 – 2.17 / 60-55
Field of View @ 100 (yds/m)	34.8 – 11.5 / 11.6 - 3.8
MOA Adjustment	1/4
Range of Adjustment	110 MOA
Battery Life (hrs)	100 hours
Dimensions (in/mm)	8.07 x 3.35 / 205 x 85
Weight (oz/g)	17.7 / 501



BARRAGE 1.5-5X32 W/ RED LASER

Model Number	FF13062
Magnification	1.5 – 5x
Objective Lens (mm)	32
Eye Relief (in/mm)	5.1 – 1.97 / 130-50
Field of View @ 100 (yds/m)	42.0 – 14.7 / 14 - 4.9
MOA Adjustment	1/2
Range of Adjustment	130 MOA
Laser Type	Red, Class IIIA
Battery Life (Optic / Laser)	100 / 16 hours
Dimensions (in/mm)	8.26 x 3.14 / 210 x 80
Weight (oz/g)	18.3 / 518



BARRAGE 2.5-10X40 W/ RED LASER

Model Number	FF13065
Magnification	2.5 – 10x
Objective Lens (mm)	40
Eye Relief (in/mm)	2.36 – 2.17 / 60-55
Field of View @ 100 (yds/m)	34.8 – 11.5 / 11.6 - 3.8
MOA Adjustment	1/4
Range of Adjustment	110 MOA
Laser Type	Red, Class IIIA
Battery Life (Optic / Laser)	100 / 16 hours
Dimensions (in/mm)	8.07 x 3.35 / 205 x 85
Weight (oz/g)	18.8 / 532



BARRAGE 1.5-5X32 W/ GREEN LASER

Model Number	FF13063
Magnification	1.5 – 5x
Objective Lens (mm)	32
Eye Relief (in/mm)	5.1 – 1.97 / 130-50
Field of View @ 100 (yds/m)	42.0 – 14.7 / 14 - 4.9
MOA Adjustment	1/2
Range of Adjustment	130 MOA
Laser Type	Green, Class IIIA
Battery Life (Optic / Laser)	100 / 16 hours
Dimensions (in/mm)	8.26 x 3.14 / 210 x 80
Weight (oz/g)	20.6 / 584



ILLUMINATED RED/GREEN MIL-DOT RETICLE



TACTICAL RIFLESCOPES

OTHER TACTICAL MODELS

RIFLESCOPES

Mountable on either a weaver or picatinny rail, the Firefield® 10-40x50 Tactical AO Rifle scope is equipped with a second-focal plane red or green Mil-Dot reticle for a variety of tactical applications. Featuring advanced precision multi-coated optics and a 50mm objective lens, the 10-40x50 Tactical Rifle scope offers exceptional clarity for long-distance target sighting and competition shooting.




TACTICAL 10-40X50AO IR

Model Number	FF13046
Magnification	10 - 40x
Objective Lens (mm)	50
Eye Relief (in/mm)	3.5 / 88.9
Field of View @ 100 (yds/m)	25.2 - 6.3 / 8.37 - 2.09
MOA Adjustment	1/8
Range of Adjustment	30 MOA
Tube Diameter (in/mm)	1 / 25.4
Battery Life	80 - 150
Dimensions (in/mm)	16.3 x 3.2 / 414 x 81.2
Weight (oz/g)	31 / 878



ILLUMINATED RED/GREEN MIL-DOT RETICLE



PARALLAX ADJUSTING RING



RETICLE COLOR SELECTOR



SCOPE RINGS INCLUDED



TACTICAL 3-12X40AO IR

Model Number	FF13043
Magnification	3 - 12x
Objective Lens (mm)	40
Eye Relief (in/mm)	3.4 - 3 / 86.36 - 76.2
Field of View @ 100 (yds/m)	39.3 - 13.1 / 11.9 - 3.9
MOA Adjustment	1/4
Range of Adjustment	45 MOA
Tube Diameter (in/mm)	1 / 25.4
Battery Life	80 - 150
Dimensions (in/mm)	13.2 x 2.2 / 335 x 56
Weight (oz/g)	18 / 510



Engineered for precision accuracy, these units feature an adjustable objective lens to correct parallax and a 1/8-inch click MOA adjustment to ensure accurate shot zeroing and bullet placement.

Their easy-grip, accessible windage and elevation turrets allow the shooter to quickly fine-tune the reticle for bullet drop, ensuring even greater accuracy.

Weatherproof, shockproof and fog proof, the Tactical Rifle scopes are operable in temperatures between -4F and 140F, making them a versatile tool for any environment. Weighing less than two pounds, these rifle scopes are extremely lightweight, yet capable of withstanding up to 1,200 g's of recoil. Battery life for the adjustable illumination is between 80-150 hours.

TACTICAL 4-16X42AO IR

Model Number	FF13044
Magnification	4 - 16x
Objective Lens (mm)	42
Eye Relief (in/mm)	4.3 - 3.4 / 109.2 - 86.4
Field of View @ 100 (yds/m)	26.98 - 6.98 / 7.9 - 2.1
MOA Adjustment	1/4
Range of Adjustment	40 MOA
Tube Diameter (in/mm)	1 / 25.4
Battery Life	80 - 150
Dimensions (in/mm)	13.4 x 2.2 / 340 x 56
Weight (oz/g)	26 / 737




TACTICAL 8-32X50AO IR

Model Number	FF13045
Magnification	8 - 32x
Objective Lens (mm)	50
Eye Relief (in/mm)	3.94 / 100
Field of View @ 100 (yds/m)	13.1 - 3.49 / 4.4 - 1.2
MOA Adjustment	1/8
Range of Adjustment	30 MOA
Tube Diameter (in/mm)	1 / 25.4
Battery Life	80 - 150
Dimensions (in/mm)	15.8 x 2.5 / 400 x 63
Weight (oz/g)	28 / 793



ILLUMINATED RED/GREEN MIL-DOT RETICLE



IMPULSE RED DOT SIGHTS

OTHER IMPULSE MODELS

RED DOT SIGHTS

With an integrated red laser for lightning fast target acquisition, the Firefield Impulse 1x28 Red Dot Sight with Red Laser is ideal for target shooting and hunting on rifles and shotguns, this compact parallax corrected sight features a cantilever mount design, allowing it to be forward mounted for use with a magnifier. Thanks to a strong aluminum construction, the Impulse handles up to .50 caliber recoil and is shockproof, fog proof and IPX5 weatherproof.



IMPULSE 1X22 COMPACT

Model Number	FF26028
Objective Lens	22 mm
Parallax Settings (yd/m)	20 / 18
MOA Adjustment	1
Range of Adjustment	120 MOA
Controls	Analog dial
Battery Type	CR2032
Battery Life (High/Low)	15 / 240 hours
Dimensions (in/mm)	3.5 x 2.3 x 2.8 / 89.9 x 57.9 x 70.8
Weight (oz/g)	7.5 / 212



RED/GREEN
CIRCLE DOT



IMPULSE 1X28

Model Number	FF26026
Objective Lens	28 mm
Parallax Settings (yd/m)	20 / 18
MOA Adjustment	1/2
Range of Adjustment	120 MOA
Controls	Analog dial
Battery Type	1x AAA
Battery Life (High/Low)	48.6 / 1000 hours
Dimensions (in/mm)	5.6 x 2.4 x 2.9 / 141.9 x 59.9 x 72.8
Weight (oz/g)	9.6 / 272



Helping shooters achieve lightning fast target acquisition, the Impulse Red Dot Sight is ideal for target shooting and hunting on rifles and shotguns. Red or green reticle illumination lets shooters choose their preferred circle dot reticle color for different conditions.

Featuring an aluminum construction and matte black finish, the Impulse offers shockproof, fog proof and IPX5 weatherproof protection. This Texas designed optic is perfect for your next SBR or lightweight MSR build.

15 to 240 hours of battery life (depending on setting) is achieved from one CR2032 battery. The Impulse can handle recoil up to .50 caliber and comes with flip up lens caps and battery.

IMPULSE 1X28 W/ RED LASER

Model Number	FF26027
Objective Lens	22 mm
Parallax Settings (yd/m)	20 / 18
MOA Adjustment	1/2
Range of Adjustment	120 MOA
Controls	Analog dial
Battery Type	1x AAA
Battery Life (High/Low)	48.6 / 1000 hours
Dimensions (in/mm)	5.6 x 2.4 x 2.9 / 141.9 x 59.9 x 72.8
Weight (oz/g)	10.9 / 309



IMPULSE 1X22 W/ RED LASER

Model Number	FF26029
Objective Lens	22 mm
Parallax Settings (yd/m)	20 / 18
MOA Adjustment	1
Range of Adjustment	120 MOA
Controls	Digital Switch
Battery Type	1x AAA
Battery Life (High/Low)	29 / 170 hours
Dimensions (in/mm)	3.5 x 2.3 x 2.8 / 89.9 x 57.9 x 70.8
Weight (oz/g)	8.6 / 243



RED/GREEN
CIRCLE DOT




BUILT-IN RED LASER



RETICLE BRIGHTNESS SELECTOR



FLIP-UP LENS CAPS



IMPACT RED DOT SIGHTS

OTHER IMPACT MODELS

RED DOT SIGHTS

The Firefield Impact XLT Reflex Sight offers quick target acquisition and improved accuracy via an advanced lens system, unlimited eye relief, parallax correction, digital switch illumination and four reticle options with five brightness settings. Housed in a rugged cast-aluminum body and powered by a single CR2032 battery for up to 250 hours, the IP55 weather-resistant, shockproof and .308-cal recoil rated Impact XLT Reflex Sight is ready for rugged work on long missions. A quick-detach mount fits weaver and picatinny rails perfectly.



IMPACT XLT

Model Number	FF26025
Reticle	4 Pattern
Reticle Color	Red
Objective Lens	33 x 24 mm
Parallax Correction	25 / 22.86
MOA Adjustment	1
Range of Adjustment	120 MOA
Battery Life (High/Low)	40 / 250 hours
Dimensions (in/mm)	3.6 x 2.5 x 2.1 / 91.4 x 63.5 x 53.3
Weight (oz/g)	7.8 / 221



RED MULTI DOT



TEXTURIZED ACTIVATION BUTTON



QUICK-DETACH MOUNT



EASY TO ACCESS BATTERY COVER



IMPACT MINI

Model Number	FF26021
Reticle	5 MOA Dot
Reticle Color	Red
Objective Lens	16 x 21 mm
Parallax Correction (yd/m)	50 / 45.72
MOA Adjustment	Continuous
Range of Adjustment	120 MOA
Battery Life (High/Low)	40 / 200 hours
Dimensions (in/mm)	1.9 x 1.2 x 1 / 48.2 x 29.21 x 25.4
Weight (oz/g)	1 / 28



IMPACT MINI KIT W/ 45° MOUNT

Model Number	FF26021K
Reticle	5 MOA Dot
Reticle Color	Red
Objective Lens	16 x 21 mm
Parallax Correction (yd/m)	50 / 45.72
MOA Adjustment	Continuous
Range of Adjustment	120 MOA
Battery Life (High/Low)	40 / 200 hours
Dimensions (in/mm)	1.9 x 1.2 x 1 / 48.2 x 29.21 x 25.4
Weight (oz/g)	1 / 28



IMPACT

Model Number	FF26022
Reticle	4 Pattern
Reticle Color	Red
Objective Lens	33 x 23 mm
Parallax Correction (yd/m)	25 / 22.86
MOA Adjustment	1
Range of Adjustment	150 MOA
Battery Life (High/Low)	20 / 200 hours
Dimensions (in/mm)	3 x 1.4 x 2.1 / 76.9 x 34.79 x 52.8
Weight (oz/g)	4.7 / 133



IMPACT DUO

Model Number	FF26023
Reticle	4 Pattern
Reticle Color	Red
Objective Lens	32 x 22 mm
Parallax Correction (yd/m)	25 / 22.86
MOA Adjustment	1
Range of Adjustment	150 MOA
Laser Type	Red, Class IIIA
Battery Life (High/Low)	75 / 9000 hours
Battery Life w/ Laser (High/Low)	25 / 40 hours
Dimensions (in/mm)	3.5 x 2 x 2 / 87.8 x 51.8 x 50.8
Weight (oz/g)	5.6 / 158




IMPACT XL

Model Number	FF26024
Reticle	4 Pattern
Reticle Color	Red
Objective Lens	33 x 24 mm
Parallax Correction (yd/m)	25 / 22.86
MOA Adjustment	1
Range of Adjustment	120 MOA
Battery Life (High/Low)	25 / 120 hours
Dimensions (in/mm)	3.6 x 2 x 2 / 91.4 x 50.8 x 51.8
Weight (oz/g)	5.6 / 158



RED MULTI DOT




SPOTTING SCOPES

Zero in on any size object with the Firefield® 12-36x50SE Spotting Scope Kit. Delivering high quality images and versatile magnification, this scope features a wide magnification range ideal for tactical target shooting and long-distance game tracking. A comfortable rubber eyepiece, with the help of a quick focus knob, helps dial in easily at both short and long distances.



12-36X50SE KIT

Model Number	FF11016K
Magnification	12 – 36x
Objective Lens	50 mm
Eye Relief (in/mm)	.74 / 18.79
Close Focus (ft/m)	12 / 3.66
Field of View	149 – 73 ft @ 1000 yds
Diopter Adjustment	-4 ~ +8
Dimensions (in/mm)	11.2 x 3.9 x 3 / 284.5 x 99.06 x 76.2
Weight (oz/g)	19.4 / 266



ALUMINUM TABLE TOP TRIPOD



LOCKING HARD CASE



PARALLAX ADJUSTMENT KNOB

OTHER SPOTTING SCOPE MODELS

SPOTTING SCOPES

20X50 KIT

Model Number	FF11011K
Magnification	20x
Objective Lens	50 mm
Eye Relief (in/mm)	.42 / 10.66
Close Focus (ft/m)	20 / 18
Field of View	168 ft @ 1000 yds
Diopter Adjustment	-4 ~ +8
Dimensions (in/mm)	7.2 x 3.5 x 3 / 182.8 x 88.9 x 76.2
Weight (oz/g)	14.8 / 420



Whether you are observing game or spotting for a shooter during target practice, our Firefield spotting scopes are sure to improve your performance in the field.

Our Diverge 3X Magnifier boasts an incredibly useful flip-to-side picatinny mount so you can shoot comfortably at base magnification or increase your zoom for longer shots.

20X60SE KIT

Model Number	FF11018K
Magnification	20 – 60x
Objective Lens	60 mm
Eye Relief (in/mm)	.66 / 16.7
Close Focus (ft/m)	15 / 4.6
Field of View	110 – 57 ft @ 1000 yds
Diopter Adjustment	-4 ~ +8
Dimensions (in/mm)	13.8 x 5.7 x 3 / 350.5 x 144.8 x 76.2
Weight (oz/g)	22.5 / 638



DIVERGE 3X MAGNIFIER

Model Number	FF19023
Magnification (x)	3
Objective lens diameter (mm)	24
Eyepiece diameter (in/mm)	23
Exit pupil diameter (mm)	8
Eye relief (in/mm)	1.9 / 48
Field of view (m @100m)	10
Field of view (ft. @100yd)	33
Dimensions (in/mm)	4.3 x 1.2 x 2.6 / 109 x 31 x 65
Weight (oz/g)	6.7 / 190



BINOCULARS

Featuring a high 10x magnification and a Bak-4 prism system—the highest quality prism system on the market—the Firefield® 10x42 Binocular delivers brilliant light, pure visuals and vivid landscapes. Nitrogen-filled and water resistant, this binocular is built for reliability, ensuring users get maximum results on every outing. The exterior is coated with a rubberized armor for a solid grip and protection against minor impact.



10X42 BINOCULARS

Model Number	FF12020
Magnification	10x
Objective Lens	42 mm
Eye Relief (in/mm)	.6 / 14
Field of View (ft@1000yds)	305
Field of View (mm@1000yds)	102
Interpupillary Distance	54 – 72 mm
Dimensions (in/mm)	6 x 6 x 2 / 152 x 152 x 50
Weight (oz/g)	20.5 / 581



FOCUS ADJUSTMENT KNOB



ADJUSTABLE EYE RELIEF



TEXTURED GRIP



OTHER BINOCULAR MODELS

BINOCULARS

LM 10X42 BINOCULARS

Model Number	FF12002
Magnification	10x
Objective Lens	42 mm
Eye Relief (in/mm)	.39 / 10
Field of View (ft@1000yds)	273
Field of View (mm@1000yds)	91
Interpupillary Distance	48 – 75 mm
Dimensions (in/mm)	5.6 x 3.7 x 2.2 / 142 x 96 x 56
Weight (oz/g)	15 / 425



10X50 PORRO BINOCULARS

Model Number	FF12012
Magnification	10x
Objective Lens	50 mm
Eye Relief (in/mm)	.5 / 12.7
Field of View (ft@1000yds)	367
Field of View (mm@1000yds)	122.15
Interpupillary Distance	54 – 74 mm
Dimensions (in/mm)	7.3 x 6.5 x 3 / 185 x 165 x 76
Weight (oz/g)	29.6 / 839



Firefield Binoculars are renowned for their affordability and high-quality performance. They generally present with fully multi-coated optics, resulting in bright, sharp, well-contrasted images.

Ergonomically sound, Firefield Binoculars are compact and lightweight, ideal for carrying or stowing during long hunts, hikes and adventures. All Firefield Binoculars come with a neck strap, carrying case, lens covers and cloths.



CHARGE LASER LIGHTS

The Firefield Charge AR Green Laser Sight and Flashlight is the ultimate laser/flashlight combo for your favorite rifle. The laser has a visible daytime range of 50 yards, and the visibility stretches out to 600 yards at night. Accompanied by a 180 lumen LED flashlight, this sight is ideal for target acquisition in total darkness. Powered by a single CR2 battery, the Charge AR Green Laser Sight and Flashlight is easy to operate and features both a push button and pressure pad.



CHARGE AR GREEN LASER

Model Number	FF25009
Laser Wavelength	532 nm
Laser Type	Green, Class IIIA
Effective Range (Day/Night - yds/m)	50 - 600 / 46 - 549
Wind. / Elev. Adjustment	468 MOA / 410 MOA
LED Output	180 Lumens
Battery Life (Laser/Light/Both)	3.5 / 3.5 / 1.5 hours
Dimensions (in/mm)	2.2 x 2.3 x 1.1 / 55.8 x 57.1 x 27.9
Weight (oz/g)	3.4 / 96



RUBBER CLICK-BUTTON LASER SELECTOR



RUBBER CLICK-BUTTON FLASHLIGHT SELECTOR



PRESSURE SWITCH INLET (PRESSURE PAD INCLUDED)



OTHER CHARGE LASER LIGHTS

LASERS / LIGHTS

CHARGE AR RED LASER

Model Number	FF25006
Laser Wavelength	630 - 650 nm
Laser Type	Red, Class IIIA
Effective Range (Day/Night - yds/m)	20 - 300 / 18 - 275
Wind. / Elev. Adjustment	468 MOA / 410 MOA
Battery Life	40 hours
Dimensions (in/mm)	2.2 x 1.7 x 1.1 / 56 x 42 x 28
Weight (oz/g)	2.4 / 68



CHARGE AR RED LASER AND FLASHLIGHT

Model Number	FF25008
Laser Wavelength	630 - 650 nm
Laser Type	Red, Class IIIA
Effective Range (Day/Night - yds/m)	20 - 300 / 18 - 275
Wind. / Elev. Adjustment	468 MOA / 410 MOA
LED Output	180 Lumens
Battery Life (Laser/Light/Both)	3.5 / 3.5 / 1.5 hours
Dimensions (in/mm)	2.2 x 2.3 x 1.1 / 56 x 57 x 28
Weight (oz/g)	3.4 / 96



CHARGE AR GREEN LASER

Model Number	FF25007
Laser Wavelength	532 nm
Laser Type	Green, Class IIIA
Effective Range (Day/Night - yds/m)	50 - 600 / 46 - 549
Wind. / Elev. Adjustment	468 MOA / 410 MOA
Battery Life	3.5 hours
Dimensions (in/mm)	2.2 x 1.7 x 1.1 / 56 x 42 x 28
Weight (oz/g)	2.4 / 68



Firefield Charge Lasers come with either a green laser, red laser, affixed flashlight or a combination of these features. They come in tactical black—with a low-profile design—to perfectly match your favorite rifle or pistol, and with added windage and elevation adjustments, this is a product you simply can't afford to ignore.

Firefield Charge Lasers are powered by a single CR2 battery, lasting for hours to give users less time worrying and more time in the action.

CHARGE AR FLASHLIGHT

Model Number	FF73012
LED Output	180 Lumens
Battery Life	3.5 hours
Dimensions (in/mm)	2.2 x 1.7 x 1.1 / 55.8 x 41.9 x 27.9
Weight (oz/g)	2.2 / 62.37



The Firefield BattleTek Flashlight with green laser (FF25018) is ideal for quick target acquisition and combat simulations while in low-light situations. BattleTek sights are compact and crafted out of a lightweight, durable glass filled nylon material and are IP55 rated water resistant, shockproof and able to stand up to a max caliber of .308. Other features include a 150-lumen LED light with a strobe setting and a 5mw green laser, with a range of up to 50 yards of visibility during the day or 600 yards at night.



BATTLETEK WEAPON LIGHT WITH GREEN & IR LASER

Model Number	FF25018
Bulb Type	White LED
Output Max	150 Lumens
Flashlight Battery Life	1.4 hours
Laser Wavelength	520 – 532 nm
Laser Type	Green, Class IIIA
Visibility (Day/Night) (yd/m)	50 - 600 / 46 - 549
Laser Battery Life	2.5 hours (50 min laser & light)
Dimensions (in/mm)	2.6 x 1.3 x 1.5 / 66 x 33 x 27.9
Weight (oz/g)	2.3 / 65



INDEX FINGER SELECTOR SWITCH



BATTERY COVER



COMPACT DESIGN



BATTLETEK RED LASER SIGHT

Model Number	FF25016
Laser Wavelength	650 nm
Laser Type	Red, Class IIIA
Visibility (Day/Night) (yd/m)	20 - 300 / 18.2 - 274.32
Battery Life	19 hours
Dimensions (in/mm)	2.4 x 1.3 x 1.1 / 61 x 33 x 28
Weight (oz/g)	1.9 / 53



BATTLETEK GREEN LASER SIGHT

Model Number	FF25017
Laser Wavelength	520 – 532 nm
Laser Type	Green, Class IIIA
Visibility (Day/Night) (yd/m)	50 - 600 / 45.72 - 548.64
Battery Life	2.5 hours
Dimensions (in/mm)	2.4 x 1.3 x 1.1 / 601 x 33 x 28
Weight (oz/g)	1.9 / 53



BATTLETEK SUBCOMPACT RED LASER SIGHT

Model Number	FF25019
Laser Wavelength	650 nm
Laser Type	Red, Class IIIA
Visibility (Day/Night) (yd/m)	30 - 300 / 27.4 - 274.32
Battery Life	2 - 6 hours
Dimensions (in/mm)	1.9 x 1.1 x 1.1 / 47 x 27 x 27
Weight (oz/g)	.92 / 26



BATTLETEK SUBCOMPACT GREEN LASER SIGHT

Model Number	FF25020
Laser Wavelength	520 - 532 nm
Laser Type	Green, Class IIIA
Visibility (Day/Night) (yd/m)	50 - 600 / 45.72 - 548.64
Battery Life	40 mins - 2 hours
Dimensions (in/mm)	1.9 x 1.1 x 1.1 / 47 x 27 x 27
Weight (oz/g)	.92 / 26



BATTLETEK WEAPON LIGHT W/ GREEN & IR LASER

Model Number	FF25014
Bulb Type	White LED
Output Max	150 Lumens
Flashlight Battery Life	2 hours
Laser Wavelength	515 nm
Visible Laser Type	Green, Class IIIA
Visibility (Day/Night) (yd/m)	50 - 600 / 46 - 549
Laser Battery Life	4.5 hours (1.5 laser & light)
IR Laser Wavelength	808 - 860 nm
Visible Laser Type	IR, Class I
IR Laser Battery Life	.5 hours
Dimensions (in/mm)	3 x 1.5 x 1.6 / 83.82 x 38.1 x 40.64
Weight (oz/g)	3.8 / 108



BATTLETEK WEAPON LIGHT FLASH LIGHT

Model Number	FF25015
Bulb Type	White LED
Output Max	150 Lumens
Battery Life	1.8 hours
Dimensions (in/mm)	2.6 x 1.3 x 1.1 / 66 x 33 x 27.9
Weight (oz/g)	1.9 / 54



RIVAL FOREGRIPS

Firefield's Foregrip-and-Flashlight combination is the perfect addition to any M-LOK styled AR rail. The foregrip is compact, lightweight and features durable composite and metal construction with a matte-black finish. The integrated 5mW green laser/flashlight emits powerful illumination with 600-yard nighttime visibility. The laser also delivers 50-yard daytime visibility. The Rival XL Foregrip Flashlight Green Laser Combination is a valuable accessory for short-range shooters and hunters alike in any lighting conditions.



RIVAL XL GREEN LASER / FLASHLIGHT FOREGRIP KIT

Model Number	FF35011K
Laser Wavelength	532 nm
Laser Type	Green, Class IIIA
Effective Range (Day/Night) (yd/m)	50 - 600 / 46 - 549
Wind. / Elev. Adjustment	Continuous
LED Output	180 Lumens
Battery Life (Laser/Light/Both)	6 / 7 / 4 hours
Dimensions (in/mm)	8 x 1.5 x 3.8 / 202 x 38 x 96
Weight (oz/g)	5.6 / 159



BATTERY CAP / LIGHT LENS



TWO INDEX FINGER SELECTORS



SEPARATED LASER ORIENTATION



OTHER RIVAL MODELS

FOREGRIPS

RIVAL XL RED LASER / FLASHLIGHT FOREGRIP KIT

Model Number	FF35010K
Laser Wavelength	630 - 650 nm
Laser Type	Red, Class IIIA
Effective Range (Day/Night) (yd/m)	20 - 300 / 18 - 274
Wind. / Elev. Adjustment	Continuous
LED Output	180 Lumens
Battery Life (Laser/Light/Both)	6 / 7 / 4 hours
Dimensions (in/mm)	8 x 1.5 x 3.8 / 202 x 38 x 96
Weight (oz/g)	5.6 / 159



RIVAL XL M-LOK FOREGRIP

Model Number	FF35006
Finish	Matte Black
Mount Type	M-LOK
Dimensions (in/mm)	6.8 x 2 x .5 / 173 x 51 x 13
Weight (oz/g)	2.4 / 68



RIVAL XL KEYMOD FOREGRIP

Model Number	FF35007
Finish	Matte Black
Mount Type	Keymod
Dimensions (in/mm)	6.8 x 2 x .5 / 173 x 51 x 13
Weight (oz/g)	2.4 / 68



RIVAL FOREGRIP

Model Number	FF35004
Finish	Matte Black
Mount Type	Picatinny
Dimensions (in/mm)	2.7 x 1.2 x 3.7 / 69 x 30 x 94
Weight (oz/g)	4.1 / 116



RIVAL KEYMOD FOREGRIP

Model Number	FF35005
Finish	Matte Black
Mount Type	Keymod
Dimensions (in/mm)	2.7 x 1.2 x 3.5 / 69 x 30 x 89
Weight (oz/g)	4.6 / 130



RIVAL M-LOK FOREGRIP

Model Number	FF35008
Finish	Matte Black
Mount Type	M-LOK
Dimensions (in/mm)	2.7 x 1.2 x 3.5 / 69 x 30 x 89
Weight (oz/g)	5 / 141.7



The Firefield Edge Carbine Length 2-Piece M-LOK Rail merges an aggressive handguard design with an accessory attachment system robust enough to handle every piece of equipment you need on your next mission. This multipurpose handguard and rail system boasts lightweight yet heavy-duty aircraft-grade 6061-T6 hard-anodized matte black aluminum and a precision-machined design. Its simple 2-piece construction allows the rail to be mounted to any drop-in style rail system using virtually no tools.



EDGE CARBINE TWO-PIECE RAIL

M-LOK Model Number	FF34057
Rail Type	Picatinny / Weaver
Dimensions (in/mm)	6.6 / 168.275
Keymod Weight (oz/g)	6 / 170
M-LOK Weight (oz/g)	5.9 / 167



M-LOK RAIL DESIGN



STRONG BARREL NUT CLAMP



SKELETONIZED LIGHTWEIGHT RAIL



EDGE KEYMOD 12IN RAIL

Model Number	FF34051
Rail Type	Picatinny / Weaver
Dimensions (in/mm)	12 / 304.8
Weight (oz/g)	12.7 / 360



Firefield Edge Rails are available in a variety of sizes, from 2 inches up to 12. Their skeletonized design and unique 'locking' mechanisms on the top slots are excellent for numerous firearm accessories including scopes, lasers, flashlights and more! The Edge Keymod system uniquely locks rifle attachments in place to prevent losing any of your prized accessories during rough handling.

Made from lightweight aluminum, the Firefield Edge Rails are lightweight, strong and will complete your rifle setup!

EDGE CARBINE TWO-PIECE RAIL

Keymod Model Number	FF34053
Rail Type	Picatinny / Weaver
Dimensions (in/mm)	6.6 / 168.275
Keymod Weight (oz/g)	6 / 170
M-LOK Weight (oz/g)	5.9 / 167



EDGE KEYMOD 4IN PIECE

Model Number	FF34050.001
Rail Type	Picatinny / Weaver
Dimensions (in/mm)	2.3 / 59.055
Weight (oz/g)	1 / 28



VERGE RAILS

OTHER VERGE RAILS

RAILS

Intended for the AR-15 platform, the Verge M-LOK 12" Rail from Firefield utilizes a skeletonized design and hard anodized aluminum construction to provide an incredibly lightweight and durable handguard. Verges employ a low-profile design, contributing to an overall slim rifle. All M-LOK accessories are compatible with this rail system. The rail includes a 7 slot M-LOK rail piece and hex key.



VERGE 12IN RAIL

Model Number	FF34066
Rail Type	M-LOK
Dimensions (in/mm)	12 / 304.8
Weight (oz/g)	7.6 / 215



6 BOLT BARREL NUT CONTACTS



PICATINNY RAIL



M-LOK SLOTS FOR ATTACHMENTS



VERGE 7IN RAIL

Model Number	FF34064
Rail Type	M-LOK
Dimensions (in/mm)	7 / 177.8
Weight (oz/g)	5.2 / 147



VERGE 9IN RAIL

Model Number	FF34065
Rail Type	M-LOK
Dimensions (in/mm)	9 / 228.6
Weight (oz/g)	5.7 / 162



VERGE 15IN RAIL

Model Number	FF34067
Rail Type	M-LOK
Dimensions (in/mm)	15 / 381
Weight (oz/g)	9.9 / 281



Firefield Verge Rails are made from hard anodized aluminum, making them both lightweight and extremely strong. Available in sizes from 7 inches up to 12, these 'locking' rails will help secure all your rifle accessories and attachments without any fuss or doubts about security.

Firefield Verge Rails come in a tactical, skeletonized design and are the perfect complement to your rifle setup.



BIPODS

Ideal for hunting and target shooting, the Stronghold 11-16" Bipod features a tensioning adjustment lever and an included picatinny mount adapter. Durable and lightweight, the Stronghold tilts and swivels for easy adjustments based on terrain and its rubber feet extend to multiple lengths for customizable height adjustment.



11-16IN STRONGHOLD

Model Number	FF34027
Width (Not Extended) (in/mm)	12.5 / 317.5
Height (Not Extended) (in/mm)	11 / 279.4
Width (Extended) (in/mm)	17.5 / 444.5
Height (Extended) (in/mm)	16.5 / 419.1
Dimensions (Collapsed) (in/mm)	13.5 x 4 x 2 / 342.9 x 101.6 x 50.8
Weight (oz/g)	18.1 / 460



EASY-USE TENSION LEVER



RUBBER FEET



SPRING LOADED OPERATION



OTHER BIPOD MODELS

BIPODS

6-9IN STRONGHOLD BIPOD

Model Number	FF34026
Width (Not Extended) (in/mm)	8 / 203.2
Height (Not Extended) (in/mm)	6.5 / 165.1
Width (Extended) (in/mm)	10.5 / 266.7
Height (Extended) (in/mm)	9 / 228.6
Dimensions (Collapsed) (in/mm)	8 x 4 x 2 / 203.2 x 101.6 x 50.8
Weight (oz/g)	15.6 / 442



6-9IN COMPACT BIPOD

Model Number	FF34023
Width (Not Extended) (in/mm)	7 / 177.8
Height (Not Extended) (in/mm)	7 / 177.8
Width (Extended) (in/mm)	10 / 254
Height (Extended) (in/mm)	10 / 254
Dimensions (Collapsed) (in/mm)	7.2 x 3.2 x 1.7 / 182.8 x 81.2 x 43.1
Weight (oz/g)	14.4 / 366



14-16IN STRONGHOLD BIPOD

Model Number	FF34028
Width (Not Extended) (in/mm)	16.5 / 419.1
Height (Not Extended) (in/mm)	15 / 381
Width (Extended) (in/mm)	24 / 609.6
Height (Extended) (in/mm)	22.5 / 571.5
Dimensions (Collapsed) (in/mm)	18 x 4 x 2 / 457.2 x 101.6 x 50.8
Weight (oz/g)	20.5 / 521



9-14IN BIPOD

Model Number	FF34024
Width (Not Extended) (in/mm)	10 / 254
Height (Not Extended) (in/mm)	10 / 254
Width (Extended) (in/mm)	15 / 381
Height (Extended) (in/mm)	15 / 381
Dimensions (Collapsed) (in/mm)	10 x 3.2 x 1.7 / 254 x 81.2 x 43.1
Weight (oz/g)	16.3 / 414



9-12IN SCARAB TWO-PIECE BIPOD

Keymod Model Number	FF34025KMD
M-LOK Model Number	FF34025MLK
Height (Not Extended) (in/mm)	9 / 228.6
Height (Extended) (in/mm)	12 / 304.8
Dimensions (Collapsed) (in/mm)	9 x 1.5 x 1.7 / 228.6 x 38.1 x 43.1
Weight (oz/g)	12.7 / 323



MOUNTS AND SLINGS

The Firefield Tactical Single Point Paracord Sling features a durable construction with 550 pound nylon paracord in a king cobra style braid. The sling width is 1.5 inches wide and is adjustable between 33-43 inches, built with both strength and comfort in mind for all day use. Unwound in a survival situation, this sling is designed with approximately 80 feet of usable paracord.



TACTICAL SINGLE POINT PARACORD SLING


Model Number	FF46000
Paracord Strength	550 lb
Paracord Length (ft/m)	80 / 24.384
Sling Length (in/mm)	28 - 31 / 711.2 - 787.4
Sling Width (in/mm)	1.5 / 38.1
Weight (oz/g)	10 / 283



HEAVY DUTY ALUMINUM CLIP



TOUGH AND DURABLE PARACORD



FIREFIELD BRANDED DOG TAG



OTHER MOUNTS AND SLINGS

MOUNTS AND SLINGS

TACTICAL TWO POINT SLING

Model Number	FF46001
Paracord Strength	550 lb
Paracord Length (ft/m)	80 / 24.384
Sling Length (in/mm)	37.5 - 45 / 952.5 - 1143
Sling Width (in/mm)	1.5 / 38.1
Weight (oz/g)	8.7 / 247



AR 30MM FIXED MOUNT

Model Number	FF34011
Ring Diameter	30mm
Material	Aluminum 6061-T6
Length (in/mm)	5.1 / 130.34
Width (in/mm)	2 / 51.66
Height (in/mm)	2.5 / 63.87
Weight (oz/g)	4.9 / 139



45° WEAVER PICATINNY MOUNT

Model Number	FF34009
Dimensions (in/mm)	2.2 x 1.6 x .9 / 55 x 40 x 22
Weight (oz/g)	1.8 / 51



Firefield tactical slings are available in either a two- or one-point paracord. They are woven in a tight, king cobra styled braid of thick nylon, and come with a clip for easy attachment to a rifle, and a quick-detachment buckle for simple removal.

Firefield's 45 Degree Weaver Picatinny Mount fits securely to your firearm to help ensure precision accuracy and consistency while shooting. Compact and lightweight, they are made from brass and are durable and easy to pack and travel with.

SHOTGUN SADDLE MOUNT (REM 870)

Model Number	FF34007
Rail Type	Picatinny / Weaver
Dimensions (in/mm)	6 x 1.6 x 2.6 / 152 x 41 x 66
Weight (oz/g)	4.2 / 119



LASER BORESIGHTS

OTHER CALIBERS OF LASER BORESIGHTS

LASER BORESIGHTS

Firefield's 6.5 Creedmoor In-Chamber Red Laser Brass Boresights are the product you need to get your firearm on-paper fast, with pinpoint accuracy and reliable durability. These boresights should be loaded like a typical round into your firearm's chamber, where it will then emit a red laser to show exactly where your barrel is aiming.



6.5 CREEDMOOR BORESIGHT

Model Number	FF39019
Battery Life	1 hour
Construction	Aluminum



BRASS BATTERY CAP



ENGRAVED CALIBER DESIGNATION



TWO AG5 BATTERIES INCLUDED



RED LASER UNIVERSAL BORESIGHT

Model Number	FF39000
Battery Life	3 hours
Construction	Aluminum



.30-06 BORESIGHT

Model Number	FF39011
Battery Life	1 hour
Construction	Brass



7.62X39 BORESIGHT

Model Number	FF39013
Battery Life	1 hour
Construction	Brass



.223 | 5.56 BORESIGHT

Model Number	FF39016
Battery Life	1 hour
Construction	Brass



.243 | .308 | 7.63X54 BORESIGHT

Model Number	FF39012
Battery Life	1 hour
Construction	Brass



.264 WIN | 7MM REM MAG BORESIGHT

Model Number	FF39017
Battery Life	1 hour
Construction	Brass



12 GAUGE BORESIGHT

Model Number	FF39015
Battery Life	1 hour
Construction	Brass



9MM BORESIGHT

Model Number	FF39018
Battery Life	1 hour
Construction	Brass



Designed to clean all .223 and .308 AR platform rifles, the Firefield AR Cleaning Kit has the tools you need to keep your firearm firing on all cylinders. Made to make your personal MSR look and feel like the day you bought it; the kit includes a bore brush, chamber brush and bore mop for both calibers, as well as 20 cleaning patches, brass rods, flexible cable, lubrication applicator bottle and both small and large brushes.



AR CLEANING KIT

Model Number	FF38000
Material	600D Nylon
Dimensions (in/mm)	5 x 4.2 x 2.8 / 127 x 106.6 x 71.1
Weight (oz/g)	9.4 / 266



DURABLE CLEANING CABLE



ZIP-UP CLEANING KIT CASE



VARIOUS SIZED BORE CLEANING BRUSHES



PERFORMANCE SHOOTING GLASSES

Model Number	FF79001
Material	Polycarbonate
Protection Rating	UV400
Dimensions (in/mm)	5.7 x 2 x 1.8 / 144.7 x 50.8 x 45.72
Weight (oz/g)	.9 / 25.5



Firefield accessories cover a wide range of consumer needs for any occasion. For safety, Firefield offers High-Performance Shooting Glasses and T1000 Flashlights, to ensure illumination and target acquisition. Firefield offers AR Multi-Tools for your in-the-field rifle adjustment needs, and textured rail foregrips to help you securely grip the rifle:

Firefield also offers a variety of shooting sticks, from monopods to bipods, to help you shoot from a stable, comfortable platform that will negate some of the firearm's recoil.

Lastly, the Firefield AR Cleaning Kit comes with several cleaning brushes and lubrication for your .223 and .308 AR-style rifles. Whether you're a law enforcement officer, military or a citizen handling firearms, Firefield is your one-stop shop for all your firearm accessory needs.

SHOOTING STICK

Model Number	FF35009
Material	Aluminum / Foam / Cork / Plastic
Grip Max Diameter (in/mm)	1.7 / 43.18
Rest Width (in/mm)	3.5 / 88.9
Weight (oz/g)	12 / 340



FORGED IN



VICTORY

UNITED STATES OF AMERICA
INFO@FIRE-FIELD.COM
817.225.0310

EUROPE, MIDDLE EAST, AFRICA
SALES@SELLMARKET.NET
+359 2 434 3287