


CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

LOT-392-QC (TINCTURE) // PRODUCED: MAR 12, 2024

CLIENT: CANNEUTICS, LLC // BATCH: PASS



MATRIX: TINCTURE ¹
DENSITY: 0.8932 g/ml ²
SAMPLE ID: NAL-240308-003
COLLECTED ON: MAR 08, 2024
RECEIVED ON: MAR 08, 2024
SAMPLE SIZE: 1.11 G ¹
SAMPLED BY: KEVIN P MCALOON
RECEIVED BY: IAN LEONARD
SERVING SIZE: 1 ML ¹
PACKAGE SIZE: 30 ML ¹

CANNABINOID OVERVIEW

CBG: 18.5 mg/srv
CBC: 0.833 mg/srv
TOTAL CANNABINOIDS: 19.3 mg/srv

¹ ENTERED BY CLIENT, ² ENTERED BY LAB

CULTIVATOR INFO

CULTIVATOR
KEVIN MCALOON
LICENSE
CGR26593
MEDICINAL - CAREGIVER

MANUFACTURER INFO

MANUFACTURER
KEVIN MCALOON
LICENSE
CGR26593
MEDICINAL - CAREGIVER

BATCH RESULT: PASS

POTENCY TESTED

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: MAR 11, 2024 // ANALYSIS: MAR 12, 2024

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC	0.0933 %	0.833 mg/ml		0.250/0.500	N/A
CBCA	ND	ND		0.250/0.500	N/A
CBD	ND	ND		0.250/0.500	N/A
CBDA	ND	ND		0.250/0.500	N/A
CBDV	ND	ND		0.250/0.500	N/A
CBDVA	ND	ND		0.250/0.500	N/A
CBG	2.07 %	18.5 mg/ml		0.250/0.500	N/A
CBGA	ND	ND		0.250/0.500	N/A
CBL	ND	ND		0.500/0.500	N/A
CBLA	ND	ND		0.250/0.500	N/A
CBN	ND	ND		0.250/0.500	N/A
CBNA	ND	ND		0.250/0.500	N/A
Δ ⁸ -THC	ND	ND		0.500/0.500	N/A
Δ ⁸ -THCA	ND	ND		0.500/0.500	N/A
Δ ⁹ -THC	ND	ND		0.250/0.500	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
Δ ¹⁰ -THC		ND	ND	0.250/0.500	N/A
EXO-THC		ND	ND	0.500/0.500	N/A
THCA		ND	ND	0.500/0.500	N/A
THCV		ND	ND	0.250/0.500	N/A
THCVA		ND	ND	0.250/0.500	N/A
TOTAL THC**		ND	ND		N/A
TOTAL CBD**		ND	ND		N/A
CBD/SRV		ND			N/A
Δ ⁹ -THC/SRV		ND			N/A
TOTAL THC/SRV**		ND			N/A
TOTAL CBD/SRV**		ND			N/A
CBD/PKG		ND			N/A
Δ ⁹ -THC/PKG		ND			N/A
TOTAL THC/PKG**		ND			N/A
TOTAL CBD/PKG**		ND			N/A

** TOTAL CBD = (CBDA X 0.877) + CBD

** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

1000 µg/g = 1 mg/g



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
MAR 12, 2024

NOTES

ZACHARY SMITH
MAR 12, 2024

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

