



1 CHOOSE YOUR
PRODUCT

2 CHOOSE YOUR
COLOUR

3 CHOOSE YOUR
FINISH



OSMO TINTING SYSTEM

- 3 ABOUT OSMO
- 4 TINTING SYSTEM OVERVIEW

INTERIOR WOOD FINISHES

5-6 POLYX®-OIL ORIGINAL

Add a subtle tint of colour. Recommended for many interior wooden surfaces; floors, furniture, worktops, and more.

7-8 POLYX®-OIL RAPID

A quicker drying version of the Original. Recommended for many interior wooden surfaces; floors, furniture, worktops, and more.

9-10 WOOD WAX FINISH

A wider variety of choice in both transparent and opaque colours. Recommended for all interior wooden surfaces; floors, furniture, worktops, walls, ceilings, and more.

EXTERIOR WOOD FINISHES

13-14 UV-PROTECTION OILS

Add a subtle tint of colour. Recommended for all vertically structured exterior wooden surfaces; cladding, fencing, garden buildings, pergolas, and more.

15-16 DECKING-OIL

Transparent colour choices to allow the wood grain to remain visible. Recommended for all exterior wooden decking, garden furniture, and more.

17-18 NATURAL OIL WOODSTAIN

A wide selection of natural and transparent colour choices. Recommended for all exterior wooden surfaces; cladding, fencing, garden buildings, and more.

21-22 COUNTRY SHADES

Endless opaque colour choices. Recommended for many exterior wooden surfaces; garden buildings, cladding, fencing, play equipment, and more.



ABOUT OSMO

Osmo is the specialist when it comes to an optimal interplay between wood and coating systems. The careful handling of natural resources combined with offering the best value for money, the best workability and high product coverage is what lies near and dear to our hearts.

Osmo coating systems utilise only a minimal amount of solvents, thanks to the High Solid formula. This results in reduced solvent emissions during application while delivering extended wood surface coverage as well as enhancing the longevity and the durability of the wood finish.

Deep research and development into colour has enabled Osmo to offer a vast range of new colour, creating a tailored experience for each individual. With high solid, high quality and high coverage – Osmo has the solution.



TINTING SYSTEM OVERVIEW

The Osmo Tinting System becomes possible with an automatic paint dispenser to efficiently produce high quality interior and exterior Osmo natural wood finishes from an endless variety of transparent and opaque colours.



[More Information](#)

1 CHOOSE YOUR PRODUCT



POLYX®-OIL ORIGINAL

Extremely hardwearing and durable for many interior wooden surfaces (with exception to ingredient-rich wood species)
e.g. flooring, furniture and joinery.

2 CHOOSE YOUR COLOUR

The standard colours are slightly tinted and transparent, allowing the wood's natural grain to remain visible after application.



3040
WHITE



3044
RAW



3067
LIGHT GREY



3071
HONEY



3072
AMBER



3073
TERRA



3074
GRAPHITE



3075
BLACK

ADDITIONAL COLOURS

Alternatively, choose a colour from the UV-Protection Oil standard colour range as seen below, such as 425 Oak and 428 Red Cedar.



424
SPRUCE



425
OAK



426
LARCH



427
DOUGLAS FIR



428
RED CEDAR



429
NATURAL



431
LIGHT RED
CEDAR




432
LIGHT OAK



More Information

3 CHOOSE YOUR FINISH

Available in the following gloss levels.



GLOSSY




SATIN



SEMI-MATT



MATT



POLYX®-OIL 3067 LIGHT GREY

1 CHOOSE YOUR PRODUCT



POLYX®-OIL RAPID

Extremely hardwearing and durable for many interior wooden surfaces (with exception to ingredient-rich wood species)
e.g. flooring, furniture and joinery.

2 CHOOSE YOUR COLOUR

The standard colours are slightly tinted and transparent, allowing the wood's natural grain to remain visible after application.



3040
WHITE



3044
RAW



3067
LIGHT GREY



3071
HONEY



3072
AMBER



3073
TERRA



3074
GRAPHITE



3075
BLACK

ADDITIONAL COLOURS

Alternatively, choose a colour from the UV-Protection Oil standard colour range as seen below, such as 425 Oak and 428 Red Cedar.



424
SPRUCE




425
OAK



426
LARCH



427
DOUGLAS FIR



428
RED CEDAR



429
NATURAL



431
LIGHT RED
CEDAR



432
LIGHT OAK

3 CHOOSE YOUR FINISH

Available in the following gloss levels.



SATIN



MATT



More Information



POLYX®-OIL 3074 GRAPHITE

1 CHOOSE YOUR PRODUCT



WOOD WAX FINISH

Extremely hardwearing and durable for all interior wooden surfaces (with exception to ingredient-rich wood species) e.g. flooring*, furniture and joinery, walls, ceilings, and more.

**Only one coat of Wood Wax Finish is recommended on flooring, followed by a clear Polyx®-Oil.*

2 CHOOSE YOUR COLOUR

The standard colours are slightly tinted, transparent and intensive colours allowing the wood's natural grain to remain visible after application. However for the intensive colours, these characteristics become hidden after the second coat offering an opaque colour finish.

TRANSPARENT COLOURS								
	3102 STEAMED BEECH	3103 LIGHT OAK	3111 WHITE	3118 GREY	3119 SILK GREY	3123 PINE	3136 BIRCH	
	3137 CHERRY	3138 MAHOGANY	3143 COGNAC	3161 EBONY	3164 OAK	3166 WALNUT	3168 OAK ANTIQUE	
	INTENSIVE COLOURS							
		3104 RED	3105 YELLOW	3125 BLUE	3131 GREEN	3132 GREY-BEIGE		
3169 BLACK		3172 SILK	3181 PEBBLE	3186 WHITE	3188 SNOW			

ADDITIONAL COLOURS

Alternatively, choose a colour from any of the other standard colour ranges within this brochure, such as Polyx®-Oil 3071 Honey, UV-Protection Oil 425 Oak, Decking-Oil 009 Larch, and Natural Oil Woodstain 729 Fir Green.



3071
HONEY



3073
TERRA



425
OAK



427
DOUGLAS FIR




009
LARCH



013
GARAPA



712
EBONY



729
FIR GREEN



ELEMENTS® COLOURS

Wood Wax Finish can be mixed to any of the 120 opaque colours from the Elements® colour range, which are inspired by the four elements of nature; air, earth, fire, and water. More information and colours on page 21.

RAL, BS & NCS COLOURS

More than 2000 additional opaque colours are available to choose from. RAL Classic and BS 4800 colours are available immediately. NCS, RAL Design, and many more are available upon request. Please note pearl, luminous, and metallic colours are not possible.



3 CHOOSE YOUR FINISH

Available in the following gloss level.



SATIN



More Information





UV-PROTECTION OIL 431 LIGHT RED CEDAR

1 CHOOSE YOUR PRODUCT

UV-PROTECTION OILS

Ideal for all vertically structured wood surfaces such as cladding, fencing, garden buildings, solid doors and more. Not recommended for horizontally structured surfaces such as decking, tables, benches, etc.



SUPPORTING A HEALTHY LIVING ENVIRONMENT

UV-PROTECTION OIL 410

Use 410 Base on its own without a colour tint to provide a clear finish which supports a healthy living environment without the use of biocides to ensure the dry finish is safe for humans, plants and animals.



EXTRA PROTECTION

UV-PROTECTION OIL **EXTRA 420**

Use 420 Base on its own without a colour tint to provide a clear finish which contains biocides to additionally protect against algae, mildew and fungal attack.

2 CHOOSE YOUR COLOUR

The standard colours are transparent to allow the wood's natural grain to remain visible, while becoming highly UV-resistant – the darker the colour, the stronger the UV-resistance.



424
SPRUCE



425
OAK



426
LARCH



427
DOUGLAS FIR



428
RED CEDAR



429
NATURAL



431
LIGHT RED
CEDAR



432
LIGHT OAK

ADDITIONAL COLOURS

Alternatively, choose a colour from the Polyx®-Oil standard colour range as seen below, such as 3067 Light Grey and 3075 Black.



3040
WHITE



3067
LIGHT GREY



3071
HONEY



3072
AMBER



3073
TERRA



3074
GRAPHITE



3075
BLACK

3 CHOOSE YOUR FINISH

Available in the following gloss level.



SATIN



More Information

1 CHOOSE YOUR PRODUCT



DECKING-OIL

Ideal for exterior wood decking and garden furniture. Especially suitable for hardwoods, although a weathering period is recommended depending on the wood species.


2 CHOOSE YOUR COLOUR

The standard colours allow you to slightly tint your wood with a transparent colour finish which allows the wood grain to be visible. A clear finish is not available for this product.



004

DOUGLAS FIR




006

BANGKIRAI



009

LARCH



010

THERMOWOOD



013

GARAPA



014

MASSARANDUBA



016

BANGKIRAI
DARK




019

GREY



020

BLACK



021

BOG OAK

Decking-Oil colours were developed to appear in harmony with their respective wood species, e.g. 010 Thermowood for Thermowood decking boards. The wood's natural colour and character will influence the final result. Please always trial apply.

ADDITIONAL COLOURS

Alternatively, choose a colour from any of the standard colour ranges within this brochure, such as Polyx®-Oil 3071 Honey, Wood Wax Finish 3143 Cognac, UV-Protection Oil 425 Oak, and Natural Oil Woodstain 729 Fir Green.



3071

HONEY



3073

TERRA



3119

SILK GREY



3143

COGNAC



425

OAK




427

DOUGLAS FIR



712

EBONY



729

FIR GREEN

3 CHOOSE YOUR FINISH

Available in the following gloss level.



SATIN



More Information



DECKING-OIL 013 GARAPA

1 CHOOSE YOUR PRODUCT



NATURAL OIL WOODSTAIN

Ideal for all exterior wood surfaces such as cladding, fencing, garden buildings and more. For softwoods, it is recommended to apply Osmo WR Base Coat 4001 prior to application.

2 CHOOSE YOUR COLOUR


The standard colours are transparent to allow the wood's natural grain to remain visible, while becoming highly UV-resistant – the darker the colour, the stronger the UV-resistance.



700
PINE



702
LARCH



703
MAHOGANY



706
OAK



707
WALNUT




708
TEAK



710
STONE PINE




712
EBONY



727
ROSEWOOD



728
RED CEDAR




729
FIR GREEN



731
OREGON PINE



732
LIGHT OAK



900
WHITE




903
BASALT GREY



905
PATINA



906
PEARL GREY



907
QUARTZ GREY

ADDITIONAL COLOURS

Alternatively, choose a colour from any of the standard colour ranges within this brochure, such as Polyx®-Oil 3071 Honey, Wood Wax Finish 3143 Cognac, UV-Protection Oil 425 Oak, and Decking-Oil 009 Larch.



3071
HONEY



3073
TERRA



3119
SILK GREY



3143
COGNAC



425
OAK



427
DOUGLAS FIR



009
LARCH



013
GARAPA



ELEMENTS® COLOURS

Natural Oil Woodstain can be mixed to any of the 120 opaque colours from the Elements® colour range, which are inspired by the four elements of nature; air, earth, fire, and water. More information and colours on page 21.

RAL, BS & NCS COLOURS

More than 2000 additional opaque colours are available to choose from. RAL Classic and BS 4800 colours are available immediately. NCS, RAL Design, and many more are available upon request. Please note pearl, luminous, and metallic colours are not possible.



3 CHOOSE YOUR FINISH

Available in the following gloss levels.



SATIN



MATT



More Information





COUNTRY SHADES ELEMENTS® COLOURS

1

CHOOSE YOUR PRODUCT

COUNTRY SHADES

The most durable for all weather conditions offering the strongest UV-resistance. Ideal for many exterior wood surfaces such as garden buildings, children's toys and play equipment, fencing, cladding, animal housing, flower beds and much more.



2

CHOOSE YOUR COLOUR



ELEMENTS® COLOURS

Country Shades can be mixed to any of the 120 opaque colours from the Elements® colour range, which are inspired by the four elements of nature; air, earth, fire, and water.



Scan to view all colours on the Osmo UK website. Then, order a printed Elements® Colour Card for a true colour match representation before mixing.

Also, pick up an Elements® Colour Card in your nearest Osmo Tinting System store.

ADDITIONAL COLOURS


Alternatively, choose an opaque colour from the Wood Wax Finish standard intensive colour range as seen below, such as 3131 Green, 3169 Black and 3186 White.



3104
RED




3105
YELLOW




3125
BLUE



3131
GREEN



3132
GREY-BEIGE



3169
BLACK




3172
SILK



3181
PEBBLE



3186
WHITE



3188
SNOW

RAL, BS & NCS COLOURS

More than 2000 additional opaque colours are available to choose from. RAL Classic and BS 4800 colours are available immediately. NCS, RAL Design, and many more are available upon request. Please note pearl, luminous, and metallic colours are not possible.



3 CHOOSE YOUR FINISH

Available in the following gloss level.



SATIN



More Information

Osmo Africa

8 Royal Cape Park
Londonderry Road, Ottery,
Cape Town, 7800

T: 087 238 0762
www.osmo.africa

OSMO
RECOMMENDS

