

STEP



carisa
designer radiators

STEP




Material	Stock Finishes	Guarantee	Installation
Aluminium	PLS SEE COLOUR KEY CHART - Click for Link	5 Years	Vertical Horizontal

PRODUCT CODE	Height (mm)	Width (mm)	Sections	Pipe Centers (mm)	Wall to pipe Centers	Wall Distance	Nett Weight	Water Content	Fuel Type	Heat Outputs	
	H	W	n	C1	A (mm)	D (mm)	(kg)	(lt)		Watts	BTU
STP 0280180003	1800	280	3	370	30-50	60-80	7.1	1.6	C	1252	4273
STP 0375180004	1800	375	4	465	30-50	60-80	9.2	2.1	C	1670	5698
STP 0470180005	1800	470	5	560	30-50	60-80	11.2	1.7	C	2087	7122
STP 0470060005	600	470	5	560	30-50	60-80	5.0	0.8	C	746	2546
STP 0660060007	600	660	7	750	30-50	60-80	6.7	1.1	C	1044	3564
STP 0850060009	600	850	9	940	30-50	60-80	8.4	1.4	C	1343	4582
STP 1040060011	600	1040	11	1130	30-50	60-80	10.1	1.7	C	1641	5600
STP 1230060013	600	1230	13	1320	30-50	60-80	11.7	2.1	C	1940	6618

Please add finishing code at the end of the product code

Code example : STP 0280180003 TXW

Fuel type i.e
C: Central Heating
E: Electrical Heating
D: Dual Heating (C+E)



A full range of made to order sizes available.

Please ask for details.

Radiator width for made to order sizes (n x 95) - 5 mm

n = number of sections

Max. working pressure 10 bar

Max. working temperature 95 °C

Connections ½"

Section width 90 mm

Section depth 46 mm

Pipe center C1 W + 90 mm