

T635M TREADMILL

The T635M is rated for moderate cardiac and physical rehab and offers clients a low cost, value driven option when compared to competitive models with many of the same functions and features.

KEY FEATURES

- Bi-directional belt motion for retro walking and gait observations
- Isolation components meet UL requirements for current leakage in medical settings
- Full length medical side rails with pediatric lower sections for better patient stability
- Center handhold bars offer greater comfort for surgery patients

TECHNICAL DETAILS	
Unit Weight	353 lbs / 160 kg
Dimensions (LxWxH)	83.5 x 38.6 x 56.7 in / 212 x 98 x 144 cm
Running Area (LxW)	61 x 22 in / 155 x 55.9 cm
Speed Range	Reverse: 0.1–3.0 mph / Forward: 0.1–10 mph
Incline Range	0–15%
Drive Motor	3.2 HP DC
Power Requirements	15A / 120v / 60Hz - Dedicated Circuit 220V / 50HZ
Plug Requirements	NEMA / 5-15P* Contact your sales rep for specific requirements
Max User Weight	400 lbs / 180 kg
Step Up Height	7.5 in / 19 cm
Micro Amp Leakage Components	Medical Grade ≤ 300μA, Green Dot Power Cord
Readouts	Calories, Speed, Time, Distance, Cal/HR, METs, Pace, Incline, Heart Rate, Weight Loss Zone, Cardio Zone, ActivZone
Workout Programs	Quick Start, Manual, Random (x 10,000), Interval (x3), Glute (x2), Hill (x3), 5K, 10K, Fat Burn, HRC (x3), Fitness Test (Bruce, Gerkin)
Features	CSAFE port Medical handrails 0.1 SafeStart™ speed (forward & reverse) Contact and telemetry heart rate 4-Ply 61 x 22 in. belt USB port for device charging (x2) ECO-GLIDE™ auto lubrication system Center handle bar with contact heart rate Dual headphone jack with built-in volume control Emergency stop
Optional Features	Wired controller remote 3-speed fan Equipment mat: 3' x 7.5'



WARRANTY*	
Туре	Light Commercial ≤ 6 hrs/day
Frame	Lifetime**
MyFlex Plus™	Lifetime**
Motor	Lifetime**
Parts	5 Years
Wear Items	5 Years
Labor	3 Years
High Wear Items	90 days, no labor





