GlowUp Series







TR1000-GlowUp

TR1200-GlowUp

### TR5000-GlowUp

Recommended Use	Daily Use: 6 hours	Daily Use: 6 hours	Daily Use: 9 hours
Dimensions	58" L x 28.5" W x 7.25" H	63" L x 28.5" W x 7.25" H	63" L x 28.5" W x 7.25" H
Step-Up Height	Belt: 4.6"; Side Rails: 5.25"	Belt: 4.6"; Side Rails: 5.25"	Belt: 4.6"; Side Rails: 5.25"
Belt Size	20" W x 44" L	20" W x 50" L	20" W x 50" L
Belt Type	2-Ply	2-Ply	Heavy Duty Belt
Incline	Not available	Not available	Not available
Deck Suspension	6 Independent Compression Shocks	6 Independent Compression Shocks	6 Independent Compression Shocks
Deck	3/4" Phenolic Deck	3/4" Phenolic Deck	1" Phenolic Deck
Side Rails	Non-Slip Plastic	Non-Slip Plastic	Aluminum Side Rails
Transport	2 front-mounted wheels	2 front-mounted wheels	2 front-mounted wheels
Avg. Amp Draw	3.05 Amps (200 lb. user @ 2 mph)	3.05 Amps (200 lb. user @ 2 mph)	3.05 Amps (200 lb. user @ 2 mph)
Shipping Weight	157 lbs	157 lbs	162 lbs
Safety Certifications	FCC and CE Certified	FCC and CE Certified	FCC and CE Certified
Marked Belt	To help identify when the belt is moving.	To help identify when the belt is moving.	To help identify when the belt is moving
Drive Motor	2.25 HP Continuous Duty Motor	2.25 HP Continuous Duty Motor	3.0 HP Continuous Duty DC
Speed	0.4 - 4.0 MPH	0.4 - 4.0 MPH	0.4 - 4.0 MPH
Max User Weight	350 lbs	350 lbs	400 lbs
Product Weight	Treadmill: 117 lbs; Console: 3.3 lbs.	Treadmill: 117 lbs; Console: 3.3 lbs.	Treadmill: 122 lbs; Console: 3.3 lbs.
Shipping Dimensions	Single Box: 70″ L x 30″W x 15″H	Single Box: 70″ L x 30″W x 15″H	Single Box: 70" L x 30"W x 15"H
Assembly	No Assembly Required	No Assembly Required	No Assembly Required
Warranty	Frame: 10 Years; Parts: 2 Years; Labor: 1 Year	Frame: 10 Years; Parts: 2 Years; Labor: 1 Year	Frame: 10 Years; Parts: 2 Years; Labor: 1 Ye

GlowUp Series Console







	TR1000-GlowUp	TR1200-GlowUp	TR5000-GlowUp
Console Dimensions	Retro: 3.5" D x 13" W x 2.25" H	Retro: 3.5" D x 13" W x 2.25" H Omni-Hub: 3.5" D x 4.5" W x 5" H	Retro: 3.5" D x 13" W x 2.25" H Omni-Hub: 3.5" D x 4.5" W x 5" H
Console Readouts	Distance traveled, calories burned, walking time and step count		
Power Button	Conveniently power the treadmill on and off from the console.		
Personal Settings	Set your preferred maximum speed to either 2.0 or 4.0 MPH, silence beeps and alerts, resume previous speed, switch units of measure, and more.		
Preset Speed	Set and save walking speed.		
Intelli-Step™	Counts your steps while you walk.		
Intelli-Guard™	Intelli-Guard automatically pauses the walking belt when you step off.		

**Classic Series** 



### TR1000-Classic



TR1200-Classic



TR5000-Classic

Recommended Use	Daily Use: 6 hours	Daily Use: 6 hours	Daily Use: 9 hours
Dimensions	Assembled: 58" D x 38"/48"/60" W Desktop: 29" D x 38"/48"/60" W	Assembled: 68.5" D x 38"/48"/60" W Desktop: 29" D x 38"/48"/60" W	Assembled: 68.5" D x 38"/48"/60" W Desktop: 29" D x 38"/48"/60" W
Height Adjustment	33.5" - 52.5", Manual	33.5" - 52.5", Manual	33.6″ - 52.5″, Manual
Step-Up Height	Belt: 4.6"; Side Rails: 5.25"	Belt: 4.6"; Side Rails: 5.25"	Belt: 4.6"; Side Rails: 5.25"
Belt Size	20" W x 45" L	20" W x 50" L	20" W x 50" L
Belt Type	2-Ply	2-Ply	2-Ply
Desktop Materials	1" Thick HD Composite Board	1" Thick HD Composite Board	1" Thick HD Composite Board
Incline	Not Available	Not Available	Not Available
Deck Suspension	6 Independent Compression Shocks	6 Independent Compression Shocks	6 Independent Compression Shocks
Deck	3/4" Phenolic with Brace	3/4" Phenolic with Brace	1" Phenolic with Brace
Side Rails	Non-Slip Plastic	Non-Slip Plastic	Black Anodized-Aluminum
Transport	2 front-mounted transport wheels	2 front-mounted transport wheels	2 front-mounted transport wheels
Average Amp Draw	3.05 Amps (200 lb. user @ 2 mph)	3.05 Amps (200 lb. user @ 2 mph)	3.05 Amps (200 lb. user @ 2 mph)
Shipping Weight	254	251	256
Safety Certifications	FCC and CE Certified	FCC and CE Certified	FCC and CE Certified

**Classic Series** 



### TR1000-Classic




### TR1200-Classic



#### TR5000-Classic

Marked Belt	To help identify when the belt is moving.	To help identify when the belt is moving.	To help identify when the belt is moving.
Drive Motor	2.25 HP Continuous Duty Motor	2.25 HP Continuous Duty Motor	3.0 HP Continuous Duty DC
Desktop Surface	38" – (White, Obsidian Black, Cool Gray) 48" – (Midcentury Maple, Classic Gray, Obsidian Black, Bamboo, Cool Gray) 60" – (White)	38" – (White, Obsidian Black, Cool Gray) 48" – (Midcentury Maple, Classic Gray, Obsidian Black, Bamboo, Cool Gray) 60" – (White)	38" – (White, Obsidian Black, Cool Gray) 48" – (Midcentury Maple, Classic Gray, Obsidian Black, Bamboo, Cool Gray) 60" – (White)
Speed	0.4 - 4.0 MPH	0.4 - 4.0 MPH	0.4 - 4.0 MPH
Max. Desktop Weight	220 lbs.	220 lbs.	220 lbs.
Max. User Weight	350 lbs.	350 lbs.	400 lbs.
Product Weight	Treadmill: 117 lbs; Desk: 97 lbs; Console: 3.3 lbs.	Treadmill: 117 lbs.; Desk: 97 lbs. Console: 3.3 lbs.	Treadmill: 122 lbs.; Desk: 97 lbs. Console: 3.3 lbs.
Shipping Dimensions	Box 1: 62" L x 30" W x 9" H Box 2: 38" L x 11" W x 12" H Box 3: 41" L x 32" W x 2" H Total shipping dims: 70" L x 41" W x 20" H	Box 1: 67" L x 30" W x 9" H Box 2: 38" L x 11" W x 12" H Box 3: 41"/50" L x 33" W x 3" H Total Shipping dims: 70" L x 30" W x 20" H	Box 1: 67" L x 30" W x 9" H Box 2: 38" L x 11" W x 12" H Box 3: 41"/50" L x 33" W x 3" H Total shipping dims: 70" L x 40" W x 20" H
Assembly	Yes (About 30-40 min)	Yes (About 30-40 min)	Yes (About 30-40 min)
Warranty	Frame: 10 Years; Parts: 2 Years; Labor: 1 Year	Frame: 10 Years; Parts: 2 Years; Labor: 1 Year	Frame: 10 Years; Parts: 2 Years; Labor: 1 Yea

**Classic Series Console** 



**Power Series** 



TR1000-Power




TR1200-Power



TR5000-Power

Recommended Use	Daily Use: 6 hours	Daily Use: 6 hours	Daily Use: 9 hours
Dimensions	Assembled: 58" D x 38"/48"/60" W Desktop: 29" D x 38"/48"/60" W	Assembled: 68.5" D x 38"/48"/60" W Desktop: 29" D x 38"/48"/60" W	Assembled: 68.5" D x 38"/48"/60" W Desktop: 29" D x 38"/48"/60" W
Height Adjustment	33.5" – 52.5", Electric	33.5" – 52.5", Electric	33.6 "- 52.5" , Electric
Step Up Height	Belt: 4.6"; Side Rails: 5.25"	Belt: 4.6"; Side Rails: 5.25"	Belt: 4.6"; Side Rails: 5.25"
Belt Size	20" W x 45" L	20" W x 50" L	20" W x 50" L
Belt Type	2-Ply	2-Ply	2-Ply
Desktop Materials	1" Thick HD Composite Board	1" Thick HD Composite Board	1" Thick HD Composite Board
Incline	Not Available	Not Available	Not Available
Deck Suspension	6 Independent Compression Shocks	6 Independent Compression Shocks	6 Independent Compression Shocks
Deck	3/4" Phenolic with Brace	3/4" Phenolic with Brace	1" Phenolic with Brace
Side Rails	Non-Slip Plastic	Non-Slip Plastic	Black Anodized-Aluminum
Transport	2 front-mounted transport wheels	2 front-mounted transport wheels	2 front-mounted transport wheels
Average Amp Draw	3.05 Amps (200 lb. user @ 2 mph)	3.05 Amps (200 lb. user @ 2 mph)	3.05 Amps (200 lb. user @ 2 mph)
Shipping Weight	285 lb	295 lb	299 lb
Safety Certifications	FCC and CE Certified	FCC and CE Certified	FCC and CE Certified

**Power Series** 



Power Series Console

	TR1000-Power	TR1200-Power	TR5000-Power
Console Dimensions	Retro: 3.5″ D x 13″ W x 2.25″ H	Retro: 3.5" D x 13" W x 2.25″ H Omni-Hub: 3.5″ D x 4.5″ W x 5″ H	Retro: 3.5" D x 13" W x 2.25″ H Omni-Hub: 3.5" D x 4.5" W x 5" H
Console Readouts	Distance traveled, calories burned, walking time and step count		
Power Button	Conveniently power the treadmill on and off from the console.		
Personal Settings	Set your preferred maximum speed to either 2.0 or 4.0 MPH, silence beeps and alerts, resume previous speed, switch units of measure, and more.		
Preset Speed	Set and save walking speed.		
Intelli-Step™	Counts your steps while you walk.		
Intelli-Guard™	Intelli-Guard automatically pauses the walking belt when you step off.		

**OmniDesk Series** 



### TR1200-Omni



TR5000-Omni

Recommended Use	Daily Use: 6 hours	Daily Use: 9 hours
Dimensions	Assembled: 68.5" D x 38"/48" W	Assembled: 68.5" D x 38"/48" W
Power Source	Requires a 115V NEMA 5–15 Non GFI Circuit (Please do not plug into a GFI outlet or circuit as it may trip the breaker.)	Requires a 115V NEMA 5-15 Non GFI Circuit (Please do not plug into a GFI outlet or circuit as it may trip the breaker.)
Step-Up Height	Belt: 4.6"; Side Rails: 5.25"	Belt: 4.6"; Side Rails: 5.25"
Belt Size	Walking Surface: 20" W x 50" L	Walking Surface: 20" W x 50" L
Side Rails	Non-slip plastic	Aluminum
Transport	Treadmill: 2 Front mounted wheels	Treadmill: 2 Front mounted wheels
Drive Motor	2.25 HP Continuous Duty Motor	3.0 HP Continuous Duty DC
Speed	0.4 – 4.0 mph (Max. Speed Can Be Set to 2.0 MPH if Desired)	0.4 – 4.0 mph (Max. Speed Can Be Set to 2.0 MPH if Desired)
Max. User Weight	350 lbs	400 lbs.
Product Weight	Desk: 86 lbs; Treadmill: 114 lbs; Console: 1.87 lbs.	Desk: 86 lbs; Treadmill: 119 lbs; Console: 1.87 lbs.
Shipping Dimensions	Box 1: 67″ L x 30″ W x 9″ H Box 2: 37.6″ L x 10″ W x 12″ H Box 3: 41″/52″ L x 31″ W x 3″ H	Box 1: 67" L x 30" W x 9" H Box 2: 37.6" L x 10" W x 12" H Box 3: 41"/52" L x 31" W x 3" H
Warranty	Frame: 10 Years; Parts: 2 Years; Labor: 1 Year	Frame: 10 Years; Parts: 2 Years; Labor: 1 Year

OmniDesk Series Console







#### TR5000-Omni

Console Display	8.1" L x 5.7" W x 3.2" H
Display Area	3"
Console Readouts	Time, Date, Speed, Distance, Exercise Time, Calories, Steps, Summary
Bluetooth	Sync your data to the LifeSpan Club APP
Intelli-Step™	Counts your steps while you walk.
Intelli-Guard™	Intelli-Guard automatically pauses the walking belt when you step off.