

Rekara Mills (Pty) Ltd/(Edms) Bpk Reg. No. 1971/009910/07 PO Box/Posbus 16, Fort Beaufort 5720 Phone/Tel +27 46 645-1109/645-1100 Fax +27 46 645-1538

Web address: www.woodoc.com

Woodoc Europe Ltd Tel +44 1223 655 686 info@woodoc.eu

MATERIAL SAFETY DATA SHEET

1. PRODUCT IDENTIFICATION

Product name: Woodoc Antique Wax

Product type: Furniture polish

2. <u>COMPOSITION</u>

Substance:

- Chemical Family: Paraffin waxes

3. HAZARDSIDENTIFICATION

Hazardous components: None

Potential Health effects and main symptoms:

Skin contact: Can irritate skin or cause dermatitis after prolonged

and/or repeated contact.

Eye contact: May cause redness and pain. Inhalation (Breathing): Irritation of eyes, nose and throat. Ingestion: May cause nausea, vomiting and diarrhoea. Chronic over-exposure: No

chronic effects have been reported.

4. <u>FIRST-AID MEASURES</u>

Ingestion (swallowing): <u>Donotinduce vomiting.</u> Have victim drink 240-

300 ml water. If vomiting occurs have victim lean forward to reduce risk of aspiration. Obtain medical

attention.

Skin contact/absorption: Wash gently and thoroughly with water and soap.

Eye contact: Flush eye(s) with gently flowing lukewarm water.

Obtain medical advice immediately.

Inhalation (breathing): If breathing is affected, remove victim to fresh air,

call physician, administer oxygen.

5. FIRE-FIGHTINGMEASURES

Suitable extinguishing

media: Foam, CO₂, dry chemical.

Unsuitable extinguishing

media: Water jets.

Protection of fire-fighters: Breathing apparatus independent of the ambient air. Additional information: Apply cold water in order to cool containers exposed

to danger.

6. <u>ACCIDENTAL RELEASE MEASURES</u>

Personal precautions:

Eye/Face/Body: Protective clothing (overall) should be worn.

Hands: Use leather gloves as they provide heat insulation and do

not absorb oil.

Environmental

precautions: Prevent material from entering sewers and waterways. Methods for cleaning up: Absorb with sand, earth or sawdust. Remove to safe

area for disposal. Flush area with water.

Additional instructions: Inform authorities in case of large amount leakage.

7. HANDLING ANDSTORAGE

Store away from sparks, flames and other sources of ignition.

8. <u>EXPOSURE CONTROLS/PERSONAL</u> PROTECTION

Engineering measures: General ventilation should be provided to maintain

ambient concentration below nuisance levels.

Personal protection: If engineering controls and work practices are not

effective in controlling this material, then wear suitable

personal protection equipment.

9. PHYSICAL ANDCHEMICAL PROPERTIES

Colour: White

Odour: Characteristic wax odour

Density at 25°C: 0,8 kg/litre

Solubility in water (20^oC): Not soluble Physical state: Solid at 25^oC

10. STABILITY ANDREACTIVITY

Conditions to avoid: Prolonged storage above congealing point may interfere

with quality.

Material to avoid: Strong oxidising agents

Hazardous decomposition

products: None

Conditions contributing to

instability: Normally stable

11. TOXICOLOGICALINFORMATION

This product has not been tested. Products of a similar composition did not induce toxic effects.

12. <u>ECOLOGICALINFORMATION</u>

No ecological problems are expected when the product is handled and used in due care.

13. <u>DISPOSAL CONSIDERATIONS</u>

Waste: Special waste incineration or by other modes of disposal

in compliance with local legislation.

Contaminated packaging: Disposal in accordance with local legal provisions.

14. TRANSPORT INFORMATION

This product is not controlled under any of the following classifications: DOT,

TDG, IMDG, IATA.

UN Number: None

15. <u>REGULATORYINFORMATION</u>

Contact your national regulations officer.

16. <u>OTHER INFORMATION</u>

Although the information contained in this publication is presented in good faith and to the best knowledge and experience of Rekara Mills (Pty) Ltd, it is made without any warranty or guarantee whatsoever.

Updated: 31/01/2012 Rev 2