

Rekara Mills (Pty) Ltd Reg. No. 1971/009910/07 PO Box 16, Fort Beaufort 5720 Tel +27 (0)46 645-1109/645-1100 Fax +27 (0)46 645-1538

Web address: www.woodoc.com

MATERIAL SAFETY DATA SHEET

1. PRODUCT IDENTIFICATION

Product name: Woodoc Water-Borne DECK

Product type: Wood Sealer

2. <u>COMPOSITION</u>

Description: Aqueous Polymer Blend

3. HAZARDSIDENTIFICATION

This material is not considered hazardous.

4. <u>FIRST-AID MEASURES</u>

Ingestion (swallowing): Do not induce vomiting. Have victim drink two

glasses of water to dilute stomach contents. Never give anything by mouth to an unconscious person.

Obtain medical attention.

Skin contact: Wash with soap or mild detergent and water. Do not

use solvents or thinners.

Eve contact: Flush eye(s) with large amounts of water for at least

15 minutes. Obtain medical advice if irritation

occurs.

Inhalation (breathing): No inhalation hazards are anticipated for this

product.

5. <u>FIRE-FIGHTINGMEASURES</u>

Suitable extinguishing media: Product is not flammable. Use extinguishing agents

suitable for surrounding fire.

Protection of fire-fighters: Use self-contained breathing apparatus

and full protective clothing.

6. <u>ACCIDENTAL RELEASE MEASURES</u>

Spill and leak procedures: Contain spills onto inert absorbent and place in suitable containers.

7. HANDLING ANDSTORAGE

HANDLING:

Safe handling advice: Avoid skin and eye contact. Do not eat, drink or smoke

in area.

STORAGE:

Storage conditions: Store in closed containers.

8. <u>EXPOSURE CONTROLS/PERSONAL PROTECTION</u>

Engineering controls: Use in well-ventilated area.

Personal protection:

Skin: Wear clothing suitable to avoid skin contact. Check

suitability recommendations by protective

equipment manufacturers.

Respiratory protection: Not required. **Eye/Face:** Safety glasses.

9. <u>PHYSICAL ANDCHEMICAL PROPERTIES</u>

Colour: In accordance with specification

Odour: Characteristic

Physical state: Liquid

Flash point: Not applicable Flammability: Non-Flammable

Boiling point: $100 \,^{\circ} \,^{\circ} \,^{\circ}$

Solubility in water: Completely miscible

Max VOC content: 75g/l, EU Limit for this product (cat.A/e) 130g/l (2010)

10. <u>STABILITY ANDREACTIVITY</u>

Chemical stability: Stable

Incompatible materials: Strong acids, bases and oxidizing agents

Polymerization: Will not occur under regular conditions of use.

Hazardous decomposition products: None

11. TOXICOLOGICALINFORMATION

Product is not a skin or eye irritant. Not known to cause sensitization.

12. ECOLOGICALINFORMATION

Avoid contamination of ground water or waterways. Do not discharge into sewers.

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with state or local regulations.

14. TRANSPORT INFORMATION

DOT SHIPPING NAME: Not regulated.

15. REGULATORYINFORMATION

All components of this product are on the TSCA Inventory.

16. <u>OTHER INFORMATION</u>

HAXCOM LABEL: Not required.

Although the information contained in this publication is presented in good faith and to the best knowledge and experience of Rekara Mills (Pty) Ltd, it is made without any warranty or guarantee whatsoever.

Updated: 14/06/2014