

Rekara Mills (Pty) Ltd Reg. No. 1971/009910/07 PO Box 16, Fort Beaufort 5720 Tel +27 (0)46 645-1109/645-1100 Fax +27 (0)46 645-1538

Web address: www.woodoc.com

MATERIAL SAFETY DATA SHEET

1. <u>PRODUCT IDENTIFICATION</u>

Product name: Woodoc Water-Borne Plus-LifeTM PRIMER

Product type: Performance Enhancing Primer

2. <u>COMPOSITION</u>

Description: Aqueous Polymer Blend

3. <u>HAZARDSIDENTIFICATION</u>

This material is not considered hazardous.

4. FIRST-AID MEASURES

Ingestion (swallowing):	Do not induce vomiting. Have victim drink two
	glasses of water to dilute stomach contents. Never
	give anything by mouth to an unconscious person.
	Obtain medical attention.
Skin contact:	Wash with soap or mild detergent and water. Do not use solvents or thinners.
Eye contact:	Flush eye(s) with large amounts of water for at least
·	15 minutes. Obtain medical advice if irritation
	occurs.
Inhalation (breathing):	No inhalation hazards are anticipated for this
	product.

5. <u>FIRE-FIGHTINGMEASURES</u>

Suitable extinguishing media:	Product is not flammable. Use extinguishing agents
Protection of fire-fighters:	suitable for surrounding fire. Use self-contained breathing apparatus and full protective clothing.

6. <u>ACCIDENTAL RELEASE MEASURES</u>

Spill and leak procedures: Contain spills onto inert absorbent and place in suitable containers.

7. <u>HANDLING ANDSTORAGE</u>

HANDLING:

Safe handling advice:	Avoid skin and eye contact.	Do not eat, drink or smoke
	in area.	

STORAGE:

Storage conditions:	Store in closed containers.

8. <u>EXPOSURE CONTROLS/PERSONAL</u> <u>PROTECTION</u>

Engineering controls: Personal protection:	Use in well-ventilated area.
Skin:	Wear clothing suitable to avoid skin contact. Check suitability recommendations by protective equipment manufacturers.
Respiratory protection: Eye/Face:	Not required. Safety glasses.

9. PHYSICAL ANDCHEMICALPROPERTIES

Colour:	In accordance with specification
Odour:	Characteristic
Physical state:	Liquid
Flash point:	Not applicable
Flammability:	Non-Flammable
Boiling point:	100 ° C
Solubility in water:	Completely miscible
Max VOC content:	30g/l, EU Limit for this product (cat.A/g) 30g/l (2010)

10. STABILITY ANDREACTIVITY

Chemical stability:	Stable
Incompatible materials:	Strong acids, bases and oxidizing agents
Polymerization:	Will not occur under regular conditions of use.

Hazardous decomposition products: None

11. TOXICOLOGICALINFORMATION

Product is not a skin or eye irritant. Not known to cause sensitization.

12. ECOLOGICALINFORMATION

Avoid contamination of ground water or waterways. Do not discharge into sewers.

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with state or local regulations.

14. TRANSPORT INFORMATION

DOT SHIPPING NAME: Not regulated.

15. <u>REGULATORYINFORMATION</u>

All components of this product are on the TSCA Inventory.

16. OTHER INFORMATION

HAXCOM LABEL: Not required.

Although the information contained in this publication is presented in good faith and to the best knowledge and experience of Rekara Mills (Pty) Ltd, it is made without any warranty or guarantee whatsoever.

Updated: 14/06/2014