



SAFETY DATA SHEET

TO COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR.1910.1200 & THE GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product Identifier

Product Form:

Substance Name: FIBERLAY WOOD FLOUR

Product Code(s): 15741, 15742, 15748, 157450

Relevant identified uses: Fillers for plastics, absorbents, and binders

1.2 Details of the Supplier of the Safety Data Sheet

Fiberlay Inc.
1468 Northgate Blvd
Sarasota, FL 34234
T 206-782-0660
F 888-782-0662
www.Fiberlay.com

1.3 Emergency Telephone Number

Emergency Number: CHEMTREC: Domestic - 800-424-9300

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS-US classification

Resp. Sens. 1

Skin Sens. 1

Carc. 1A

STOT SE 3

STOT RE 1

Comb. Dust

2.2 Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



GHS07 GHS08

Signal word (GHS-US):

Danger

Hazard Statements (GHS-US):

May cause allergy or asthma symptoms or breathing difficulties if

inhaled.
 May cause an allergic skin reaction.
 May cause cancer.
 May cause respiratory irritation.
 Causes damage to organs through prolonged or repeated exposure.
 May form combustible dust concentrations in air.

Precautionary statements (GHS-US):

Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Wear respiratory protection.
 Contaminated work clothing must not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection.
 Use only outdoors or in a well-ventilated area.
 Do not breathe dust/fume/gas/mist/vapors/spray.
 Wash hands thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 If exposed or concerned: Get medical advice/attention.
 If on skin: Wash with plenty of water.
 Wash contaminated clothing before reuse.
 If skin irritation or rash occurs: Get medical advice/attention.
 If inhaled: Remove person to fresh air and keep comfortable for breathing.
 If experiencing respiratory symptoms: Call a poison center/doctor.
 Store locked up.
 Store in a well-ventilated place.
 Keep container tightly closed.
 Dispose of contents and container in accordance with all local, regional, national and international regulations.

- 2.3. **Other hazards**
 No additional information available
- 2.4. **Unknown acute toxicity (GHS US)**
 Not applicable

3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1. **Substance**

Name	Product Identifier	%
Wood Dust	RR00514-1	100

- 3.2. **Mixture**
 Not applicable

4. FIRST AID MEASURES

4.1. **Description of first aid measures**

Inhalation: If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.

Skin contact: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.

Eye contact: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.

Ingestion: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation: May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin contact: Dust may cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause sensitization by skin contact.
Eye contact: Dust may cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Ingestion: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

5. FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Water, carbon dioxide, sand.

Unsuitable extinguishing: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard: Combustible dust. Products of combustion may include, and are not limited to: oxides of carbon.

Explosion hazard: Wood dust is a strong to severe explosion hazard if a dust "cloud" contacts an ignition source. Wood heated with limited oxygen will produce carbon monoxide and carbon dioxide and hydrocarbons which can explode if oxygen is introduced.

5.3. Advice for firefighters

Protection during firefighting: Keep upwind of fire. Wear full firefighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Avoid generating dust. Cool closed containers exposed to fire with water. Dust may form flammable mixture with air.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General measures: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Eliminate sources of ignition

6.2. Methods and material for containment and cleaning up

For containment: Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning up: Vacuum or sweep material and place in a disposal container. Provide

ventilation. Use only non-sparking tools.

6.3. Reference to other sections: See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Precautions for safe handling: Keep away from sources of ignition - No smoking. Proper grounding procedures to avoid static electricity should be followed. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray. Do not swallow. Minimize generation of dust. Prevent accumulation of dust. Good housekeeping is important to prevent accumulation of dust. The use of compressed air for cleaning clothing, equipment, etc, is not recommended. Handle and open container with care. When using do not eat, drink or smoke. Use only outdoors or in a well-ventilated area.

Hygiene measures: Wash hands before eating, drinking, or smoking. Launder contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, dry location. Store away from sources of ignition. Keep out of the reach of children. Keep container tightly closed and in a well-ventilated place.

7.3. Specific end use(s): Not available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Wood dust (RR00514-1)	
ACGIH	Not applicable
OSHA	Not applicable

8.2. Exposure controls

Appropriate engineering controls: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is not leakage from the equipment).

Hand protection:

Wear chemically resistant protective gloves

Eye protection:

Safety glasses or goggles are recommended when using product

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure controls:

Maintain levels below Community environmental protection thresholds.

Other information:

Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	Granulate
Color	Various
Odor	Characteristic
Odor threshold	Not determined
pH	Not applicable
Melting point	Not determined
Freezing point	No data available
Boiling point	Not determined
Flash point	Not applicable
Relative evaporation rate (butylacetate=1)	No data available
Flammability (solid, gas)	Combustible Dust
Explosive limits	40 g/m ³ in air (LEL - For wood dust)
Explosive properties	No data available
Oxidizing properties	No data available
Vapor pressure	Not applicable
Relative density	Not determined
Relative vapor density at 20 °C	No data available
Solubility	Insoluble
Partition coefficient: n-octanol/water	Not determined
Ignition temperature	Variable with exposure to temperatures as low as 212°F
Auto-ignition temperature	No data available
Decomposition temperature	Not determined
Viscosity	No data available
Viscosity, kinematic	Not applicable
Viscosity, dynamic	Not applicable

9.2. Other information: No additional information available

10. STABILITY AND REACTIVITY

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under normal storage conditions. Combustible Dust

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Heat. Incompatible materials. Sources of ignition.

10.5. Incompatible materials

Oxidizing agents. Drying oils.

10.6. Hazardous decomposition products

Thermal-oxidative degradation of wood produces irritating and toxic fumes and gases, including carbon monoxide, aldehydes and organic acids.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity Not classified.

Wood dust (RR00514-1)	
LD50 oral rat	No data available
LD50 dermal rabbit	No data available
LC50 inhalation rat	No data available

Skin corrosion/irritation: Based on available data, the classification criteria are not met.
Serious eye damage/irritation: Based on available data, the classification criteria are not met.
Respiratory or skin sensitization: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Germ cell mutagenicity: Based on available data, the classification criteria are not met.
Carcinogenicity: May cause cancer.

Wood dust (RR00514-1)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	2 - Known Human Carcinogen

Reproductive toxicity: Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure): May cause respiratory irritation.
Specific target organ toxicity (repeated exposure): Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation: May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled
Symptoms/injuries after skin contact: Dust may cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause sensitization by skin contact.
Symptoms/injuries after eye contact: Dust may cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

12. ECOLOGICAL INFORMATION

- 12.1. **Toxicity Ecology – general:** May cause long-term adverse effects in the aquatic environment.
- 12.2. **Persistence and degradability**

Wood Flour: Maple, Ponderosa Pine, Oak, Spruce, Southern Yellow Pine, Cedar - all Species - all Grades	
Persistence and degradability	Not established

12.3. Bioaccumulative potential

Wood Flour: Maple, Ponderosa Pine, Oak, Spruce, Southern Yellow Pine, Cedar - all Species - all Grades	
Partition coefficient: n-octanol/water	Not determined
Bioaccumulative potential	Not established.

- 12.4. **Mobility in soil**
No additional information available
- 12.5. **Other adverse effects**
No additional information available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal recommendations: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

14. TRANSPORT INFORMATION

14.1 Department of Transportation (DOT)

In accordance with DOT
Not regulated for transport

14.2 Additional information

Other information: No supplementary information available

Special transport precautions: Do not handle until all safety precautions have been read and understood.

15. REGULATORY INFORMATION

15.1. US Federal regulations

No additional information available.

15.2 US State regulations

Wood Flour: Maple, Ponderosa Pine, Oak, Spruce, Southern Yellow Pine, Cedar - all Species - all Grades

State or local regulations	This product contains a chemical known to the State of California to cause cancer.
----------------------------	--

16. OTHER INFORMATION

Refer to NFPA 654, *Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids*, for safe handling.

Fiberlay Inc. believes the law requires us to inform you that detectable amounts of any of the listed chemicals might be present in Fiberlay products. Based on a review of the list, Fiberlay products, like all synthetic and naturally occurring chemical substances, may conceivably contain trace contaminants of some of the listed substances. While not necessarily added to our products as ingredients, some of the listed chemicals may be present in the raw materials as received from suppliers over which we have no control.

“Warning: This product may contain trace amounts of some chemicals considered by the State of California to be carcinogens or reproductive Toxicants.”

Preparation Date: 12-31-2018

Prepared by: Kevin Aber

Comments: This Safety Data Sheet was prepared using information provided by Fiberlay Inc.

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and Fiberlay Inc. assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.