

118 ACOST BASS M301

Impulse Response Product Manual



Overview

Introducing The 'BASS ACOST M301' is an impulse response product based on the 1970s Acoustic[™] Model 301 Bass Cabinet Black/Blue speaker cabinet. This cabinet is equipped with the rare and vintage Cerwin Vega[™] Original 18" speaker, renowned for their exceptional quality.

Specifications

Based on model: Acoustic[™] Model 301 Bass Cabinet Categories: Bass Cabinet 1 x 18" Speaker : Cerwin Vega[™] Original 18" Notes: 1970s Unite States

Microphone Compatibility

Dynamic:

- Electro-Voice™ RE20
- Shure™ SM57 Unidyne III
- Sennheiser™ MD421

Passive Ribbon:

• sE Electronics™ VR1

Condenser:

• Neumann™ U47 fet

Data Set

• About MPT and Natural Phase

We provide two types of audio files: Minimum Phase and Natural Phase. If you're combining sounds with standard cabinet audio, it's better to use Minimum Phase files. Although recordings with a single mic sound the same in both formats, you'll notice a difference when you mix sounds using several mics.

• Mix Mic

Each mix created using different microphones is labeled with a distinct number. This list shows which microphones are used in each numbered mix.

File Format and Resolution

File Type: WAV Quality: 24-bit Sample Rates: 96kHz, 48kHz, 44.1kHz Impulse Response Duration: 200ms and 500ms Compatibility: Hardware units requiring shorter files will automatically truncate these 500ms files upon import. Additional Formats: Minimum Phase versions included.

Folder Contents

- Single Mic Files: There are a total of about 5 to 10 files, each divided into two folders named "RAW [Natural Phase]" and "MPT"
- Mix Mic Files: Within the "Mix [Natural Phase]" folder
- Both the Single Mic and Mix Mic files are available in different sample rates: 96kHz, 48kHz, and 44.1kHz.
- Additionally, all these files are organized into folders named according to their lengths, specifically 500ms and 200ms folders.

Supported Devices

96kHz: Strymon[™] Iridium and BOSS[™] IR 200, etc.
48kHz: Suhr [™] Reactive Load IR, CABCLONE[™] IR models, Fryette[™] Power Load IR, Fractal Audio[™], Line 6[™] Helix, and most IR loaders, etc.
44.1kHz: Kemper[™] units, etc.

Notice

Our digital products, including this Cab Pack, are non-refundable and non-exchangeable once purchased, as they are intangible digital items. All transactions are final.

Support and Assistance

Encountered a challenge with our product? Need help with a file or installation process? Want to maximize your purchase's benefits? Reach out to our dedicated support team at support@tacosounds.com. We're here to ensure your musical creation is uninterrupted.

Copyright and Rights

Copyright © TacoSounds. All rights reserved. No part of this manual or the accompanying digital product may be reproduced, distributed, or transmitted in any form or by any means without the prior written permission of the copyright owner.