

BOSS[®]
AUDIO SYSTEMS

MARINE



2023
CATALOG

APPLE CARPLAY & ANDROID AUTO™ MARINE DOUBLE-DIN HEAD UNITS

7"
DISPLAY



BVCP9700A-MR
 Apple CarPlay & Android Auto™
Bluetooth® | 340 WATTS
 MARINE DOUBLE-DIN
 MP3-COMPATIBLE AM/FM RECEIVER
 Featuring 7" (178 mm)
 Capacitive Touchscreen



RUBBER COVER INCLUDED


6.75"
DISPLAY



MRCP9685A
 Apple CarPlay & Android Auto™
Bluetooth® | 320 WATTS
 MARINE DOUBLE-DIN
 MP3-COMPATIBLE AM/FM RECEIVER
 Featuring 6.75" (171 mm) Capacitive Touchscreen
 and Multicolor Illumination Options



RUBBER COVER INCLUDED



MULTICOLOR ILLUMINATION



For full specifications, thumb your way to the INDEX page 28.

SINGLE-DIN HEAD UNITS & PACKAGES



WIRELESS REMOTE CONTROL

- MR500UAB**
200 Watts | **Bluetooth®**
FULLY MARINIZED MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER
Featuring Wireless Remote Control



WIRELESS REMOTE CONTROL

- MCK500WB.6**
200 Watts | **Bluetooth®**
FULLY MARINIZED MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER
Plus 1 Pair 6.5" (165 mm) Marine Dual Cone Full Range Speakers,
Marine Dipole Antenna, and Wireless Remote Control



WIRELESS REMOTE CONTROL

- MR508UABS**
200 Watts | **Bluetooth®**
FULLY MARINIZED MP3-COMPATIBLE CD AM/FM RECEIVER
Featuring Wireless Remote Control



WIRELESS REMOTE CONTROL

- MCK508WB.64S**
200 Watts | **Bluetooth®**
FULLY MARINIZED MP3-COMPATIBLE CD AM/FM RECEIVER
Plus 2 Pairs 6.5" (165 mm) Marine Dual Cone Full Range Speakers,
Marine Dipole Antenna, and Wireless Remote Control



WIRELESS REMOTE CONTROL

- MR508UABW**
200 Watts | **Bluetooth®**
FULLY MARINIZED MP3-COMPATIBLE CD AM/FM RECEIVER
Featuring Wireless Remote Control



WIRELESS REMOTE CONTROL

- MCK508WB.6**
200 Watts | **Bluetooth®**
FULLY MARINIZED MP3-COMPATIBLE CD AM/FM RECEIVER
Plus 1 Pair 6.5" (165 mm) Marine Dual Cone Full Range Speakers,
Marine Dipole Antenna, and Wireless Remote Control



MRANTIO
MARINE RUBBER
ANTENNA



MRANTIO
MARINE RUBBER
ANTENNA



MRC5 MARINE
RADIO COVER



35AC STEREO
AUXILIARY CABLE



MRANTIO
MARINE RUBBER
ANTENNA



For full specifications, thumb your way to the INDEX page 28.

SINGLE-DIN HEAD UNIT



DETACHABLE FRONT PANEL



MULTICOLOR ILLUMINATION



WIRELESS REMOTE CONTROL



MR762BRGB

240 Watts

Bluetooth® MARINIZED MP3-COMPATIBLE CD AM/FM RECEIVER WITH DETACHABLE FRONT PANEL Featuring Multicolor Illumination Options, RDS Tuner, and Works with i-Car Link App

For full specifications, thumb your way to the INDEX page 28.

SINGLE-DIN HEAD UNITS & PACKAGES



DETACHABLE FRONT PANEL



MULTICOLOR ILLUMINATION OPTIONS



WIRELESS REMOTE CONTROL

MR632UAB

200 Watts | **Bluetooth®**

FULLY MARINIZED MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER Featuring Multicolor Illumination, Detachable Front Panel, and Wireless Remote Control



35AC 3.5 mm STEREO AUXILIARY CABLE



MRANTIO MARINE RUBBER ANTENNA



WIRELESS REMOTE CONTROL

MCK632WB.6

200 Watts | **Bluetooth®**

FULLY MARINIZED MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER Plus 1 Pair 6.5" (165 mm) Marine Dual Cone Full Range Speaker System, Including Marine Dipole Antenna and 3.5 mm Stereo Auxiliary Cable and Featuring Multicolor Illumination, Detachable Front Panel, and Wireless Remote Control



35AC 3.5 mm STEREO AUXILIARY CABLE



MRANTIO MARINE RUBBER ANTENNA



WIRELESS REMOTE CONTROL

MCK632WB.64

200 Watts | **Bluetooth®**

FULLY MARINIZED MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER Plus 2 Pairs 6.5" (165 mm) Marine Dual Cone Full Range Speaker System, Including Marine Dipole Antenna and 3.5 mm Stereo Auxiliary Cable and Featuring Multicolor Illumination, Detachable Front Panel, and Wireless Remote Control



DETACHABLE FRONT PANEL



WIRELESS REMOTE CONTROL

MR1308UAB

200 Watts | **Bluetooth®**

FULLY MARINIZED MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER Featuring Detachable Front Panel and Wireless Remote Control



DETACHABLE FRONT PANEL



WIRELESS REMOTE CONTROL

MR1308UABK

200 Watts | **Bluetooth®**

FULLY MARINIZED MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER Featuring Detachable Front Panel and Wireless Remote Control

For full specifications, thumb your way to the INDEX pages 28.

MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER

5"
DISPLAY

BUILT-IN
4CH
AMPLIFIER



MGV550B

240 Watts

Bluetooth® MARINE GAUGE
DIGITAL MEDIA AM/FM RECEIVER

Featuring 5" (127 mm) Widescreen Touchscreen Digital
TFT LCD Monitor Plus Accessory Button
And Multicolor Illumination Options
Dimensions: 4.25" x 7.75" x 5.60" (108 x 197 x 142 mm)



MULTICOLOR ILLUMINATION OPTIONS



RUBBER COVER INCLUDED



MGV520B

240 Watts | **Bluetooth®** (AUDIO STREAMING)
MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER
Featuring 3" (76 mm) TFT LCD Color Display and Built-In Amplifier
Dimensions: 4.53" x 4.25" x 4" (115 x 108 x 102 mm)



RUBBER COVER INCLUDED

MGV500B

240 Watts | **Bluetooth®** (AUDIO STREAMING)
MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER
Featuring 3" (76mm) TFT LCD Color Display and
Built-in Amplifier
Dimensions: 4.53" x 4.53" x 3.7" (115 x 115 x 94 mm)



For full specifications, thumb your way to the INDEX page 29.

MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVERS



INCLUDES 2 TRIM BEZELS



RUBBER COVER INCLUDED



■ **MGR450B**
 240 Watts | **Bluetooth®** (AUDIO STREAMING)
 MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER
 Featuring Built-In Amplifier
 Dimensions: 4.44" x 4.33" x 4.19" (112 x 112 x 107 mm)



RUBBER COVER INCLUDED



■ **MGR350B**
 240 Watts | **Bluetooth®** (AUDIO STREAMING)
 MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER
 Featuring Built-In Amplifier
 Dimensions: 3.5" x 3.5" x 3.75" (89 x 89 x 95 mm)



RUBBER COVER INCLUDED



■ **MGR300B**
 240 Watts | **Bluetooth®** (AUDIO STREAMING)
 MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER
 Featuring Built-In Amplifier with Rubber Cover
 Dimensions: 4.53" x 4.53" x 3.7" (115 x 115 x 94.1 mm)



■ **MGR250B**
 240 Watts | **Bluetooth®** (AUDIO STREAMING)
 MARINE GAUGE DIGITAL MEDIA PLAYER
 Featuring Built-In 4 Channel Amplifier
 Dimensions: 3.78" x 3.78" x 3.82" (96 x 96 x 97 mm)



■ **MGR150B**
 120 Watts | **Bluetooth®** (AUDIO STREAMING)
 MARINE GAUGE DIGITAL MEDIA PLAYER
 Featuring Built-In 2 Channel Amplifier
 Dimensions: 3.78" x 3.78" x 3.82" (96 x 96 x 97 mm)

For full specifications, thumb your way to the INDEX page 29.

MULTIMEDIA RECEIVER PACKAGE



MG250W.64
240 Watts | Bluetooth® (AUDIO STREAMING)
MARINE GAUGE DIGITAL MEDIA PLAYER
Featuring Built-In 4 Channel Amplifier
Plus (Two Pairs) 6.5" (165 mm) Dual Cone
Marine Full Range Speaker System

Dimensions: 3.78" x 3.78" x 3.82" (96 x 96 x 97 mm)



For full specifications, thumb your way to the INDEX pages 29 & 33.

MULTIMEDIA RECEIVER, AMPLIFIER, AND SPEAKER SYSTEM PACKAGES



MG150W.6

120 Watts | **Bluetooth®** (AUDIO STREAMING)
MARINE GAUGE DIGITAL MEDIA PLAYER
Featuring Built-In 2 Channel Amplifier
PLUS **(One Pair)** 6.5" (165 mm) Dual Cone
Marine Full Range Speaker System

Dimensions: 3.78" x 3.78" x 3.82" (96 x 96 x 97 mm)



MG150T.4

120 Watts | **Bluetooth®** (AUDIO STREAMING)
MARINE GAUGE DIGITAL MEDIA PLAYER
Featuring Built-In 2 Channel Amplifier
PLUS **(One Pair)** 400 Watts | 4" (102 mm)
2-Way Marine Waketower/UTV Roll Bar Speaker System

Dimensions: 3.78" x 3.78" x 3.82" (96 x 96 x 97 mm)



MULTI-FUNCTION
REMOTE
CONTROLLER



MUSB35 UNIVERSAL
USB/3.5 mm AUXILIARY



WATERPROOF
PHONE POUCH
(Phone not included)



MC900B BLUETOOTH®
ALL-TERRAIN AMPLIFIER
SYSTEM



ASK902B.6

500 High Output | **Bluetooth®**
AMPLIFIER AND SPEAKER SYSTEM
Featuring **Bluetooth®** All-Terrain Amplifier
PLUS 1 Pair - 6.5" (165 mm) Marine Dual
Cone Full Range Speaker System



MULTI-FUNCTION
REMOTE
CONTROLLER



MUSB35 UNIVERSAL
USB/3.5 mm AUXILIARY



WATERPROOF
PHONE POUCH
(Phone not included)



MC900B BLUETOOTH®
ALL-TERRAIN AMPLIFIER
SYSTEM



ASK904B.64

500 High Output | **Bluetooth®**
AMPLIFIER AND SPEAKER SYSTEM
Featuring **Bluetooth®** All-Terrain Amplifier
PLUS 2 Pairs - 6.5" (165 mm) Marine Dual
Cone Full Range Speaker System

For full specifications, thumb your way to the INDEX pages 29, 30, & 33.

MULTIMEDIA RECEIVER PACKAGES



RUBBER COVER INCLUDED



INCLUDES 2 TRIM BEZELS

MCKGB450W.6

240 Watts

Bluetooth® (AUDIO STREAMING) | MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER FEATURING BUILT-IN AMPLIFIER

Plus 1 Pair - 6.5" (165 mm) Marine Dual Cone Full Range Speaker System

Also Included: Marine Dipole Antenna



RUBBER COVER INCLUDED



INCLUDES 2 TRIM BEZELS

MCKGB450B.6

240 Watts

Bluetooth® (AUDIO STREAMING) | MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER FEATURING BUILT-IN AMPLIFIER

Plus 1 Pair - 6.5" (165 mm) Marine Dual Cone Full Range Speaker System

Also Included: Marine Dipole Antenna



For full specifications, thumb your way to the INDEX pages 31 & 33.

MULTIMEDIA RECEIVER PACKAGES



MRANT10
MARINE RUBBER
ANTENNA



RUBBER COVER

■ MCKGB350W.6

240 Watts

Bluetooth® (AUDIO STREAMING) | MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER FEATURING BUILT-IN AMPLIFIER

Plus 1 Pair - 6.5" (165 mm) Marine Dual Cone Full Range Speaker System
Also Included: Marine Dipole Antenna



MRANT10
MARINE RUBBER
ANTENNA



RUBBER COVER

■ MCKGB350B.6

240 Watts

Bluetooth® (AUDIO STREAMING) | MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER FEATURING BUILT-IN AMPLIFIER

Plus 1 Pair - 6.5" (165 mm) Marine Dual Cone Full Range Speaker System
Also Included: Marine Dipole Antenna



For full specifications, thumb your way to the INDEX pages 31 & 33.



MARINE 4-CHANNEL BRIDGEABLE POWER AMPLIFIER



REMOTE SUBWOOFER CONTROL



PUBLIC ADDRESS MICROPHONE



END PANEL CONNECTIONS DETAIL



MR1200PA

1200 High Output
4-CHANNEL BRIDGEABLE MARINE POWER AMPLIFIER
WITH PUBLIC ADDRESS SYSTEM AND MICROPHONE
Featuring Remote Subwoofer Level Control

Dimensions (including mounting feet):
12.75" L x 7.375" W x 2.25" H (324 x 187 x 57 mm)



For full specifications, thumb your way to the INDEX page 30.

AMPLIFIER

WAKETOWER PODS AND SPEAKER SYSTEMS



MULTICOLOR ILLUMINATION OPTIONS

■ MRWT69RGB

600 Watts

6" x 9" (152 x 229 mm) 2-WAY

MARINE WAKETOWER SPEAKER SYSTEM

Featuring 20 Multicolor Illumination
Options and Wireless RF Remote Control



WIRELESS RF
REMOTE CONTROL



For full specifications, thumb your way to the INDEX page 31.



MRWT69
550 Watts
6" x 9" (152 x 229 mm) 4-WAY
MARINE WAKETOWER SPEAKER SYSTEM



For full specifications, thumb your way to the INDEX page 31.

WAKETOWER PODS AND SPEAKER SYSTEMS



■ MPWT60RGBW

600 Watts
6.5" (165 mm) 2-WAY
MARINE WAKETOWER SPEAKER SYSTEM
Featuring 20 Multicolor Illumination
Options and Wireless RF Remote Control



MULTICOLOR ILLUMINATION OPTIONS



WIRELESS RF
REMOTE CONTROL
WITH KEYCHAIN TAG




For full specifications, thumb your way to the INDEX page 31.

WAKETOWER PODS AND SPEAKER SYSTEMS



WIRELESS RF
REMOTE CONTROL
WITH KEYCHAIN TAG



MULTICOLOR
ILLUMINATION
OPTIONS



■ MRWT40RGB

400 Watts
4" (102 mm) 2-WAY MARINE
WAKETOWER/UTV ROLL BAR SPEAKERS
Featuring Multicolor Illumination Options
and Wireless Rf Remote Control
with Keychain Tag



■ MRWT40

400 Watts
4" (102 mm)
2-WAY MARINE
WAKETOWER/UTV ROLL
BAR SPEAKERS



WIRELESS RF
REMOTE CONTROL
WITH KEYCHAIN TAG



ILLUMINATED
MULTI-FUNCTION
CONTROLLER



BPS4B 4-CHANNEL
ALL-TERRAIN
AMPLIFIER SYSTEM



MULTICOLOR ILLUMINATION OPTIONS

■ UNI4RGB

400 Watts | **Bluetooth®**
AMPLIFIER AND SPEAKER SYSTEM
Featuring 4-Channel All-Terrain Amplifier
PLUS (2 Pairs) 4" 2-Way Marine Roll Cage/
Waketower Speaker Pods with Multicolor
Illumination Options with Keychain Tag



For full specifications, thumb your way to the INDEX page 31.



FEATURES 20 MULTICOLOR
ILLUMINATION OPTIONS

MARINE DUAL 2Ω SUBWOOFER

■ MRGB10W

800 Watts
10" (254 mm) MARINE
DUAL 2Ω SUBWOOFER



WIRELESS REMOTE CONTROL

FEATURES

- Rubber Surround
- Polypropylene Cone
- Composite Basket
- High Performance Voice Coil
- Custom Grille
- Multicolor RGB Illumination and Patterns
- Wireless Remote Control

SPECIFICATIONS

- Max Power: 800 W
- Nominal Impedance: Dual 2Ω
- Frequency Response: 40 Hz-20 kHz
- System Sensitivity (1 W/1 m): 87 dB

DIMENSIONS

- A: Overall Diameter: 10.56" / 268 mm
- B: Installation Hole Diameter: 9.39" / 238.5 mm
- C: Mounting Depth: 4.57" / 116 mm

SUBWOOFER

MARINE 2-WAY FULL RANGE PERFORMANCE LOUDSPEAKER SYSTEMS



MULTICOLOR ILLUMINATION OPTIONS

MRGB65

200 Watts
6.5" (165 mm) MARINE 2-WAY
FULL RANGE SPEAKER SYSTEM
Featuring Multicolor Illumination
Options, Illumination Control Hub,
and Wireless Rf Remote Control



ILLUMINATION
CONTROL HUB



WIRELESS RF
REMOTE CONTROL



MULTICOLOR ILLUMINATION OPTIONS

MRGB65S

200 Watts
6.5" (165 mm) MARINE 2-WAY
FULL RANGE SPEAKER SYSTEM
Featuring Multicolor Illumination
Options, Illumination Control Hub,
and Wireless Rf Remote Control



ILLUMINATION
CONTROL HUB



WIRELESS RF
REMOTE CONTROL

For full specifications, thumb your way to the INDEX page 32.

MARINE 2-WAY FULL RANGE PERFORMANCE LOUDSPEAKER SYSTEMS



MULTICOLOR ILLUMINATION OPTIONS



■ MRGB55W

150 Watts
5.25" (133 mm) 2-WAY MARINE LOUDSPEAKERS
Featuring 20 Multicolor Illumination Options



MULTICOLOR ILLUMINATION OPTIONS



■ MRGB55B

150 Watts
5.25" (133 mm) 2-WAY MARINE LOUDSPEAKERS
Featuring 20 Multicolor Illumination Options



■ MR692W

350 Watts
6" x 9" (152 x 229 mm) MARINE
2-WAY FULL RANGE SPEAKER SYSTEM



■ MR690

350 Watts
6" x 9" (152 x 229 mm) MARINE
2-WAY FULL RANGE SPEAKER SYSTEM

For full specifications, thumb your way to the INDEX page 32.

MARINE 2-WAY FULL RANGE PERFORMANCE LOUDSPEAKER SYSTEMS



■ MR752C

400 Watts
7.5" (191 mm) 2-WAY
COMPONENT MARINE LOUDSPEAKERS
Featuring Surface Mount Tweeter Options




■ MR652C


350 Watts
6.5" (165 mm) 2-WAY
COMPONENT MARINE LOUDSPEAKERS
Featuring Surface Mount Tweeter Options

For full specifications, thumb your way to the INDEX page 32.

MARINE 2-WAY FULL RANGE PERFORMANCE LOUDSPEAKER SYSTEMS



- **MR62W**
200 Watts
6.5" (165 mm) MARINE 2-WAY
FULL RANGE SPEAKER SYSTEM




- **MR62B**
200 Watts
6.5" (165 mm) MARINE 2-WAY
FULL RANGE SPEAKER SYSTEM




- **MR60W**
200 Watts
6.5" (165 mm) MARINE 2-WAY
FULL RANGE SPEAKER SYSTEM



- **MR60B**
200 Watts
6.5" (165 mm) MARINE 2-WAY
FULL RANGE SPEAKER SYSTEM




- **MR52W**
150 Watts
5.25" (133 mm) 2-WAY MARINE
FULL RANGE SPEAKER SYSTEM



- **MR52B**
150 Watts
5.25" (133 mm) 2-WAY MARINE
FULL RANGE SPEAKER SYSTEM


For full specifications, thumb your way to the INDEX pages 32-33.

MARINE 3-WAY INDOOR/OUTDOOR BOX SPEAKER SYSTEMS



MR4.3W
200 Watts
3-WAY INDOOR/OUTDOOR
BOX SPEAKER SYSTEM
Featuring Swivel Bracket Mounting Options

Dimensions:
D: 5.3" (135 mm) x W: 5.5" (140 mm) x H: 7.6" (193 mm)



MR4.3B
200 Watts
3-WAY INDOOR/OUTDOOR
BOX SPEAKER SYSTEM
Featuring Swivel Bracket Mounting Options

Dimensions:
D: 5.3" (135 mm) x W: 5.5" (140 mm) x H: 7.6" (193 mm)

BADGE ROTATES TO PREFERRED POSITION

For full specifications, thumb your way to the INDEX page 33.

MARINE 2-WAY FULL RANGE PERFORMANCE LOUDSPEAKER SYSTEMS



■ MR50W

150 Watts
5.25" (133 mm) MARINE 2-WAY
FULL RANGE SPEAKER SYSTEM



■ MR50B

150 Watts
5.25" (133 mm) MARINE 2-WAY
FULL RANGE SPEAKER SYSTEM



■ MR6W

180 Watts
6.5" (165 mm) DUAL CONE MARINE 2-WAY
FULL RANGE SPEAKER SYSTEM



■ MR6B

180 Watts
6.5" (165 mm) DUAL CONE MARINE 2-WAY
FULL RANGE SPEAKER SYSTEM

SPEAKERS

For full specifications, thumb your way to the INDEX page 33.

MARINE ACCESSORIES



MRANT12W
WHITE 12" UNIVERSAL MARINE ANTENNA
Total Cable Length 78" (1981 mm)



MRANT12
BLACK 12" UNIVERSAL MARINE ANTENNA
Total Cable Length 78" (1981 mm)



MRANT10
10" UNIVERSAL MARINE DIPOLE ANTENNA
Total Cable Length 41" (104 cm)

MARINE ACCESSORIES



COVER SHOWN OPEN
(Head unit not included)



MRC10
MARINE RADIO COVER



COVER SHOWN OPEN
(Head unit not included)



MRC5
MARINE RADIO COVER



COVER SHOWN OPEN
(Head unit not included)



MRC5B
MARINE RADIO COVER



COVER CLOSED



COVER OPEN

MUSB35
UNIVERSAL USB/3.5 mm AUXILIARY
INTERFACE MOUNT
Use with any Radio with USB/RCA Inputs

HEAD UNITS

	BVCP9700A-MR	MRCP9685A	MR500UAB	MCK500WB.6	MR508UABS	MCK508WB.64S	MR508UABW	MCK508WB.6	MR762BRGB	MR632UAB	MCK632WB.6	MCK632WB.64	MR1308UAB	MR1308UABK
PLAYBACK														
DVD±R/RW Audio & Video														
CD±R/RW Audio					•	•	•	•	•					
High-Resolution FLAC	•	•												
WAV/MP3/WMA	•	•												
MP3/WMA			•	•	•	•	•	•	•	•	•	•	•	•
Bluetooth® Audio Streaming	•	•	•	•	•	•	•	•	•	•	•	•	•	•
INPUTS & OUTPUTS														
USB Port			•	•	•	•	•	•	•	•	•	•	•	•
USB Charging (1A)*			•	•	•	•	•	•	•	•	•	•	•	•
USB Port 1: CarPlay & Android Auto™, 1.5A Charging	•	•												
USB Port 2: Media & 1.5A Charging	•	•												
SD Port	Micro													
Aux-In					•	•	•	•	•	•	•	•	•	•
Compatible with Audio Output of iPod®/iPhone®, Smartphones and MP3 players	•	•	•	•	•	•	•	•	•	•	•	•	•	•
A/V Input	•	•												
Front & Rear Camera Inputs	•	•												
Rear Camera Input														
4V Front, Rear, Sub Pre-Amp Outputs	•	•												
Front & Rear Pre-Amp Outputs			•	•	•	•	•	•	•	•	•	•	•	•
Video Output														
External Microphone	•	•												
A-LINK (SCREEN MIRRORING)†														
2-Way Control (Android), USB Connection Required														
GENERAL														
BLUETOOTH® Hands-Free	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Apple CarPlay & Android Auto™	•	•												
True Double-DIN Fit	•	•												
Single-DIN Fit			•	•	•	•	•	•	•	•	•	•	•	•
Capacitive Touchscreen	•	•												
Multicolor Illumination		•						•	•	•	•			
Wireless Remote Control			•	•	•	•	•	•	•	•	•	•	•	•
Detachable Front Panel								•	•	•	•	•	•	•
Conformal Coated PCB	•	•	•	•	•	•	•	•	•	•	•	•	•	•
UV Protected Front Panel			•	•	•	•	•	•	•	•	•	•	•	•
Steering Wheel Control Input (**Interface not included)	•	•												
Switchable US & Europe Tuner Frequencies	•	•	•	•	•	•	•	•	•	•	•	•	•	•
AM/FM Receiver	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Push-To-Talk	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Zero Current Draw Memory (Retains memory if battery is disconnected)		•											•	•
Radio Preset Memory (Retains Memory if Battery is Disconnected)														
Update via USB	•	•												
Watts x 4 Channels	85	80	50	50	50	50	50	50	60	50	50	50	50	50
REAR-VIEW CAMERA														
High Resolution Color Camera														

*Charging only. Not for mobile device playback.

**Steering wheel control not applicable with all vehicles. †Supports Android 8.0+ or higher, not all apps supported.

Use of the Apple CarPlay logo means that a vehicle user interface meets Apple performance standards. Apple is not responsible for the operation of this vehicle or its compliance with safety and regulatory standards. Please note that the use of this product with iPhone, iPod, or iPad may affect wireless performance.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.

GAUGE RADIOS

	MGV550B	MGV520B	MGV500B	MGR450B	MGR350B	MGR300B	MGR250B	MGR150B
PLAYBACK								
High-Resolution FLAC	•	•						
MP3/WMA			•	•	•	•	•	•
MP3	•	•						
Bluetooth® Audio Streaming	•	•	•	•	•	•	•	•
INPUTS & OUTPUTS								
USB Port	•	•	•	•	•	•		
USB Charging (1A)*	•	•	•	•	•	•	[2A]	[2A]
SD Port								
Aux-In	•	•	•	•	•	•	•	•
Compatible with Audio Output of iPod®/iPhone®, Smartphones and MP3 players	•	•	•	•	•	•	•	•
A/V Input	•							
Front & Rear Camera Inputs	•	•	•					
Rear Camera Input								
Front, Rear, Sub Pre-Amp Outputs	•	•	•	•	•			
Front & Rear Pre-Amp Outputs								
Rear Pre-Amp Outputs						•		
Pre-Amp Outputs (1 pair)							•	•
GENERAL								
BLUETOOTH® Hands-Free								
Illuminated Soft Touch Buttons	•	•	•	•	•	•	•	•
Accessory Button - Turn On/Off Accessories (Lightbars, LED Whips, etc.)	•	•	•					
Cutout Diameter: xx" / xx mm)	3.55" / 90 mm	3" / 76 mm	3.13" / 79.5 mm	3" / 76 mm	3" / 76 mm	3.13" / 79.5 mm	• 3" / 76 mm	3" / 76 mm
2 Channel								•
4 Channel	•	•	•	•	•	•	•	
NOAA Weather Band Tuner			•	•	•			
IPXx-Rated (Water-Resistant / Dustproof)	6	6	5	6	6	5	6	6
Conformal Coated PCB	•	•	•	•	•	•	•	•
UV Protected Front Panel								
x" TFT LCD Color Display	5"	3"	3"					
Switchable US & Europe Tuner Frequencies	•	•	•	•	•	•		
AM/FM Receiver	•	•	•	•	•	•		
2 Trim Bezels Included				•				
RDS Tuner				•	•			
RBDS Tuner								
Zero Current Draw Memory (Retains memory if battery is disconnected)	•	•	•	•	•	•	•	•
Radio Preset Memory (Retains Memory if Battery is Disconnected)								
Update via USB						•		
Watts x 4 Channels	60	60	60	60	60	60	60	2 x 60

INDEX

*Charging only. Not for mobile device playback.

**Steering wheel control not applicable with all vehicles. †Supports Android 8.0+ or higher, not all apps supported.

Use of the Apple CarPlay logo means that a vehicle user interface meets Apple performance standards. Apple is not responsible for the operation of this vehicle or its compliance with safety and regulatory standards. Please note that the use of this product with iPhone, iPod, or iPad may affect wireless performance.

iPod® and iPhone® are registered trademarks of Apple, Inc. in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.

POWER AMPLIFIERS

FEATURES	MRI200PA	MC900B	MPD1200.1	MPD1200.4	MPD2200.5
5/4/3/2 Channels					•
4/3/2 Channels	•	•		•	
2/1 Channels					
Monoblock			•		
High Output	1200	500	1200	1200	2200
Full-Range	•	•	•	•	•
Class A/B Topology		•			
Class D Topology			•	•	•
2Ω Stereo Stable	•				
4Ω Stable		•	•	•	•
Bluetooth® Audio Streaming Stream and Control your Favorite Music APPS		•			
PWM MOSFET Power Supply	•		•	•	•
RCA & Speaker Level Inputs					
RCA In/Out		•			
HP & LP Filters	•				
High and Low Level Inputs			•	•	•
Illuminated End Panel Strips			•	•	•
Bass Boost	•				
Variable Bass Boost	•		•	•	•
Variable Crossover	•		•	•	•
Input Sensitivity	•				
Compatible with Audio Output from iPhones, Smartphones and MP3 Players		•			
Weatherproof	•	Resistant	•	•	•
Conformal Coated PCB	•				
Thermal, Short and Overload Protection Circuits		•			
Remote Subwoofer Control	•				
Zero Current Draw		•			
Illuminated Multi-function Remote with Soft Touch Buttons		•			
Easy Pairing w/Auto Reconnect		•			
Thermal, Short and Overload Protection Circuits	•				
For all 12 V Applications		•			

SPEAKER POD SYSTEMS

	MRWT69RGB	MPWT60RGBW	MRWT69	MRWT40RGB	MRWT40	UNI4RGB
FEATURES						
4-Way System			•			
3-Way System						
2-Way System	•	•		•	•	•
Rubber Surround	•	•	•	•	•	•
Foam Surround						
Resin Treated Cloth Surround						
Polypropylene Cone	•		•			
Poly Injection Cone		•		•	•	•
Stamped Steel Basket						
Composite Basket	•		•			
xx mm Midrange			2.5" / 63 mm			
xx mm Dome Midrange						
xx mm Tweeter						
xx mm Dome Tweeter	1" / 25 mm Dome	1" / 25 mm Neo Dome	1" / 25 mm Dome	1" / 25 mm Dome	1" / 25 mm Dome	1" / 25 mm Dome
xx mm & xx mm Tweeters						
xx mm Midbass Driver		6.5" / 165 mm		4" / 102 mm	4" / 102 mm	4" / 102 mm
IPXx Rated	5	6	5	5	5	5
Wireless Illumination Remote	•	•		•		•
Interconnect Lighting Control						
Multicolor Illumination Options	•	•		•		•
Multi Pattern Illumination Options	•	•		•		•
Low Profile Dual-Strap Swivel Clamps		2.25"-2.5" + 2.75"-3" O.D.				
6dB/Oct High-Pass Filter	•		•			
Illumination Control Hub						
SPECIFICATIONS						
Max Power: xxx W	600	600	550	400	400	400
Nominal Impedance: xΩ	4Ω	4Ω	4Ω	4Ω	4Ω	4Ω
Frequency Response: xx Hz- xx kHz	65Hz-20 kHz	140 Hz-20 kHz	40Hz-20kHz	130Hz-20kHz	130Hz-20kHz	130Hz-20kHz
System Sensitivity (1 W/1 m): xx dB	89	93	95	94	94	94

LOUDSPEAKERS

MRGB65
MRGB65S

MRGB55W
MRGB55B

MR692W

MR690

MR752C

MR652C

MR62W

MR62B

MR60W

FEATURES	MRGB65 MRGB65S	MRGB55W MRGB55B	MR692W	MR690	MR752C	MR652C	MR62W	MR62B	MR60W
4-Way System									
3-Way System									
2-Way System	•	•	•	•	•	•	•	•	•
Rubber Surround					•	•			
Foam Surround									
Resin Treated Cloth Surround	•	•	•	•			•	•	•
Polypropylene Cone	•	•	•	•	•	•	•	•	•
Poly Injection Cone									
Composite Basket	•	•	•	•	•	•	•	•	•
Stamped Steel Basket									
xx mm Tweeter	1" [25 mm] Tweeters	1" [25 mm] Tweeters	1" [25 mm] Dome Tweeters	0.51" [13 mm] Dome Tweeters	1" [25 mm] Dome Tweeters	1" [25 mm] Dome Tweeters	0.51" [13 mm] Dome Tweeters	0.51" [13 mm] Dome Tweeters	1" [25 mm] Dome Tweeters
Speed and Brightness Controls	•	•							
Illumination Control Hub	•								
Weatherproof	•								
Interconnect Lighting Control	•	•							
Multicolor Illumination Options	•	•							
Multi Pattern Illumination Options	•	•							
12dB/Oct Component Crossover					•	•			
SPECIFICATIONS									
Max Power: xxx W	200	150	350	350	400	350	200	200	200
Nominal Impedance: xΩ	4Ω	4Ω	4Ω	4Ω	4Ω	4Ω	4Ω	4Ω	4Ω
Frequency Response: xx Hz- xx kHz	70 Hz-20 kHz	80Hz-20kHz	60Hz-20kHz	60Hz-20kHz	40Hz-20kHz	60Hz-20kHz	80Hz-20kHz	80Hz-20kHz	80Hz-20kHz
System Sensitivity (1 W/1 m): xx dB	88	88	92	92	92	90	90	90	90
DIMENSIONS									
A: Overall Diameter: x.xx" / xx mm	7.68" / 195 mm	6.5" / 165 mm	7.75" x 10.5" / 197 x 267 mm	7.72" x 10.59" / 196 x 269 mm	7.36" / 187 mm	6.93" / 176 mm	7.60" / 193 mm	7.60" / 193 mm	7.68" / 195 mm
B: Installation Hole Diameter: x.xx" / xx mm	5.51" / 140 mm	4.92" / 125 mm	6.02" x 8.78" / 153 x 223 mm	6" x 8.78" / 152 x 223 mm	6.22" / 158 mm	5.2" / 132 mm	5.59" / 142 m	5.59" / 142 m	5.59" / 142 m
C: Mounting Depth: x.xx" / xx mm	2.56" / 65 mm	2.13" / 54 mm	3.38" / 86 mm	3.38" / 86 mm	2.68" / 68 mm	2.44" / 62 mm	2.625" / 67 m	2.625" / 67 m	2.625" / 67 m
D: Grille Protrusion: x.xx" / xx mm	1.10" / 28 mm	1" / 25.5 mm	1.375" / 35 mm	1.10" / 28 mm	0.83" / 21 mm	0.83" / 21 mm	1.02" / 26 mm	1.02" / 26 mm	1.10" / 28 mmm
E: Outer Motor Diameter: x.xx" / xx mm	4.53" / 115 mm	3.7" / 94 mm	4.8" / 122 mm	4.8" / 122 mm	4.76" / 121 mm	4.13" / 105 mm	4.49" / 114 mm	4.49" / 114 mm	4.49" / 114 mm

LOUDSPEAKERS

MR60B

MR52W

MR52B

MR4.3W

MR4.3B

MR50W

MR50B

MR6W

MR6B

FEATURES	MR60B	MR52W	MR52B	MR4.3W	MR4.3B	MR50W	MR50B	MR6W	MR6B
4-Way System									
3-Way System				•	•				
2-Way System	•	•	•			•	•	•	•
Rubber Surround									
Foam Surround									
Resin Treated Cloth Surround	•	•	•			•	•	•	•
Polypropylene Cone	•	•	•			•	•	•	•
Poly Injection Cone									
Composite Basket	•	•	•			•	•	Plastic	Plastic
Stamped Steel Basket									
xx mm Dome Midrange									
xx mm Midrange									
xx mm Tweeter	1" (25 mm) Dome Tweeters	0.51" (13 mm) Tweeters	0.51" (13 mm) Tweeters	0.79" (20 mm) Dome Tweeters	0.79" (20 mm) Dome Tweeters	1" (25 mm) Dome Tweeters	1" (25 mm) Dome Tweeters	Dual Cone Design	Dual Cone Design
Speed and Brightness Controls									
Illumination Control Hub									
Weatherproof				•	•			•	•
Interconnect Lighting Control									
Multicolor Illumination Options									
Multi Pattern Illumination Options									
12dB/Oct Component Crossover									
SPECIFICATIONS									
Max Power: xxx W	200	150	150	200	200	150	150	180	180
Nominal Impedance: xΩ	4Ω	4Ω	4Ω	4Ω	4Ω	4Ω	4Ω	4Ω	4Ω
Frequency Response: xx Hz- xx kHz	80Hz-20kHz	80Hz-20kHz	80Hz-20kHz	80 Hz-18 kHz	80 Hz-18 kHz	120Hz-18 kHz	120Hz-18 kHz	85 Hz-20 kHz	85 Hz-20 kHz
System Sensitivity (1 W/1 m): xx dB	90	89	89	85	85	90	90	86	86
DIMENSIONS									
A: Overall Diameter: x.xx" / xx mm	7.68" / 195 mm	6.06" / 154 mm	6.06" / 154 mm			6.06" / 154 mm	6.06" / 154 mm	7.5" / 191 mm	7.5" / 191 mm
B: Installation Hole Diameter: x.xx" / xx mm	5.59" / 142 mm	4.92" / 125 mm	4.92" / 125 mm			4.92" / 125 mm	4.92" / 125 mm	5.47" / 139 mm	5.47" / 139 mm
C: Mounting Depth: x.xx" / xx mm	2.625" / 67 mm	2.13" / 54 mm	2.13" / 54 mm			2.13" / 54 mm	2.13" / 54 mm	2.24" / 57 mm	2.24" / 57 mm
D: Grille Protrusion: x.xx" / xx mm	1.10" / 28 mm	1.10" / 28 mm	1.10" / 28 mm			0.87" / 22 mm	0.87" / 22 mm	0.87" / 22 mm	0.87" / 22 mm
E: Outer Motor Diameter: x.xx" / xx mm	4.49" / 114 mm	3.90" / 99 mm	3.90" / 99 mm			3.9" / 99 mm	3.9" / 99 mm	3.7" / 94 mm	3.7" / 94 mm



www.bossaudio.com