

MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER





MULTICOLOR ILLUMINATION OPTIONS



RUBBER COVER INCLUDED





MGV550B

240 Watts

Bluetooth® MARINE GAUGE

DIGITAL MEDIA AM/FM RECEIVER

FEATURING 5" (127 mm) WIDESCREEN TOUCHSCREEN

DIGITAL TFT LCD MONITOR PLUS ACCESSORY BUTTON

AND MULTICOLOR ILLUMINATION OPTIONS

For full specifications, thumb your way to the INDEX page 26.

MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER



MGV520B

240 Watts | Bluetooth® (AUDIO STREAMING)
MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER
Featuring 3" (76 mm) TFT LCD Color Display
and Built-In Amplifier

Dimensions: 4.53" x 4.13" x 4.06" (115 x 105 x 103 mm)









20 MULTICOLOR ILLUMINATION OPTIONS
PLUS 19 DYNAMIC ILLUMINATION PATTERNS



DUAL ROW LED LIGHT BAR



(2) .375" THREADED INSERTS FOR MOUNTING ACCESSORIES



LARGE STORAGE COMPARTMENT w/USB CHARGING PORT





ATV95LRGB

700 Watts

Bluetooth® (AUDIO STREAMING)

AMPLIFIED ALL-TERRAIN SOUND SYSTEM

Featuring Multicolor Illumination Options, LED Light Bar, Large Front Storage Compartment, 8" (203 mm) Marine Speakers, and 1.5" (38 mm) Weatherproof Tweeters

Dimensions: 32.5" x 14.0" x 9.0" (826 x 356 x 229 mm)



IPX5* RATED MULTI FUNCTION REMOTE CONTROL



WIRELESS RF REMOTE CONTROL FOR LED LIGHTS

For full specifications, thumb your way to the INDEX page 28.



DUAL ROW LED LIGHT BAR



IPX5* RATED MULTI FUNCTION REMOTE CONTROL



(2) .375" THREADED INSERTS FOR MOUNTING ACCESSORIES



ATVB95LED

700 Watts | Bluetooth® (AUDIO STREAMING)
AMPLIFIED ALL-TERRAIN SOUND SYSTEM
Featuring LED Light Bar, Large Front Storage
Compartment, and 8" (203 mm) Marine Speakers,
and 1.5" (38 mm) Weatherproof Tweeters

Dimensions: 32.68" x 13.38" x 9.25" (830 x 340 x 235 mm)



LARGE STORAGE COMPARTMENT

w/USB CHARGING PORT

MULTICOLOR ILLUMINATION OPTIONS

HEAVY DUTY MOUNTING STRAPS



WIRELESS RF REMOTE CONTROL FOR LED LIGHTS



CIGARETTE LIGHTER POWER ADAPTOR



ATV8BRGB

450 Watts | Bluetooth® (AUDIO STREAMING)
AMPLIFIED ALL-TERRAIN SOUND SYSTEM
Featuring 8" Marine Speakers and 1.5" Waterproof
Tweeters, and Includes Built-In Internal Amplifier

Dimensions: 29.4" x 12.2" x 8.7" (747 x 310 x 222 mm)



CONTROL



ATV85B

700 Watts | Bluetooth® (AUDIO STREAMING)
AMPLIFIED ALL-TERRAIN SOUND SYSTEM
Featuring 8" Marine Speakers, and 1.5" Waterproof
Tweeters, and Includes Built-In Internal Amplifier

Dimensions: 31.625" x 13.15" x 9.0" (803 x 334 x 229 mm)



MULTICOLOR ILLUMINATION OPTIONS

HEAVY DUTY MOUNTING STRAPS



WIRELESS RF REMOTE CONTROL



CHARGING PLUG ADAPTER




ATV65BRGB

450 Watts | Bluetooth® (AUDIO STREAMING)
AMPLIFIED ALL-TERRAIN SOUND SYSTEM
Featuring 6.5" Marine Speakers, 1" Tweeters,
and Multicolor Illumination Options

Dimensions: 26" x 10.75" x 7.25" (660.4 x 273 x 184.2 mm)











20 MULTICOLOR ILLUMINATION OPTIONS
PLUS 19 DYNAMIC ILLUMINATION PATTERNS



IN-LINE MULTI-FUNCTION CONTROL



WIRELESS RF REMOTE CONTROL FOR LED LIGHTS

ATV30BRGB

450 Watts

Bluetooth® (AUDIO STREAMING)

AMPLIFIED ALL-TERRAIN SOUND SYSTEM

Featuring Multicolor Illumination Options

Plus 6.5" (165 mm) Marine Speakers

and 1.5" (38 mm) Weatherproof Tweeters

Dimensions: 28.54" x 11.81" x 7.87" (725 x 300 x 200 mm)







ATTACHABLE CARRY HANDLE



HEAVY DUTY MOUNTING STRAPS



CHARGING PLUG ADAPTER





AC/DC CHARGER



CHARGING PLUG ADAPTER





AUX CABLE



HEAVY DUTY MOUNTING STRAPS

HEAVY DUTY MOUNTING STRAPS



CHARGING PLUG ADAPTER







WIRELESS RF REMOTE CONTROL FOR LED LIGHTS



MULTICOLOR ILLUMINATION OPTIONS



For full specifications, thumb your way to the INDEX page 29.

ATVB6.5R

450 Watts | Bluetooth® (AUDIO STREAMING) PORTABLE AMPLIFIED ALL-TERRAIN SOUND SYSTEM Featuring 6.5" Marine Speakers and 1" Tweeters and Built-In Battery Dimensions: 26" x 10.75" x 7.25" (660.4 x 273 x 184.2 mm)

ATV6.5B

450 Watts | Bluetooth® (AUDIO STREAMING) AMPLIFIED ALL-TERRAIN SOUND SYSTEM Featuring 6.5" Marine Speakers and 1" Weatherproof Tweeters Dimensions: 25.6" x 10.6" x 7.44" (650 x 268 x 189 mm)

ATV25B

450 Watts | Bluetooth® (AUDIO STREAMING) AMPLIFIED ALL-TERRAIN SOUND SYSTEM Featuring 6.5" Marine Speakers, and 1.5" Waterproof Tweeters, and Includes Built-In Internal Amplifier Dimensions: 26.75"x 10.82" x 7.80" (680 x 275 x 198 mm)

UTV4B

Bluetooth® (AUDIO STREAMING)

AMPLIFIED ALL-TERRAIN SOUND SYSTEM Featuring 4" (102 mm) Marine Speakers, and 1" Waterproof Tweeters, and Includes Built-In Internal Amplifier Dimensions: 23.5"x 7.5" x 5" (597 x 191 x 127 mm)

UTV4BRGB


Bluetooth® (AUDIO STREAMING)

AMPLIFIED ALL-TERRAIN SOUND SYSTEM Featuring Multi-Color Illumination Options PLUS 4" (102 mm) Marine Speakers and 1" Waterproof Tweeters With Built-In Amplifier Dimensions: 23.5"x 7.5" x 5" (597 x 191 x 127 mm)



AMPLIFIED SOUND BARS





MULTICOLOR ILLUMINATION OPTIONS



WIRELESS **RF REMOTE** CONTROL

BRT37SLR

Bluetooth® (AUDIO STREAMING) 37" AMPLIFIED SOUND BAR

Featuring:

Built-In Class A/B Amplifier Multicolor Illumination Options USB Charging AUX input

Mounts on 1.75" - 2.0" (44 - 51 mm) Bars

Dimensions: 37.2" x 3.70" x 3.29" (945 x 94 x 83.5 mm)





SOUND BARS



MULTICOLOR ILLUMINATION OPTIONS



WIRELESS RF REMOTE CONTROL FOR ILLUMINATION CONTROL





WIRELESS REMOTE CONTROL





MULTICOLOR ILLUMINATION OPTIONS



WIRELESS RF REMOTE CONTROL FOR ILLUMINATION CONTROL







WIRELESS REMOTE CONTROL





Bluetooth® (AUDIO STREAMING)

36" AMPLIFIED SOUND BAR

Featuring:

Built-In Class A/B Amplifier

Multicolor Illumination

USB Charging

AUX input

Mounts on 1.75" - 2.0" (44 - 51 mm) Bars

Dimensions: 35.8" x 3.74" x 4.88" (910 x 95 x 124 mm)

BRT36A

Bluetooth® (AUDIO STREAMING)

36" AMPLIFIED SOUND BAR

Featuring:

Built-In Class A/B Amplifier

USB Charging

AUX input

Mounts on 1.75" - 2.0" (44 - 51 mm) Bars

Dimensions: 35.8" x 3.74" x 4.88" (910 x 95 x 124 mm)

BRT26RGB

Bluetooth® (AUDIO STREAMING)

26" AMPLIFIED SOUND BAR

Featuring:

Built-In Class A/B Amplifier

Multicolor Illumination

USB Charging

AUX input

Mounts on 1.75" - 2.0" (44 - 51 mm) Bars

Dimensions: 26" x 3.74" x 4.88" (660 x 95 x 124 mm)

BRT26A

Bluetooth® (AUDIO STREAMING)

26" AMPLIFIED SOUND BAR

Featuring:

Built-In Class A/B Amplifier

USB Charging

AUX input

Mounts on 1.75" - 2.0" (44 - 51 mm) Bars

Dimensions: 26" x 3.74" x 4.88" (660 x 95 x 124 mm)











SOUND BARS



O

REMOTE CONTROLLER RUBBER PROTECTIVE CASE INCLUDED



REMOTE CONTROLLER ADJUSTABLE CAGE MOUNTING BRACKET INCLUDED



BRRC27

Bluetooth® (AUDIO STREAMING)
27" AMPLIFIED SOUND BAR
Features Built-In Class D Amplifier,
Bluetooth® Controller, and Built-In Dome Light

Dimensions: 27" x 4.98" x 5.55" (686 x 126.5 x 141 mm)







WIRELESS RF REMOTE CONTROL



WIRELESS REMOTE CONTROL



BRT18RGB

Bluetooth® (AUDIO STREAMING)
18" AMPLIFIED SOUND BAR
Features Built-In Class A/B Amplifier
and Multicolor Illumination Options

Dimensions: 18" x 3.74" x 4.88" (458 x 95 x 124 mm)



WIRELESS REMOTE CONTROL



BRT18A

Bluetooth® (AUDIO STREAMING)
18" AMPLIFIED SOUND BAR

Features Built-In Class A/B Amplifier

Dimensions: 18" x 3.74" x 4.88" (458 x 95 x 124 mm)



MULTICOLOR ILLUMINATION OPTIONS



WIRELESS RF REMOTE CONTROL




BRT17SLR

Bluetooth® (AUDIO STREAMING)
17" AMPLIFIED SOUND BAR
Features Built-In Class A/B Amplifier
and Multicolor Illumination Options

Dimensions: 17.32" x 3.70" x 3.29" (440 x 94 x 83.5 mm)









MARINE GRADE 2-WAY FULL RANGE PERFORMANCE LOUDSPEAKER SYSTEMS





WIRELESS RF REMOTE CONTROL



MULTICOLOR ILLUMINATION OPTIONS


MRGB65B

200 Watts 6.5" (165 mm) MARINE 2-WAY FULL RANGE SPEAKER SYSTEM Featuring Multicolor Illumination Options and Wireless RF Remote Control

For full specifications, thumb your way to the INDEX page 27.

SPEAKER POD SYSTEMS





SPEAKER POD SYSTEMS



INCLUDES WIRED BLUETOOTH® CONTROLLER





B62ABT

750 Watts 6.5" (165 mm) 2-WAY AMPLIFIED MARINE GRADE ROLL CAGE/WAKETOWER SPEAKER PODS Featuring: Bluetooth® Controller and Built-In Amplifier Dimensions: 8.54" x 9.37" x 11.18" (217 x 238 x 284 mm)



REMOTE CONTROL

WITH KEYCHAIN TAG

MULTICOLOR ILLUMINATION

OPTIONS

INCLUDES WIRED **BLUETOOTH®** CONTROLLER





6.5" (165mm) 2-WAY AMPLIFIED MARINE GRADE ROLL CAGE/WAKETOWER SPEAKER PODS

Featuring: Bluetooth® Controller and Built-In Amplifier with Multicolor and Multipattern Illumination Options Dimensions: 8.54" x 9.37" x 11.18" (217 x 238 x 284 mm)







B6ABT

750 Watts 6.5" (165 mm) 2-WAY AMPLIFIED MARINE GRADE ROLL CAGE/WAKETOWER SPEAKER PODS Featuring: Bluetooth® and a Built-In Amplifier Dimensions: 9.84" x 7.17" x 7.32" (250 x 182 x 186mm)





MULTICOLOR ILLUMINATION **OPTIONS**





B6RGB

750 Watts 6.5" (165mm) 2-WAY AMPLIFIED MARINE GRADE ROLL CAGE/WAKETOWER SPEAKER PODS Featuring: Bluetooth® and a Built-In Amplifier with Multicolor and Multipattern Illumination Options Dimensions: 9.84" x 7.17" x 7.32" (250 x 182 x 186 mm)



INCLUDES WIRED **BLUETOOTH®** CONTROLLER





BM40AMPBT

400 Watts 4" (102 mm) 2-WAY MARINE WAKETOWER/UTV ROLL BAR SPEAKERS Mounts on 1.25" - 2" (32 - 51 mm) O.D. Bars Dimensions: 7.4" x 7.2" x 5.4" (188 x 183 x 137 mm)





LOW PROFILE AMPLIFIED MARINE WEATHERPROOF SUBWOOFER





For full specifications, thumb your way to the INDEX page 26.

4-CHANNEL ALL-TERRAIN AMPLIFIER SYSTEM





BPS4B

500 High Output

BLUETOOTH® | 4-CHANNEL

ALL-TERRAIN AMPLIFIER SYSTEM

with Illuminated Multi-Function Controller

Dimensions: 6.5" x 5.2" x 1.7" (165 x 133 x 42 mm)





MC900B

500 High Output

BLUETOOTH® | 4-CHANNEL

ALL-TERRAIN AMPLIFIER SYSTEM

with Illuminated Multi-Function Controller

Dimensions: 1.75" x 6.6" x 3.8" (44.5 x 168 x 96.5 mm)



For full specifications, thumb your way to the INDEX page 26.



360° FULL COLOR SPECTRUM WHIPS **WPYA** LED WHIPS Y ADAPTER Allows Two WP series Whips to SYNC RGB WP6 WP4 WP2 72" 360° RGB WHIP 48" 360° RGB WHIP 24" 360° RGB WHIP Features 20 Color Combination Features 20 Color Combination Features 20 Color Combination and 15 Brightness Levels and 15 Brightness Levels and 15 Brightness Levels QUICK CONNECT **EASY INSTALLATION** WIRELESS RF 20 COLOR

FEATURE

COMBINATIONS

REMOTE CONTROL

COMPLETE POLARIS® RZR® 5-SPEAKER AUDIO SYSTEM



COMPLETE POLARIS® RZR® 5-SPEAKER AUDIO SYSTEM





MUSB35 UNIVERSAL USB / 3.5 mm AUXILIARY INTERFACE MOUNT



MRANT10 MARINE DIPOLE ANTENNA IPX6 RATED 1000 WATT TRUE PLUG-N-PLAY
COMPLETE POLARIS® RZR® 5 SPEAKER AUDIO SYSTEM
Features 5" (127 mm) **Bluetooth®** Touchscreen
Digital Media Player, (4) 100 Watt 6.5" (165 mm)
Amplified Full Range Speakers, and (1) 600 Watt 10"
(254 mm) Subwoofer Enclosure
Kit fits: 2014 and up RZR 900S, 1000
and Turbo (2 and 4 seat models)

HARLEY DAVIDSON SADDLEBAG SPEAKER KIT





BHD98

HARLEY DAVIDSON SADDLEBAG SPEAKER KIT Fits Select 1998-2013 Harley Davidson Road Glide and Street Glide Motorcycles

INCLUDED IN THE BOX



HARLEY DAVIDSON SADDLEBAG SPEAKER KIT





BHD14 HARLEY DAVIDSON SADDLEBAG SPEAKER KIT Fits Select 2014+ Harley Davidson Road Glide and Street Glide Motorcycles



HARLEY DAVIDSON FRONT SYSTEM







BHD3F

HARLEY DAVIDSON FRONT SYSTEM

Fits: Select 1998+ Harley Davidson Road Glide
and Street Glide Motorcycles

- Rubber Surround
- Poly Injection Cone
- Stamped Steel Basket
- 1" (25 mm) Dome Tweeter
- 4 Channel Class D Amplifier
- (2) 150 Watts 2-WAY Weatherproof Loudspeakers
- SPEAKER GRILLE SET OPTIONS (2) 98-2013 ELECTRA, (2) 2014+ STREET GLIDE, (2) 2015+ ROAD GLIDE
- Amplifier Mounting Plate

AUDIO RECEIVER, AMPLIFIER INSTALLATION KIT, & CAMERAS



BPS1RS

BLUETOOTH® | AUDIO RECEIVER **Featuring:** Rocker Switch Dimensions

Direct Fit for Carling Switch Profile (cut-out: 0.85" x 1.45"/22 x 37 mm)



BP8K

8 GAUGE | AMPLIFIER INSTALLATION KIT Includes:

20 ft. 8 GA Matte Green Power Cable
3 ft. 8 GA Matte Black Ground Cable
MAXI Fuse Holder + 50A Fuse
20 ft. High Performance RCA Interconnect
30 ft. 18 GA Matte Green + Matte Black Speaker Cable
6 ft. Black Split Loom Tubing

- 16 ft. 18 GA Blue Turn-On Wire
- (2) Red Gold-Plated Ring Terminals
- (2) Black Gold-Plated Ring Terminals
- (1) Red Gold-Plated Spade Terminal
- (1) Black Gold-Plated Spade Terminal
- (10) Black 4" Cable Ties



BPLCAM

REAR-VIEW MOTORCYCLE LICENSE PLATE MOUNT CAMERA Featuring Hidden Mounting Bracket

Dimensions (overall L x W x H): 5.71" x 0.87" x 0.87" (145 x 22.1 x 22.1 mm)





POLCAM

UNIVERSAL OFF-ROAD FRONT OR REAR-VIEW CAMERA Compatiable with Plug N Play Polaris® RZR Ride Command™ Universal Video Input Adapter and Polaris JST OEM Connector also included

Dimensions (overall H x D x W): 1.7" x 7.8" x 4.6" (43.5 x 197.4 x 116.0 mm)

GAUGE RECEIVERS

PLAYBACK Bluetooth v5.0 w/Simple Pairing MP3/WMA MP3 Bluetooth® Audio Streaming **INPUTS & OUTPUTS** USB Port USB Charging (1A)* SD Port Aux-In Compatible with Audio Output of iPod®/iPhone®, Smartphones and MP3 players Video Input Front & Rear Camera Inputs Rear Camera Input Front, Rear, Sub Pre-Amp Outputs Front & Rear Pre-Amp Outputs Rear Pre-Amp Outputs Pre-Amp Outputs (1 pair) GENERAL BLUETOOTH® Hands-Free Illuminated Soft Touch Buttons Accessory Button - Turn On/Off Accessories (Lightbars, LED Whips, etc.) Cutout Diameter: xx" / xx mm 3.55" / 90 mm 3" / 76 mm 2 Channel NOAA Weather Band Tuner IPXx-Rated (Water-Resistant / Dustproof) Conformal Coated PCB UV Protected Front Panel x" TFT LCD Color Display 3" Switchable US & Europe Tuner Frequencies AM/FM Receiver Multicolor Illumination Zero Current Draw Memory (Retains memory if battery is disconnected) Radio Preset Memory (Retains Memory if Battery is Disconnected)

AMPLIFIED SUBWOOFER

	∕ ⊗ [*]
FEATURES	
Foam Surround	
Rubber Surround	
Polypropylene Cone	
Aluminum Cone	
High Temperature Voice Coils	
High Performance Voice Coils	
RCA Low Level Input	•
Push Terminals	
Low Profile	•
Built-In Amplifier	•
RCA & Speaker Level Inputs	
Low Pass Filter	50-150Hz
Bass Boost	
Variable Bass Boost	0 to +12dB
Fuse Rating	20A
Phase Control	•
Thermal, Short & Overload Protection Circuits	•
Remote Subwoofer Control	•
High Level Input	•
Green LED Power Status Indicator	•
Red LED Protect Status Indicator	•
Phase Selector Switch	0 or 180°
Soft Delay Remote Turn-On	•
SPECIFICATIONS	
Max Power: xxx Watts	800
Nominal Impedance: xΩ	4
Sensitivity (1 W/1 m): xx dB	6
Adjustable Input Sensitivity	[90mV-4V] High Level: 0.4V Low Level: 90mV
Frequency Response	20Hz-150Hz
Signal-to-Noise Ratio	>68dB
THD	<0.5%
Dimensions	10.2" × 14.4" ×3" (260 × 365 × 76 mm)

60

ALL-TERRAIN AMPLIFIER

PLAYBACK Bluetooth® Audio Streaming Stream and Control your Favorite Music APPs Easy Pairing w/Auto Reconnect **INPUTS & OUTPUTS** USB Port USB Charging (1A)* High Output 500 Aux-In Compatible with Audio Output of iPod®/ iPhone®, Smartphones and MP3 players RCA In/Out **GENERAL** BLUETOOTH® Hands-Free Slim Compact Footprint Illuminated Multi-function Remote with Soft Touch Buttons Weather Resistant 2 Channel 4 Channel Full-Range, Class A/B x Ohm Stable 4Ω 4Ω Conformal Coated PCB 20 ft Remote Cable For all 12 V Applications Thermal, Short & Overload Protection Circuits Zero Current Draw DIMENSIONS 1.75"x 6.6"x 3.8" Dimensions 6.5"x 5.2"x 1.7" [165x133x42 mm] [44.5x168x96.5 mm]

Update via USB

Watts x 4 Channels

SPEAKER POD SYSTEMS	BAZAET	B62ABT	Berres	BOART	Bores	BMAGAMPET	MRGBG5B
FEATURES							
All -Terrain System	•	•	•	•	•	•	
2-Way System	•	•	•	•	•	•	•
Full-Range Class-D Amplifier	•	•	•	•	•	•	
Resin Treated Cloth Surround Polypropylene Cone Composite Basket							•
Compatible w/Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players	•	•	•	•	•	•	
xx mm High Power Speakers	8" / 203 mm	6.5" / 165 mm	6.5" / 165 mm	6.5" / 165 mm	6.5" / 165 mm	4" / 102 mm	6.5" / 165 mm
xx mm Tweeter							1" / 25 mm
xx mm Dome Tweeter	1" / 25 mm Dome	1" / 25 mm Dome	1" / 25 mm Dome				
IPXx Rated	5	5	5	6	6	5	
Wireless RF Remote Control			•		•		•
Wireless Remote Control							
Auto Shut Off: Vehicle Low Battery Detection	•	•	•	•	•	•	
Multicolor Illumination Options			•		•		•
Multi Pattern Illumination Options			•		•		•
Swivel Metal Clamp System	1.5" (38 mm) - 3" (76 mm) O.D.	1.5" (38 mm) - 3" (76 mm) O.D.	1.5" (38 mm) - 3" (76 mm) O.D.	1.5"-1.75" + 1.89"-2" O.D. 38-44.5mm + 48-51mm O.D.	1.5"-1.75" + 1.89"-2" O.D. 38-44.5mm + 48-51mm O.D.	1.25" (32 mm) - 2" (51 mm) 0.D. (Non-Swivel)	
Low Profile Dual-Strap Swivel Clamps Sizes:							
SPECIFICATIONS							
Max Power: xxx W	600	750	750	750	750	500	200
Nominal Impedance: xΩ	4Ω	4Ω	4Ω	4Ω	4Ω	4Ω	4Ω
Frequency Response: xx Hz- xx kHz	45Hz- 20kHz	45Hz- 20kHz	45Hz- 20kHz	140Hz-20 kHz	140Hz- 20kHz	45Hz-20 kHz	70Hz-20 kHz
System Sensitivity (1 W/1 m): xx dB	89	89	89	93	93	89	88
WIRED BLUETOOTH® MFC FEATURES							
Bluetooth® v5.0 w/Simple Pairing	•	•	•	•	•	•	
Bluetooth® Audio & Control (A2DP & AVRCP)	•	•	•	•	•	•	
Stream and Control your Favorite Music APPs	•	•	•	•	•	•	
3.5mm Aux-In	•	•	•	•	•	•	
Illuminated Soft Touch Controls	•	•	•			•	

ATV TUBES	ATV9HREB	ATUBBELED	ATUBBROB	ATUBER	ATV65BR6B	ATV30BRGB
FEATURES						
Fully Marinized	•	•	•		•	•
Bluetooth® Audio Streaming	•	•	•	•	•	•
In-line Multi-function Control	•	•		•		•
Easy Pairing with Auto Re-connect	•	•	•	•	•	•
Compatible w/Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players	•	•	•	•	•	•
LED Light Bar with On/Off Control						
Dual Row LED Light Bar	•	•				
Waterproof Polypropylene Cone	•	•	•		•	
Waterproof Poly Injection Cone				•		•
High Performance Tweeters	Soft Dome	Soft Dome	•	Soft Dome	•	Soft Dome Diaphragm
Aux-In	•	•	Detachable Aux Cable	•	Detachable Aux Cable	•
Built-in USB Charging (1A)	•	•				
Plug and Play for Easy Installation	•	•	•	•	•	•
Large Front Storage Compartment	•	•				
Includes (x) Heavy Duty Straps with Velcro® for any Mounting Position	4	4	2	4	2	4
Speakers Powered by High Performance Internal Amplifier	•	•	•	•	•	•
Max Power: xxx W	700	700	450	700	450	450
Ideal for Outdoors and Recreational Use	•	•				
Ideal for ATV/UTV			•	•	•	•
Class A/B Amplifier	•	•		•		•
Class D Amplifier			•		•	
MULTI-FUNCTION CONTROL FEATURES						
IPXx-Rated	5	5	5	5	5	5
Illuminated Controls	•	•		•		•
Soft Touch Buttons	•	•		•		•
Controls Power,Track, Volume & LED Bar	•	•		•		•
Remote Control for LED Lights	•		•		•	•
20 Multi-color Illumination Options	•		•		•	•
19 Dynamic Illumination Patterns	•		•		•	•
Speed and Brightness Controls	•		•		•	•
Accessory Button - Turn On/Off Accessories (Lightbars, LED Whips, etc.)						

ATV TUBES	ATVB6.5R	ATV6.58	ATV258	UTVAB	UTV4EREB
FEATURES					
Fully Marinized	•	•	•	•	•
Bluetooth® Audio Streaming	•	•	•	•	•
In-line Multi-function Control			•		
Easy Pairing with Auto Re-connect	•	•	•	•	•
Compatible w/Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players	•	•	•	•	•
LED Light Bar with On/Off Control					
Dual Row LED Light Bar					
Waterproof Polypropylene Cone	•	•		•	•
Waterproof Poly Injection Cone			•		
High Performance Tweeters	•	•	Soft Dome	•	•
Aux-In	Detachable Aux Cable	Detachable Aux Cable	•	Detachable Aux Cable	Detachable Aux Cable
Built-in USB Charging (1A)					
Plug and Play for Easy Installation	•	•	•	•	•
Large Front Storage Compartment					
Includes (x) Heavy Duty Straps with Velcro® for any Mounting Position	2	2	4	2	2
Speakers Powered by High Performance Internal Amplifier	•	•	•	•	•
Speakers Powered by Internal Amplifier	•	•	•		•
Max Power: xxx W	450	450	450	350	350
Ideal for Outdoors and Recreational Use	•				
Ideal for ATV/UTV	•	•	•	•	•
Class A/B Amplifier		•	•	•	•
Class D Amplifier	•				
MULTI-FUNCTION CONTROL FEATURES					
IPXx-Rated	5	5	5	5	5
Illuminated Controls			•		
Soft Touch Buttons			•		
Controls Power,Track, Volume & LED Bar			•		
Remote Control for LED Lights					•
20 Multi-color Illumination Options					•
19 Dynamic Illumination Patterns					•
Speed and Brightness Controls					•
Accessory Button - Turn On/Off Accessories (Lightbars, LED Whips, etc.)					



SOUND BARS	BRT315LR	BRT36ReB	BRT36A	BRTZERES	BRIZEA	BRIZESLR
FEATURES						
All-Terrain System	•	•	•	•	•	•
Full-Range, Class A/B Amplifier	•	•	•	•	•	•
Full-Range, Class D Amplifier						
IPXx-Rated (Weatherproof/Dustproof)	5	5	5	5	5	5
Compatible w/Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players	•	•	•	•	•	•
(4) x" High Power Speakers + (2) 1" Soft Dome Tweeters				4"	4"	3"
(6) x" High Power speakers + (2) 1" Soft Dome Tweeters		4"	4"			
(8) x" High Power Speakers + (2) 1" Titanium Horn Loaded Tweeters	3"					
Built-in LED Dome Light						
Aluminum Enclosure w/Internal H.D.S. (Heat Dissipation System)	•	•	•	•	•	•
Connectivity for Multiple RIOT/REFLEX Systems						
Aux-In	3.5 mm	3.5 mm	3.5 mm	3.5 mm	3.5 mm	3.5 mm
20 Multicolor Illumination Options	•	•		•		•
20 Dynamic Illuminations Patterns	•	•		•		•
Multi-Fit Clamp System [1.75" 44 mm, 2"/51 mm 0.D.]	3 pcs.	3 pcs.	3 pcs.	2 pcs.	2 pcs.	2 pcs.
Zero Standby Current Draw & Auto Shut-off						
USB Port	•	•	•	•	•	•
USB Charging (1A)*	•	•	•	•	•	•
Max Power: xxx W	500	500	500	500	500	500
RCA Outputs	•			•		•
Built-in DSP with Preset EQs	•	•		•	•	•
Multicolor Illumination	•	•		•		•
Illuminated Soft Touch Controls	•	•	•	•	•	•
Soft Touch Controls						
Wireless Remote Control			•		•	
Wireless RF Remote Control for Illumination	•	•		•		•
WIRED BLUETOOTH® MFC FEATURES						
Bluetooth® w/Simple Pairing	BT 5.0	BT 5.0	BT 5.0	BT 5.0	BT 5.0	BT 5.0
Bluetooth® Audio & Control (A2DP & AVRCP)	•	•	•	•	•	•
Stream and Control your Favorite Music APPs	•	•	•	•	•	•
USB Charging (1A)	•	•	•	•	•	•
3.5mm Aux-In	•	•	•	•	•	•
Dome Light Controls						

	BRIE	BRI	BRI	BRI
FEATURES				
All-Terrain System	•	•	•	•
Full-Range, Class A/B Amplifier		•	•	•
Full-Range, Class D Amplifier	•			
IPXx-Rated (Weatherproof/Dustproof)	5	5	5	5
Compatible w/Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players	•	•	•	•
(4) x" High Power Speakers + (2) 1" Soft Dome Tweeters		(2) 4"	[2] 4"	(2) 3"
(6) x" High Power Speakers + (2) 1" Titanium Horn Loaded Tweeters	[6] 3"			
Built-in LED Dome Light	•			
Aluminum Enclosure w/Internal H.D.S. (Heat Dissipation System)	•	•	•	•
Connectivity for Multiple BOSS Audio Systems Sound Bar Units	•			
Aux-In	3.5 mm	3.5 mm	3.5 mm	3.5 mm
20 Multicolor Illumination Options		•		•
20 Dynamic Illuminations Patterns		•		•
Multi-Fit Clamp System (1.75" 44 mm, 2"/51 mm 0.D.)	•	•	•	•
Zero Standby Current Draw & Auto Shut-off	•			
2V Pre-Amp Output	•			
USB Port		•	•	•
USB Charging (1A)*		•	•	•
Max Power: xxx W	500	500	500	500
RCA Outputs	•	•		•
Built-in DSP with Preset EQs	•	•	•	•
Multicolor Illumination		•		•
Illuminated Soft Touch Controls	•	•	•	•
Soft Touch Controls				
Wireless Remote Control			•	
Wireless RF Remote Control for Illumination		•		•
WIRED BLUETOOTH® MFC FEATURES				
Bluetooth® w/Simple Pairing	BT 4.1	BT 5.0	BT 5.0	BT 5.0

SOUND BARS

Bluetooth® Audio & Control (A2DP & AVRCP)

Stream and Control your Favorite Music APPs

3.5mm Aux-In

Dome Light Controls

