

# DRAGON ANALYTICAL LABORATORY

627 DURELL ROAD SE, STE B105, TUMWATER, WA 98501  
(360)866-0543

Hazardous Waste, Microbiology, NPDES, Potable and Non-potable Water  
Mobile Environmental Laboratory



BSV Distribution  
9521 Indianapolis Blvd  
Highland, IN 46322

Project Name: 584007  
Project No.: n/a  
P.O. No.: n/a  
Date Collected: 3/18/2021  
Date Received: 4/5/2021; 09:33

DAL Project No.: 210405-02

Report Date: 4/14/2021

Preparation Method: DAL 502-2070  
Analytical Method: DAL 502-2070  
Date Prepared: 4/5/2021  
Date Analyzed: 4/6/2021  
Analyst: TM

Units: mg/g  
Matrix: Infused Liquid  
Injection Volume: 5 µL  
Instrument ID: Agilent 1260  
Data Reviewed By:

## CANNABIS POTENCY ANALYSIS ANALYTICAL RESULTS

584007

Analyte	CAS No.	MRL	Method Blank	Pet Tincture
Cannabichromene (CBC)	20675-51-8	0.01	<0.01	<0.01
Cannabidiol (CBD)	13956-29-1	0.01	<0.01	21.7
Cannabidiolic Acid (CBDa)	1244-58-2	0.01	<0.01	<0.01
Cannabigerol (CBG)	25654-31-3	0.01	<0.01	<0.01
Cannabinol (CBN)	521-35-7	0.01	<0.01	<0.01
Delta-8-Tetrahydrocannabinol ( $\Delta^8$ -THC)	5957-75-5	0.01	<0.01	<0.01
Delta-9-Tetrahydrocannabinol ( $\Delta^9$ -THC)	1972-08-3	0.01	<0.01	<0.01
Delta-9-Tetrahydrocannabinol Carboxylic Acid ( $\Delta^9$ -THCa)	23978-85-0	0.01	<0.01	<0.01
Total Activated <sup>1</sup>	N/A	0.01	<0.01	<b>21.7</b>
Total CBD <sup>2</sup>	N/A	0.01	<0.01	<b>21.7</b>
Total THC <sup>3</sup>	N/A	0.01	<0.01	<b>&lt;0.01</b>

### Data Flags


WSLCB-Laboratory Certification No.: 0013

<sup>1</sup>Total Active is the combined value of  $\Delta^9$ -THC,  $\Delta^9$ -THCa, CBD, and CBDa

<sup>2</sup>Total CBD is the combined value of CBD and CBDa

<sup>3</sup>Total THC is the combined value of  $\Delta^9$ -THC and  $\Delta^9$ -THCa

Comments and Explanations: None.



# DRAGON ANALYTICAL LABORATORY

627 DURELL ROAD SE, STE B105, TUMWATER, WA 98501  
(360)866-0543  
Hazardous Waste, Microbiology, NPDES, Potable and Non-potable Water  
Mobile Environmental Laboratory



BSV Distribution  
9521 Indianapolis Blvd  
Highland, IN 46322

Project Name: 584007  
Project No.: n/a  
P.O. No.: n/a  
Date Received: 4/5/2021

**DAL Project No.: 210405-02**

Report Date: 4/14/2021  
Data Reviewed by:

Preparation Method: DAL 502-3000  
Analytical Method: DAL 502-3010  
Date Prepared: 4/7/2021  
Date Analyzed: 4/8/2021  
Analyst: TM

Units: µg/5 grams  
Matrix: Infused Liquid  
Reporting Limits: Standard  
Instrument ID: Agilent 7500  
Lab Data File: 21D08k00

## TOTAL METALS ANALYTICAL RESULTS

Analyte	CAS No.	MRL	Method Blank	LCS (% recovery)	584007	584007
					Pet Tincture	Pet Tincture Dup.
Arsenic (As)	7440-38-2	2.5	nd	96.7%	nd	nd
Cadmium (Cd)	7440-43-9	2.5	nd	97.7%	nd	nd
Lead (Pb)	7439-92-1	2.5	nd	102%	nd	nd
Mercury (Hg)	7439-97-6	2.0	nd	101%	nd	nd
Dilution Factor			100		1000	1000


WSLCB-Laboratory Certification No.: 0013

"nd" indicates the analyte was not detected at or above the listed Method Reporting Limit.

Comments and Explanations: None.

µg/5 grams = µg/kg (ppb) ÷ 200

Comments and Explanations: None.



# DRAGON ANALYTICAL LABORATORY

627 DURELL ROAD SE, STE B105, TUMWATER, WA 98501  
(360)866-0543

Hazardous Waste, Microbiology, NPDES, Potable and Non-potable Water  
Mobile Environmental Laboratory



BSV Distribution  
9521 Indianapolis Blvd  
Highland, IN 46322

Project Name: 584007  
Project No.: n/a  
P.O. No.: n/a  
Date Collected: 3/18/2021  
Date Received: 4/5/2021; 09:33  
Report Date: 4/14/2021

**DAL Project No.: 210405-02**

Prep. Method: DAL 502-2100  
Analytical Method: DAL 502-2055  
Date Prepared: 4/6/2021  
Date Analyzed: 4/7/2021  
Analyst: TM  
Data Reviewed:

Units: mg/kg  
Matrix: Infused Liquid  
Reporting Limits: Standard  
Injection Volume: 5.0 µL  
Instrument ID: Agilent QQQ  
Lab Data File: 21040701


## PESTICIDES ANALYTICAL RESULTS

Analyte	CAS No.	MRL	RAL	MB	LCS	584007	
						Pet Tincture	Pet Tincture Dup.
Abamectin	71751-41-2	0.10	0.50	nd	----	nd	nd
Acephate	30560-19-1	0.10	0.40	nd	----	nd	nd
Acequinocyl	57960-19-7	0.10	2.0	nd	----	nd	nd
Acetamiprid	135410-20-7	0.10	0.20	nd	----	nd	nd
Aldicarb	116-06-3	0.10	0.40	nd	----	nd	nd
Azoxystrobin	131860-33-8	0.10	0.20	nd	----	nd	nd
Bifenazate	149877-41-8	0.10	0.20	nd	----	nd	nd
Bifenthrin	82657-04-3	0.10	0.20	nd	----	nd	nd
Boscalid	188425-85-6	0.10	0.40	nd	----	nd	nd
Carbaryl	63-25-2	0.10	0.20	nd	90.3%	nd	nd
Carbofuran	1563-66-2	0.10	0.20	nd	96.2%	nd	nd
Chlorantraniliprole	500008-45-7	0.10	0.20	nd	67.9%	nd	nd
Chlorfenapyr	122453-73-0	0.10	1.0	nd	----	nd	nd
Chlorpyrifos	2921-88-2	0.10	0.20	nd	----	nd	nd
Clofentezine	74115-24-5	0.10	0.20	nd	1.4%	nd	nd
Cyfluthrin	68359-37-5	0.10	1.0	nd	----	nd	nd
Cypermethrin	52315-07-8	0.10	1.0	nd	----	nd	nd
Daminozide	1596-84-5	0.10	1.0	nd	133%	nd	nd
Dilution Factor				1.0	1.0	1000	1000

### Data Flags

WSLCB-Laboratory Certification No.: 0013. "MRL" = Method Reporting Limit. "RAL" = Regulatory Action Level. "MB" = Method Blank. "LCS" = Laboratory Control Sample.

"nd" indicates the analyte was not detected at or above the listed MRL. "n/a" indicates not applicable.



# DRAGON ANALYTICAL LABORATORY

627 DURELL ROAD SE, STE B105, TUMWATER, WA 98501  
(360)866-0543

Hazardous Waste, Microbiology, NPDES, Potable and Non-potable Water  
Mobile Environmental Laboratory



BSV Distribution

DAL Project No.: 210405-02

Project Name: 584007

Project No.: n/a


## PESTICIDES ANALYTICAL RESULTS

Analyte	CAS No.	MRL	RAL	MB	LCS	584007	584007
						Pet Tincture	Pet Tincture Dup.
DDVP (Dichlorvos)	62-73-7	0.10	0.10	nd	----	nd	nd
Diazinon	333-41-5	0.10	0.20	nd	----	nd	nd
Dimethoate	60-51-5	0.10	0.20	nd	----	nd	nd
Ethoprophos	13194-48-4	0.10	0.20	nd	----	nd	nd
Etofenprox	80844-07-1	0.10	0.40	nd	----	nd	nd
Etoxazole	153233-91-1	0.10	0.20	nd	----	nd	nd
Fenoxycarb	72490-01-8	0.10	0.20	nd	53.2%	nd	nd
Fenpyroximate	134098-61-6	0.10	0.40	nd	----	nd	nd
Fipronil	120068-37-3	0.10	0.40	nd	----	nd	nd
Flonicamid	158062-67-0	0.10	1.0	nd	----	nd	nd
Fludioxonil	131341-86-1	0.10	0.40	nd	----	nd	nd
Hexythiazox	78587-05-0	0.10	1.0	nd	----	nd	nd
Imazalil	35554-44-0	0.10	0.20	nd	90.0%	nd	nd
Imidacloprid	138261-41-3	0.10	0.40	nd	----	nd	nd
Kresoxim-methyl	143390-89-0	0.10	0.40	nd	----	nd	nd
Malathion	121-75-5	0.10	0.20	nd	----	nd	nd
Metalaxyl	57837-19-1	0.10	0.20	nd	----	nd	nd
Methiocarb	2032-65-7	0.10	0.20	nd	----	nd	nd
Methomyl	16752-77-5	0.10	0.40	nd	----	nd	nd
Methyl parathion	298-00-0	0.10	0.20	nd	----	nd	nd
MGK-264	113-48-4	0.10	0.20	nd	----	nd	nd
Myclobutanil	88671-89-0	0.10	0.20	nd	93.3%	nd	nd
Naled	300-76-5	0.10	0.50	nd	----	nd	nd
Oxamyl	23135-22-0	0.10	1.0	nd	----	nd	nd
Paclobutrazol	76738-62-0	0.10	0.40	nd	87.6%	nd	nd
Permethrins	52645-53-1	0.10	0.20	nd	----	nd	nd
Phosmet	732-11-6	0.10	0.20	nd	----	nd	nd
Piperonyl butoxide b	51-03-6	0.10	2.0	nd	----	nd	nd
Prallethrin	23031-36-9	0.10	0.20	nd	----	nd	nd
Dilution Factor			1.0	1.0		1000	1000

### Data Flags

WSLCB-Laboratory Certification No.: 0013. "MRL" = Method Reporting Limit. "RAL" = Regulatory Action Level. "MB" = Method Blank. "LCS" = Laboratory Control Sample.

"nd" indicates the analyte was not detected at or above the listed MRL. "n/a" indicates not applicable.



# DRAGON ANALYTICAL LABORATORY

627 DURELL ROAD SE, STE B105, TUMWATER, WA 98501  
(360)866-0543

Hazardous Waste, Microbiology, NPDES, Potable and Non-potable Water  
Mobile Environmental Laboratory



BSV Distribution

DAL Project No.: 210405-02

Project Name: 584007

Project No.: n/a

## PESTICIDES ANALYTICAL RESULTS

Analyte	CAS No.	MRL	RAL	MB	LCS	584007	584007
						Pet Tincture	Pet Tincture Dup.
Propiconazole	60207-90-1	0.10	0.40	nd	88.3%	nd	nd
Propoxur	114-26-1	0.10	0.20	nd	87.7%	nd	nd
Pyrethrins	8003-34-7	0.10	1.0	nd	----	nd	nd
Pyridaben	96489-71-3	0.10	0.20	nd	----	nd	nd
Spinosad	168316-95-8	0.10	0.20	nd	----	nd	nd
Spiromesifen	283594-90-1	0.10	0.20	nd	----	nd	nd
Spirotetramat	203313-25-1	0.10	0.20	nd	----	nd	nd
Spiroxamine	118134-30-8	0.10	0.40	nd	----	nd	nd
Tebuconazole	80443-41-0	0.10	0.40	nd	96.2%	nd	nd
Thiacloprid	111988-49-9	0.10	0.20	nd	----	nd	nd
Thiamethoxam	153719-23-4	0.10	0.20	nd	----	nd	nd
Trifloxystrobin	141517-21-7	0.10	0.20	nd	----	nd	nd
Dilution Factor				1.0	1.0	1000	1000

### Data Flags

WSLCB-Laboratory Certification No.: 0013. "MRL" = Method Reporting Limit. "RAL" = Regulatory Action Level. "MB" = Method Blank. "LCS" = Laboratory Control Sample.

"nd" indicates the analyte was not detected at or above the listed MRL. "n/a" indicates not applicable.

Comments and Explanations: None.