# 1. Identification

1.1. Product identifier

Product IdentitySECURA™ No Sting Barrier Film SprayAlternate NamesSECURA™ No Sting Barrier Film Spray

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Skin Preparation

Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Smith & Nephew

970 Lake Carillon Drive, Suite 110

St. Petersburg, FL 33716

**Emergency** 

Customer Service: Smith & Nephew 1-800-876-1261

# 2. Hazard(s) identification

## 2.1. Classification of the substance or mixture

Flam. Liq. 2;H225 Highly Flammable liquid and vapor.

Aguatic Chronic 2;H411 Toxic to aquatic life with long lasting effects.

## 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Danger

H225 Highly flammable liquid and vapor.

H411 Toxic to aquatic life with long lasting effects.

## [Prevention]:

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking.

P235 Keep cool.

P240 Ground / bond container and receiving equipment.

P241 Use explosion-proof electrical / ventilating / light / equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

#### [Response]:

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

P391 Collect spillage.

### [Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed.

### [Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

# 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

| Ingredient/Chemical Designations                    | Weight % | GHS Classification | Notes |  |
|---|----------|--------------------|-------|--|
| Disiloxane, hexamethyl-<br>CAS Number: 0000107-46-0 | 75 - 100 | Flam . Liq. 2;H225 | [1]   |  |

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. First aid measures

#### 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

## 4.2. Most important symptoms and effects, both acute and delayed

Overview Flammable. May cause eye, skin and respiratory tract irritation. See section 2 for further

details.

<sup>[1]</sup> Substance classified with a health or environmental hazard.

<sup>[2]</sup> Substance with a workplace exposure limit.

<sup>[3]</sup> PBT-substance or vPvB-substance.

<sup>\*</sup>The full texts of the phrases are show nin Section 16.

# 5. Fire-fighting measures

## 5.1. Extinguishing media

Extinguishing powder, sand, alcohol-resistant foam, carbon dioxide

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Oxides of Carbon

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

Keep cool.

Ground / bond container and receiving equipment.

Use explosion-proof electrical / ventilating / light / equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

### 5.3. Advice for fire-fighters

Use self-contained breathing apparatus and wear protective clothing. Cool endangered containers with water spray jet. Suppress gases/vapors/mists with water spray jet.

ERG Guide No. 128

# 6. Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

## 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Isolate area and keep unnecessary personnel away.

Pick up with absorbent material (e.g. sand, acid binder, universal binder, sawdust). Send in suitable containers for recover or disposal.

# 7. Handling and storage

#### 7.1. Precautions for safe handling

Vapors can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition. Use explosion-proof equipment/fittings and non-sparking tools.

See section 2 for further details. - [Prevention]:

# 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: None

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Always keep in containers of same material as the original one. Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

See section 2 for further details. - [Storage]:

### 7.3. Specific end use(s)

No data available.

# 8. Exposure controls and personal protection

### 8.1. Control parameters

## Exposure

| CAS No.      | Ingredient              | Source   | Value                |
|--------------|-------------------------|----------|----------------------|
| 0000107-46-0 | Disiloxane, hexamethyl- | OSHA     | No Established Limit |
|              |                         | ACGIH    | No Established Limit |
|              |                         | NIOSH    | No Established Limit |
|              |                         | Supplier | No Established Limit |

## Carcinogen Data

| CAS No.      | Ingredient              | Source | Value  |
|--------------|-------------------------|--------|--|
| 0000107-46-0 | Disiloxane, hexamethyl- | OSHA   | Select Carcinogen: No  |
|              |                         | NTP    | Know n: No; Suspected: No  |
|              |                         | IARC   | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |

## 8.2. Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit they must use the

appropriate, certified respirators.

**Eyes** Wear safety glasses with side shields.

**Skin** Wear appropriate clothing for the industrial setting.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

# 9. Physical and chemical properties

Appearance Colorless Liquid

**Odor** Odorless

Odor threshold

pH

Not determined

Not determined

Melting point / freezing point

Not applicable

Initial boiling point and boiling range 37°C
Flash Point -1°C

Evaporation rate (Ether = 1) Not determined Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not determined

Upper Explosive Limit: Not determined

Vapor pressure (Pa)Not determinedVapor Density0.76 g/cm³Specific GravityNot determinedSolubility in WaterInsoluble

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature

Decomposition temperature

Viscosity (cSt)

Not available

Not available

Not determined

Not determined

9.2. Other information

No other relevant information.

# 10. Stability and reactivity

## 10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

None

10.5. Incompatible materials

None

10.6. Hazardous decomposition products

Oxides of Carbon

# 11. Toxicological information

### **Acute toxicity**

| Ingredient                        | Oral LD50,<br>mg/kg            | Skin LD50,<br>mg/kg                  | Inhalation<br>Vapor LC50,<br>mg/L/4hr | Inhalation<br>Dust/Mist LC50,<br>mg/L/4hr | Inhalation<br>Gas LC50,<br>ppm |
|-----------------------------------|--------------------------------|--------------------------------------|---------------------------------------|---|--------------------------------|
| Disiloxane, hexamethyl (107-46-0) | 5,000.00, Rat -<br>Category: 5 | 5,000.00,<br>Rabbit -<br>Category: 5 | 106.00, Rat -<br>Category: NA         | No data<br>available                      | No data<br>available           |

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Classification                | Category | Hazard Description |
|-------------------------------|----------|--------------------|
| Acute toxicity (oral)         |          | Not Applicable     |
| Acute toxicity (dermal)       |          | Not Applicable     |
| Acute toxicity (inhalation)   |          | Not Applicable     |
| Skin corrosion/irritation     |          | Not Applicable     |
| Serious eye damage/irritation |          | Not Applicable     |
| Respiratory sensitization     |          | Not Applicable     |
| Skin sensitization            |          | Not Applicable     |
| Germ cell mutagenicity        |          | Not Applicable     |
| Carcinogenicity               |          | Not Applicable     |
| Reproductive toxicity         |          | Not Applicable     |
| STOT-single exposure          |          | Not Applicable     |
| STOT-repeated exposure        |          | Not Applicable     |
| Aspiration hazard             |          | Not Applicable     |

# 12. Ecological information

## 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

No additional information provided for this product. See Section 3 for chemical specific data.

# **Aquatic Ecotoxicity**

| Ingredient                        | 96 hr LC50 fish,             | 48 hr EC50 crustacea, | Er C50 algae, |  |
|-----------------------------------|------------------------------|-----------------------|---------------|--|
|                                   | mg/l                         | mg/l                  | mg/l          |  |
| Disiloxane, hexamethyl (107-46-0) | 3.02, Oncorhynchus<br>mykiss | 314.00, Daphnia magna | Not Available |  |

## 12.2. Persistence and degradability

There is no data available on the preparation itself.

## 12.3. Bioaccumulative potential

Not Measured

# 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

# 13. Disposal considerations

## 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

# 14. Transport information

#### Notes:

- 1. May qualify for transportation under 'Limited Quantities' and/or 'Excepted Quantities' provisions. Consult applicable DOT, IMDG, IATA/ICAO regulations depending on transportation mode.
- 2. May qualify for transportation under 'Consumer Commodity ORM-D' provisions. Consult applicable DOT, IMDG, IATA/ICAO regulations depending on transportation mode.

|                                  | DOT (Domestic Surface Transportation)                                  | IMO / IMDG (Ocean Transportation)                 | ICAO/IATA   |
|----------------------------------|--|---|---|
| 14.1. UN<br>number               | UN1993   | UN1993  | UN1993  |
| • •                              | UN1993, Flammable liquids, n.o.s., (Hexamethyldisiloxane), 3, $\rm II$ | Flammable liquids, n.o.s., (Hexamethyldisiloxane) | Flammable liquids, n.o.s., (Hexamethyldisiloxane) |
| 14.3. Transport hazard class(es) | DOT Hazard Class: 3  | IMDG: 3<br>Sub Class: Not Applicable              | Air Class: 3                                      |
| 14.4. Packing<br>group           | II   | II  | II  |
| 14.5. Environme                  | ntal hazards   |   |   |

**IMDG** Marine Pollutant: Yes ( Disiloxane, hexamethyl- )

14.6. Special precautions for user: No further information

# 15. Regulatory information

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

**Toxic Substance** All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory. WHMIS Classification B2

**US EPA Tier II Hazards** Fire: Yes

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): No Delayed (Chronic): No

### EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## **EPCRA 313 Toxic Chemicals:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## New Jersey RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Pennsylvania RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

End of Document