

Jenco Canada Inc

Specifications



E361401

Customer Name:		
Model:	100W UL/cUL Listed LED Wall	Pack Series
Product Code:	STW-100XXX	
Color:	Warm white / Neutral white / Co	ol White
Operating Voltage:	100-277VAC /347VAC/480VAC	50/60Hz
Customer Acknowledge	s: Date:	




Jenco Canada Inc

Picture of real products



Dimension (mm)





Features

Item	Parameter range
Power	100W
LED	Philips SMD LED
Color	Warm white/ Neutral white / Cool white
ССТ	3000-3500K/4000-4500K/6000-6500K
CRI	≥75
Life-span	≥50,000 Hours
Flux	12000lm±5%
Beam Angle	120°
Material	Aluminum + Toughened glass
Net Weight	MAX 6.9 KG/PC
Gross Weight	MAX 8.0 KG/PC
Inner box Dimension	50*28*30CM
Outer carton Dimension	52*57*32CM
Package Spec.	2PCS/CTN,18 KG/CTN

Jenco Canada Inc

Technical request			
item	units	Parameter range	
working environment	°C	-37 ⁰ C - 55 ⁰ C	
Working Humidity		≤95%	
storage condition	°C	-40°C~80°C	
limited voltage	V	100-277VAC 50/60Hz	
Input current	A	0.36-1	
Protection Level		IP65(Outdoor using)	

Features

Integrated applications of LED light source, the unique circuit control design, reached a high efficiency and energy saving of more than 80%.

Ultra-high brightness, high color-rendering index, is the latest type of outdoor lighting products, long ¥fe (50,000 hours).

Applications

It is mainly used for outdoor flood lighting, building decoration lighting, industrial lighting, advertising lighting, etc.,a street lamp light distribution system, and can be used for road lighting.

Attentions

- 1.Please use the correct power supply.
- 2. Please read the product installation manual carefully before using the products.