


LED  
LAND  
SCAPE  
LIGHTING



**JENCO**

CANADA INCORPORATION

**LANDSCAPE**

*Lighting*



[JENCOCANADA.CA](http://JENCOCANADA.CA)

**WHAT'S INSIDE:**

- MR 16 Series Lighting
- MR11 Series Lighting
- MR8 Series Lighting
- G4 Series Lighting
- LAMPS
- Landscape Lighting
- Up Lighting
- Path Lighting
- Wall Washing Lights
- In-Ground Lighting

- Integrated Fixtures
- In-Ground Lights
- Bluetooth Repeater
- Underwater Lights
- Deck Light
- Wall Sconce
- Down Light
- Transformer
- Accessories
- Mini Step Lights

**OUTDOOR LIGHTING**



# LED LANDSCAPE Lighting Collection

TRANSFORMERS

UP LIGHTING

PATH LIGHTING

WELL LIGHTING

UNDERWATER LIGHTING

FLOOD LIGHTING

HARDSCAPE LIGHTING

STEP LIGHTING

# TABLE OF CONTENTS

## MRI6 SERIES

LT10146A	5
LT10146C	6
LT10146C SMART	7
LT1036 (par 36)	8
LT1036 (SMART)	9

## MRI1 SERIES

LT1011 (MRI1)	11
---------------	----

## MR8 SERIES

LT108 (MR8)	13
-------------	----

## G4 SERIES

LT104 (G4)	15
------------	----

## LAMPS

LT104 (A1)	16
LT104 (A2)	16
LT104 (A3)	17
LT104 (A4)	17
LT104 (A5)	17
LT104 (w1)	18
LT104 (A2)	18
LT104 (B2)	19
LT104 (B3)	19

## LANDSCAPE LIGHTING

Hardscape Light (Brass)	21
Hardscape Light (Alum.)	22

## UP LIGHT

LT2101	24
LT2102	25
LT2103	25
LT2104	26
LT2105	26
LT2106	27
LT2108	27

## PATH LIGHTING

LT2401	28
LT2402	28
LT2403	29
LT2404	29
LT2405	30
LT2406	30
LT2411	31
LT2412	32
LT2413	32
LT2414	33

## WALL WASHING

LT2301	34
LT2302	34
LT2303	35
LT2304	35
LT2305	35

## IN-GROUND LIGHTS

LT2202A	36
LT2202B	36
LT2203A	37
LT2203B	37
LT2204A	38
LT2204B	39
LT2204C	39
LT2205A	40
LT2205B	40
LT2205C	41
LT2205D	41

## INTEGRATED FIXTURES

LT2501	42
LT2502	42
LT2503	42
LT2505	43
LT2505B	43
LT2506L	44

## IN-GROUND LIGHTS

LT2507A	48
LT2507B	49

## SMART BLUETOOTH REPEATER

LT5101	51
--------	----

## UNDER WATER LIGHT

LT2801	52
--------	----

## DECK LIGHT

LT2601	53
--------	----

## WALL SCENCE

LT2602	54
--------	----

## DOWN LIGHT


LT2603	55
--------	----

## TRANSFORMER

LT3075	56
LT3150	57
LT3300	57
LT3600	58
LT3900	58

## ACCESSORIES

LED Asymmetrical Wall light	62
LED Mini Step Light	65






# MR16A

SERIES

## LAMP / LT1016A (MR16A)




LT1016A(MR16A)



### Specifications:

Part#	Wattage	Voltage	CCT	Lumen	Beam Spread	CRI
LT1016A-4W	4W	9-17V	2700K-6000K	360lm	15/30/45/60/100°	85
LT1016A-5W	5W	9-17V	2700K-6000K	450lm	15/30/45/60/100°	85
LT1016A-6W	6W	9-17V	2700K-6000K	530lm	15/30/45/60/100°	85
LT1016A-7W	7W	9-17V	2700K-6000K	610lm	15/30/45/60/100°	85

### LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



### Features

- Suitable for damp locations
- Overheating protection
- Rated for outdoor use in an enclosed fixture
- Operating temperature -4° F-122° F
- Dimmable with most magnetic transformer
- Fully potted electronics


### Materials

Die-cast Aluminum

### Warranty


5 years warranty

# LAMP / LT1016C (6 LED)



LT1016C(MR16C)

# LAMP / LT1016C (SMART)



LT1016C(MR16C) SMART

## Specifications:

Part#	Wattage	Voltage	CCT	Lumen	Beam Spread	CRI
LT1016C-5W	5W	9-17V	2700K-6000K	550lm	15/30/45/60°	85
LT1016C-8W	8W	9-17V	2700K-6000K	850lm	15/30/45/60°	85

### Features

- Suitable for damp locations
- Overheating protection
- Rated for outdoor use in an enclosed fixture
- Operating temperature -4° F-122° F
- Dimmable with most magnetic transformer
- Fully potted electronics

### Materials

Die-cast Aluminum

### Warranty

5 years warranty

### LED Color Available

Red/Green/Blue/Amber

## Specifications:

Part#	LT1016C-B/LT1016C-W
Wattage	6W
Voltage	9-17V AC/DC
CCT	2700-6000k
Color	RGBW
Beam Spread	15° / 130° / 45° / 60°
CRI	85
Control Mode	WiFi™ or Bluetooth™
Waterproof Level	IP65
Warranty	5 Years


Powered By  
**tuya**



### Features


WiFi control and Bluetooth control available  
colors and brightness adjustable by APP  
Download Tuya App to change lamp settings  
control system customizable

# LAMP / LT1036 (PAR 36)



LT1036(PAR36)

# LAMP / LT1036 (SMART)



LT1016C(MR16C) SMART

## Specifications:

Part#	Wattage	Voltage	CCT	Lumen	Beam Spread	CRI
LT1036-6W	6W	9-17V	2700K-6000K	590lm	38/60°	85
LT1036-10W	10W	9-17V	2700K-6000K	800lm	38/60°	85
LT1036-13W	13W	9-17V	2700K-6000K	1130lm	38/60°	85
LT1036-17W	17W	9-17V	2700K-6000K	1300lm	38/60°	85

## Features

- Suitable for damp locations
- Overheating protection
- Rated for outdoor use in an enclosed fixture
- Operating temperature -4° F-122° F
- Dimmable with most magnetic transformer
- Fully potted electronics


## Materials

Die-cast Aluminum

## Warranty

5 years warranty

## LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## LED Color Available

Red/Green/Blue/Amber

## Specifications:

Part#	LT1036C-B/LT1036-W
Wattage	10W
Voltage	9-17V AC/DC
CCT	2700-6000k
Color	RGBW
Beam Spread	38° / 60°
CRI	85
Control Mode	WiFi or Bluetooth
Waterproof Level	IP67
Warranty	5 Years

Powered By  
**tuya**



## Features

WiFi control and Bluetooth control available  
colors and brightness adjustable by APP  
Download Tuya App to change lamp settings  
control system customizable



# MR11

SERIES

## LAMP / LT1011 (MR11)




LT1011(MR11)

### Specifications:

Part#	Wattage	Voltage	CCT	Lumen	Beam Spread	CRI
LT1011	2.5W	9-17V	2700K-6000K	180lm	38/60/120°	85

### LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



- #### Features
- Suitable for damp locations
  - Rated for outdoor use in an enclosed fixture
  - Operating temperature -4°F-122°F
  - Dimmable with most magnetic transformer
  - Fully potted electronics
- #### Materials
- Die-cast Aluminum
- #### Warranty
- 5 years warranty

**LED Color Available**  
 Red/Green/Blue/Amber



# LAMP / LT108 (MR8)




LT108(MR8)

Specifications:

Part#	Wattage	Voltage	CCT	Lumen	Beam Spread	CRI
LT108	2.5W	9-17V	2700K-6000K	160lm	38/60/120°	85

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




- Features**
- Suitable for damp locations
  - Rated for outdoor use in an enclosed fixture
  - Operating temperature -4°F-122°F
  - Dimmable with most magnetic transformer
  - Fully potted electronics
- Materials**
- Die-cast Aluminum
- Warranty**
- 5 years warranty

**LED Color Available**  
 Red/Green/Blue/Amber

# G4 SERIES



## LAMP / LT104 (G4)




LT104P(G4) BRASS

### Specifications:

Part#	Wattage	Voltage	CCT	Lumen	CRI
LT104P-2W	2W	9-17V	2700K-6000K	200lm	85
LT104P-3W	3W	9-17V	2700K-6000K	300lm	85
LT104P-4W	4W	9-17V	2700K-6000K	400lm	85

### LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



### Features

- Suitable for damp locations
- Rated for outdoor use in an enclosed fixture
- Operating temperature -4° F-122° F
- Dimmable with most magnetic transformer
- Fully potted electronics

### Materials

Die-cast Aluminum

### Warranty


5 years warranty

### LED Color Available

Red/Green/Blue/Amber



# LAMP




## LT104 (A1)

<b>Wattage</b>	2W
<b>Lumen</b>	180LM
<b>Operating Range</b>	120V AC/DC
<b>CRI</b>	85
<b>Color Temperature</b>	2700K-6000K
<b>LED Color Available</b>	RED / GREEN / BLUE / AMBER
<b>Replaces</b>	20-25W Halogens
<b>Lamp Life</b>	25,000 Hours
<b>Warranty</b>	3 Years




# LAMP



## LT104 (A3)



<b>Wattage</b>	2W
<b>Lumen</b>	180LM
<b>Operating Range</b>	120V AC/DC
<b>CRI</b>	85
<b>Color Temperature</b>	2700K-6000K
<b>LED Color Available</b>	RED / GREEN / BLUE / AMBER
<b>Replaces</b>	20-25W Halogens
<b>Lamp Life</b>	25,000 Hours
<b>Warranty</b>	3 Years



## LT104 (A4)

<b>Wattage</b>	3W
<b>Lumen</b>	270LM
<b>Operating Range</b>	120V AC/DC
<b>CRI</b>	85
<b>Color Temperature</b>	2700K-6000K
<b>LED Color Available</b>	RED / GREEN / BLUE / AMBER
<b>Replaces</b>	20-30W Halogens
<b>Lamp Life</b>	25,000 Hours
<b>Warranty</b>	3 Years

## LT104 (A2)



<b>Wattage</b>	3W
<b>Lumen</b>	270LM
<b>Operating Range</b>	120V AC/DC
<b>CRI</b>	85
<b>Color Temperature</b>	2700K-6000K
<b>LED Color Available</b>	RED / GREEN / BLUE / AMBER
<b>Replaces</b>	20-25W Halogens
<b>Lamp Life</b>	25,000 Hours
<b>Warranty</b>	3 Years



## LT104 (A5)

<b>Wattage</b>	2W
<b>Operating Range</b>	120V AC/DC
<b>LED Color Available</b>	WIFI RGB
<b>Lamp Life</b>	25,000 Hours
<b>Warranty</b>	3 Years

# LAMP



## LT104 (W1)

<b>Wattage</b>	1W
<b>Lumen</b>	100LM
<b>Operating Range</b>	120V AC/DC
<b>CRI</b>	85
<b>Color Temperature</b>	2700K-6000K
<b>LED Color Available</b>	RED / GREEN / BLUE / AMBER
<b>Replaces</b>	20-25W Halogens
<b>Lamp Life</b>	25,000 Hours
<b>Warranty</b>	3 Years

# LAMP



## LT104 (B1) / LT104 (B2)

<b>Wattage</b>	1/3W
<b>Lumen</b>	100/270LM
<b>Operating Range</b>	120V AC/DC
<b>CRI</b>	85
<b>Color Temperature</b>	2700K-6000K
<b>LED Color Available</b>	RED / GREEN / BLUE / AMBER
<b>Replaces</b>	10-15W/20-25W Halogens
<b>Lamp Life</b>	25,000 Hours
<b>Warranty</b>	3 Years

## LT104 (A2)



<b>Wattage</b>	3W
<b>Lumen</b>	270LM
<b>Operating Range</b>	120V AC/DC
<b>CRI</b>	85
<b>Color Temperature</b>	2700K-6000K
<b>LED Color Available</b>	RED / GREEN / BLUE / AMBER
<b>Replaces</b>	20-25W Halogens
<b>Lamp Life</b>	25,000 Hours
<b>Warranty</b>	3 Years

## LT104 (B3)



<b>Wattage</b>	5W
<b>Lumen</b>	400LM
<b>Operating Range</b>	120V AC/DC
<b>CRI</b>	85
<b>Color Temperature</b>	2700K-6000K
<b>LED Color Available</b>	RED / GREEN / BLUE / AMBER
<b>Replaces</b>	35-40W Halogens
<b>Lamp Life</b>	25,000 Hours
<b>Warranty</b>	3 Years



# HARDSCAPE

## LIGHTING


### Hardscape Light (Brass)



LT2701P



SHORTER MOUNTING BRACKET



DIMENSIONS



WALL ANCHOR

<b>Wattage</b>	5W
<b>Lumen</b>	400LM
<b>Operating Range</b>	120V AC/DC
<b>CRI</b>	85
<b>Color Temperature</b>	2700K-6000K
<b>LED Color Available</b>	RED / GREEN / BLUE / AMBER
<b>Replaces</b>	35-40W Halogens
<b>Lamp Life</b>	25,000 Hours
<b>Warranty</b>	3 Years

#### FEATURES

- IP65 Waterproof
- Brass Construction
- Fully Potted Electronics
- Glare Proof
- Modular Design & Receptacles


# Hardscape Light (Aluminum)



LT2701E



SHORTER MOUNTING BRACKET



DIMENSIONS



WALL ANCHOR

## FEATURES

- IP65 Waterproof
- Aluminum Construction
- Fully Potted Electronics
- Glare Proof
- Modular Design & Receptacles

<b>Wattage</b>	2/3/4W
<b>Lumen</b>	200/300/400LM
<b>Operating Range</b>	9-17V AC/DC
<b>CRI</b>	85
<b>Color Temperature</b>	WW 2700K-3000K NW 4000K CW 6000K
<b>LED Color Available</b>	RED / GREEN / BLUE / AMBER
<b>Replaces</b>	20W Halogens
<b>Lamp Life</b>	50,000 Hours
<b>Warranty</b>	5 Years

# Hardscape Light (Aluminum)



LT2702A



LT2702B



LT2702C


<b>Wattage</b>	0.5/1.5/2.5W
<b>Lumen</b>	50/160/240LM
<b>Operating Range</b>	12V AC/DC
<b>CRI</b>	85
<b>Color Temperature</b>	WW 2700K-3000K NW 4000K CW 6000K
<b>LED Color Available</b>	RED / GREEN / BLUE / AMBER
<b>Replaces</b>	20W Halogens
<b>Lamp Life</b>	25,000 Hours
<b>Warranty</b>	5 Years

## FEATURES

- IP65 Waterproof
- Aluminum Construction
- Fully Potted Electronics




# UP LIGHT



## LT2101

<b>LAMP</b>	MR16 (Not Included)
<b>Wattage</b>	Up to 50W
<b>Finish</b>	Bronze
<b>Material</b>	Die-cast Brass
<b>Lens</b>	Clear


# UP LIGHT



## LT2102

<b>LAMP</b>	MR16 (Not Included)
<b>Wattage</b>	Up to 50W
<b>Finish</b>	Bronze
<b>Material</b>	Die-cast Brass
<b>Lens</b>	Clear

## LT2103



<b>LAMP</b>	MR11 (Not Included)
<b>Wattage</b>	Up to 50W
<b>Finish</b>	Bronze
<b>Material</b>	Die-cast Brass
<b>Lens</b>	Clear

# UP LIGHT





## LT2104

<b>LAMP</b>	MR8 / Module (Not Included)
<b>Wattage</b>	Up to 50W
<b>Finish</b>	Bronze
<b>Material</b>	Die-cast Brass
<b>Lens</b>	Clear

## LT2105

<b>LAMP</b>	MR16 (Not Included)
<b>Wattage</b>	Up to 50W
<b>Finish</b>	Antique-Bronze
<b>Material</b>	Die-cast Brass
<b>Lens</b>	Clear



# UP LIGHT






## LT2106

<b>LAMP</b>	MR16 / Module (Not Included)
<b>Wattage</b>	Up to 50W
<b>Finish</b>	Antique-Bronze
<b>Material</b>	Die-cast Brass
<b>Lens</b>	Clear

## LT2108

<b>LAMP</b>	MR16 (Not Included)
<b>Wattage</b>	Up to 50W
<b>Finish</b>	Antique-Bronze
<b>Material</b>	Die-cast Brass
<b>Lens</b>	Clear



# PATH LIGHT



# PATH LIGHT



**LT2401**

- LAMP** | G4 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Solid Brass
- Lens** | Clear




**LT2402**

- LAMP** | G4 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass
- Lens** | Clear



**LT2403**

- LAMP** | G4 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Solid Brass
- Lens** | Frosted



**LT2404**

- LAMP** | G4 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass
- Lens** | Clear

# PATH LIGHT



# PATH LIGHT




**LT2405**

- LAMP** | G4 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Solid Brass
- Lens** | Clear



**LT2406**

- LAMP** | G4 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass
- Lens** | Clear



**LT2411**

- LAMP** | G4 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass
- Lens** | Clear



# PATH LIGHT



**LT2412**


- LAMP** | G4 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Solid Brass
- Lens** | Clear



**LT2413**

- LAMP** | G4 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass
- Lens** | Clear

# PATH LIGHT




**LT2414**

- LAMP** | G4 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass
- Lens** | Clear

# WALL WASHING




## LT2301



- LAMP** | G4 (Not Included)
- Wattage** | Up to 25W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass
- Lens** | Clear / Frosted

## LT2302




- LAMP** | MR16 / G4 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass
- Lens** | Clear / Frosted

# WALL WASHING




## LT2303




- LAMP** | G4 (Not Included)
- Wattage** | Up to 25W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass
- Lens** | Clear / Frosted

## LT2304



- LAMP** | PAR 36 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass
- Lens** | Clear


Cheaper Version



## LT2305

- LAMP** | PAR 36 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass
- Lens** | Clear


# IN-GROUND LIGHTS



## LT2202A


- LAMP** | MR16 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass & PVC
- Lens** | Clear

# IN-GROUND LIGHTS




## LT2203A

- LAMP** | MR16 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass & PVC
- Lens** | Clear



## LT2202B

- LAMP** | MR16 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass & PVC
- Lens** | Clear



## LT2203B


- LAMP** | MR16 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass & PVC
- Lens** | Clear

# IN-GROUND LIGHTS



## LT2204A

- LAMP** | MR16 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass & PVC
- Lens** | Clear




# IN-GROUND LIGHTS



## LT2204B

- LAMP** | MR16 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass & PVC
- Lens** | Clear



## LT2204C


- LAMP** | MR16 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass & PVC
- Lens** | Clear



# IN-GROUND LIGHTS



## LT2205A




- LAMP** | PAR36 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass & PVC
- Lens** | Clear

# IN-GROUND LIGHTS




## LT2205C




- LAMP** | MR16 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass & PVC
- Lens** | Clear

## LT2205B



- LAMP** | PAR36 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass & PVC
- Lens** | Clear

## LT2205D



- LAMP** | MR16 (Not Included)
- Wattage** | Up to 50W
- Finish** | Antique-Bronze
- Material** | Die-cast Brass & PVC
- Lens** | Clear


# INTEGRATED FIXTURES



ADJUSTABLE  
WATTAGE &  
BRIGHTNESS



## LT2501




<b>Wattage</b>	(1-5W) (Adjustable)
<b>Lumen</b>	80-400LM
<b>Voltage</b>	12V AC/DC
<b>CCT</b>	2700 - 6000K
<b>Beam Spread</b>	160°
<b>Finish</b>	Antique-Bronze
<b>Material</b>	Die-cast Brass

## LT2502



<b>Wattage</b>	5W (Adjustable)
<b>Lumen</b>	550LM
<b>Voltage</b>	12V AC/DC
<b>CCT</b>	2700 - 6000K
<b>Beam Spread</b>	120°
<b>Finish</b>	Antique-Bronze
<b>Material</b>	Die-cast Brass

## LT2503



<b>Wattage</b>	2W (Adjustable)
<b>Lumen</b>	240LM
<b>Voltage</b>	12V AC/DC
<b>CCT</b>	2700 - 6000K
<b>Beam Spread</b>	120°
<b>Finish</b>	Antique-Bronze
<b>Material</b>	Die-cast Brass


# INTEGRATED FIXTURES



ADJUSTABLE  
WATTAGE &  
BRIGHTNESS




## LT2505



<b>Wattage</b>	(3-12W) (Adjustable)
<b>Lumen</b>	240-840LM
<b>Voltage</b>	12V AC/DC
<b>CCT</b>	2700 - 6000K
<b>Beam Spread</b>	24°/ 38°/ 60°
<b>Finish</b>	Antique-Bronze
<b>Material</b>	Die-cast Brass


## LT2505B



<b>Wattage</b>	12W (Adjustable)
<b>Lumen</b>	1440LM
<b>Voltage</b>	12V AC/DC
<b>CCT</b>	Changeable
<b>Beam Spread</b>	24°/ 38°/ 60°
<b>Finish</b>	Antique-Bronze
<b>Material</b>	Die-cast Brass



# INTEGRATED FIXTURES




# INTEGRATED FIXTURES



## LT2506L

<b>Wattage</b>	6-24W (Adjustable)
<b>Lumen</b>	2000LM max.
<b>Voltage</b>	12V AC/DC
<b>CCT</b>	2700-6000K
<b>Beam Spread</b>	20- 60°
<b>Finish</b>	Antique-Bronze
<b>Material</b>	Die-cast Brass

# INTEGRATED FIXTURES



# INTEGRATED FIXTURES



## LT2506L

Wattage	1-10W (Adjustable)
Voltage	12V AC/DC
CCT	2700-6000k
Color	RGBW
Beam Spread	15° / 130° / 45° / 60°
CRI	85
Control Mode	Bluetooth
Waterproof Level	IP67
Warranty	5 Years

Powered By  
**tuya**



### FEATURES

- Bluetooth control available
- Adjustable and lockable beam angle from 20° - 60°
- RGBW controlled by smart phone
- Download Tuya APP to change the settings
- Dimmable is available in smart control or manually operated





# IN-GROUND LIGHTS



## LT2507A

<b>Wattage</b>	7W/12W/20W
<b>Lumen</b>	670/1120/1800LM
<b>Voltage</b>	12V AC/DC
<b>CCT</b>	2700-5000K
<b>Beam Spread</b>	120°
<b>Finish</b>	Antique-Bronze
<b>Material</b>	Die-cast Aluminum

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM





# IN-GROUND LIGHTS



## LT2507B

<b>Wattage</b>	40W
<b>Lumen</b>	3400LM
<b>Voltage</b>	12V AC/DC
<b>CCT</b>	2700-5000K
<b>Beam Spread</b>	120°
<b>Finish</b>	Antique-Bronze
<b>Material</b>	Die-cast Aluminum

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM





# BLUETOOTH REPEATER


SMART ANTENNA

## SMART BLUETOOTH REPEATER



### LT5101

<b>Product Name</b>	SMART BLUETOOTH REPEATER
<b>Operating Voltage</b>	12V AC/DC
<b>Frequency Range</b>	2400-2500 (MHz)
<b>Output Impedance</b>	150 Ampere
<b>Voltage Standing Wave Ratio ≤</b>	1.8 (db)
<b>Antenna Type</b>	2.4G Bluetooth Gain Antenna
<b>Operating System</b>	Tuya Smart
<b>Maximum Coverage Radius</b>	80 Meters (without any obstacle)
<b>IP Rate</b>	IP 65
<b>Material</b>	Aluminum, PVC
<b>Operating Temperature</b>	-40°C 40°C



#### INSTRUCTION


- Download Tuya App
- Open App and power the device
- The first time use, Click the switch four times to reset
- Click the "+" on the top right corner, Choose "discover automatically"
- Search the devices and add them on
- Revise the name of the devices
- Create the groups for the items that needs to be controlled then it works
- The repeater can only be used for the Tuya Sign mesh Bluetooth products

# UNDERWATER LIGHT



## LT2801

<b>LAMP</b>	MAR16 (Not Included)
<b>Wattage</b>	Up to 50W
<b>Finish</b>	Antique-Bronze
<b>Material</b>	Die-cast Brass
<b>Lens</b>	Clear




# DECK LIGHT



## LT2601

<b>LAMP</b>	G4 (Not Included)
<b>Wattage</b>	Up to 50W
<b>Finish</b>	Antique-Bronze
<b>Material</b>	Die-cast Brass
<b>Lens</b>	Frosted



# WALL SCONCE




# DOWN LIGHT




## LT2602

<b>LAMP</b>	MAR16 (Not Included)
<b>Wattage</b>	Up to 50W
<b>Finish</b>	Antique-Bronze
<b>Material</b>	Die-cast Brass
<b>Lens</b>	Clear



## LT2603

<b>LAMP</b>	MAR16 (Not Included)
<b>Wattage</b>	Up to 50W
<b>Finish</b>	Antique-Bronze
<b>Material</b>	Die-cast Brass
<b>Lens</b>	Frosted



# TRANSFORMER



## LT3075

<b>POWER</b>	75W
<b>INPUT VOLTAGE</b>	120VAC
<b>OUTPUT VOLTAGE</b>	12-15VAC
<b>FINISH</b>	Silver
<b>MATERIAL</b>	304 Stainless Steel
<b>SIZE</b>	4.4" x 5" x 7.5"



# TRANSFORMER



## LT3150

<b>POWER</b>	150W
<b>INPUT VOLTAGE</b>	120VAC
<b>OUTPUT VOLTAGE</b>	12-15VAC
<b>FINISH</b>	Silver
<b>MATERIAL</b>	304 Stainless Steel
<b>SIZE</b>	6.1" x 5.3" x 11.6"



## LT3300

<b>POWER</b>	300W
<b>INPUT VOLTAGE</b>	120VAC
<b>OUTPUT VOLTAGE</b>	12-15VAC
<b>FINISH</b>	Silver
<b>MATERIAL</b>	304 Stainless Steel
<b>SIZE</b>	6.1" x 5.3" x 11.6"



# TRANSFORMER



# ACCESSORIES



## LT3600

<b>POWER</b>	600W
<b>INPUT VOLTAGE</b>	120VAC
<b>OUTPUT VOLTAGE</b>	12-15VAC or 12-22VAC
<b>FINISH</b>	Silver
<b>MATERIAL</b>	304 Stainless Steel
<b>SIZE</b>	7.3" x 6.9" x 15"



Plastic Stake  
LT401A



Brass Stake  
LT401C



Plastic Stake  
LT401D



Plastic Stake  
LT401E

## LT3900

<b>POWER</b>	900W
<b>INPUT VOLTAGE</b>	120VAC
<b>OUTPUT VOLTAGE</b>	12-15VAC or 12-22VAC
<b>FINISH</b>	Silver
<b>MATERIAL</b>	304 Stainless Steel
<b>SIZE</b>	7.3" x 6.9" x 15"



Stake Cover  
LT401Z



Brass Tree Mount  
LT402A



Gutter Mount  
LT401C

# ACCESSORIES



Wire Connector  
LT405



Brass Locknut  
LT404



Photocell  
LT408



WIFI Socket  
LT409



Brass Connector  
LT410L



Hex Louvre Lens  
LT401Z




Timer  
LT407M / LT407D



Brass Riser  
3" / 7" / 12" / 18" / 24"  
LT406

# OUR LOCATION



1055 CLARK BLVD, BRAMPTON,  
ON, L6T 3W4 CANADA  
P: (905) 791-1433  
E-MAIL: SALES@JENCOCANADA.CA

# LED Asymmetrical Wall light.

Adjustable in any direction



New, smaller & brighter, available in round or square shape with an asymmetric beam spread. These low-power consumption fixtures are as small as 2 inches and produce up to 60 lumens per 1.5W-fixture Ideal for ambient illumination of staircases, corridors, hallways and entrances, etc.



Modern Design with High Quality Aluminum



Asymmetric Beam Spread



Torsion Clips

Durable Aluminum body



Model Shown: AD-701C3KWH-1W-12V



Wattage



Lumens



Beam Angle



Lifespan




Color Rendering Index

## Features

- Available in round or square shape with an asymmetric beam spread
- Modern design with high quality aluminum body
- The light will create an attractive romantic impression at night and safely illuminate your way with its bright lighting and stays as a beautiful piece of art on your wall
- Input voltage: DC 12V
- Easy to install, simply to replace, convenient using
- Smaller lamp body, flexible application
- 100%-5% dimming with compatible electronic and magnetic dimming drivers
- They produce high-quality light with low power consumption and are rated to last over 50,000 hours
- You can connect up to 14 fixtures from a 12 volt, 60 watt hardwire box
- Suitable for indoor use only, dry and damp locations

4 thickness mm

The face plate (2" L x 1/8" T) which blends perfectly with the wall. Walking up or down the stairway you will never find it protrude too much from the wall.






Dimensions



Installation



Drill a 1-5/8" (40mm) hole

Connect the wires, then push the fixture in the opening

Picture	Model	Description
	<b>LED Round Asymmetric Wall Light - Warm White</b>	
	AD-701C3KWH-1W-12V	1.5W 3000K 60Lm Round White Finish
	AD-701C3KBK-1W-12V	1.5W 3000K 60Lm Round Black Finish
	AD-701C3KBN-1W-12V	1.5W 3000K 60Lm Round Brushed Nickel Finish
	<b>LED Round Asymmetric Wall Light - Neutral White</b>	
	AD-701C4KWH-1W-12V	1.5W 4000K 60Lm Round White Finish
	AD-701C4KBK-1W-12V	1.5W 4000K 60Lm Round Black Finish
	AD-701C4KBN-1W-12V	1.5W 4000K 60Lm Round Brushed Nickel Finish
	<b>LED Round Asymmetric Wall Light - Cool White</b>	
AD-701C5KWH-1W-12V	1.5W 5000K 60Lm Round White Finish	
AD-701C5KBK-1W-12V	1.5W 5000K 60Lm Round Black Finish	
AD-701C5KBN-1W-12V	1.5W 5000K 60Lm Round Brushed Nickel Finish	
	<b>LED Square Asymmetric Wall Light - Warm White</b>	
	AD-701D3KWH-1W-12V	1.5W 3000K 60Lm Square White Finish
	AD-701D3KBK-1W-12V	1.5W 3000K 60Lm Square Black Finish
	AD-701D3KBN-1W-12V	1.5W 3000K 60Lm Square Brushed Nickel Finish
	<b>LED Square Asymmetric Wall Light - Neutral White</b>	
	AD-701D4KWH-1W-12V	1.5W 4000K 60Lm Square White Finish
	AD-701D4KBK-1W-12V	1.5W 4000K 60Lm Square Black Finish
	AD-701D4KBN-1W-12V	1.5W 4000K 60Lm Square Brushed Nickel Finish
	<b>LED Square Asymmetric Wall Light - Cool White</b>	
	AD-701D5KWH-1W-12V	1.5W 5000K 60Lm Square White Finish
	AD-701D5KBK-1W-12V	1.5W 5000K 60Lm Square Black Finish
	AD-701D5KBN-1W-12V	1.5W 5000K 60Lm Square Brushed Nickel Finish

Accessories


Picture	Model	Description
	<b>Dimmable Hardwire Box</b>	
	HBL024-120-12-D	24W 12VDC dimmable hardwire box
	HBL060-120-12-D	60W 12VDC dimmable hardwire box

# LED Mini Step Light

with Smooth White Acrylic Lens with Photocell



DIMENSIONS



PRODUCT SPECIFICATIONS

- Suitable for use on stairs, wall bases, or any indoor or protected environment applications requiring safe illumination in dark areas.
  - White Acrylic Lens.
  - ON/OFF Only
  - Suitable for vertical and horizontal mounting.
  - Installs onto single gang receptacle box by 2 screws.
  - Box not included.
- Lamp:** LED array chip, CRI 80  
**ELST69:** (12) 0.8W, 3000°K, 50 lm  
**LED Driver:** 120V AC, integrated with LED bulb  
**Housing:** Single gang receptacle box (not included)  
**Labels:** cETLus. listed for damp locations

CATALOG NUMBER

Example: AD-RSM-LED-SQ0.8W-\*\*KBK  
 AD-RSM-LED-S0.8W-\*\*KBZ  
 AD-RSM-LED-S0.8W-\*\*KBN  
 AD-SARSM-LED-SQ0.8W-\*\*KWH



## how to **order**

**Visit Location:**

1055 Clark Boulevard, Brampton  
Ontario L6T 3W4 Canada

P: (905) 791-1433

e-mail: [sales@jencocanada.ca](mailto:sales@jencocanada.ca)

