

Prepared for:
KENJI CBD LLC
400 5th Ave S
Naples, FL USA 34102

Organic 1000mg MCT Tincture (RT)

Batch ID or Lot Number: 0365114	Test, Test ID and Methods: Various	Matrix: Unit	Page 1 of 2
Reported: 11Apr2023	Started: 10Apr2023	Received: 06Apr2023	


Cannabinoids


Test ID: T000240747

Methods: TM14 (HPLC-DAD)

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	2.206	5.250	43.700	1.60	# of Servings = 1, Sample Weight=28g
Cannabichromenic Acid (CBCA)	2.018	4.802	ND	ND	
Cannabidiol (CBD)	5.831	13.317	1011.490	36.10	
Cannabidiolic Acid (CBDA)	5.981	13.658	ND	ND	
Cannabidivarin (CBDV)	1.379	3.149	13.080	0.50	
Cannabidivarinic Acid (CBDVA)	2.495	5.697	ND	ND	
Cannabigerol (CBG)	1.252	2.981	45.520	1.60	
Cannabigerolic Acid (CBGA)	5.236	12.461	ND	ND	
Cannabinol (CBN)	1.634	3.889	ND	ND	
Cannabinolic Acid (CBNA)	3.572	8.502	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	6.237	14.846	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	5.665	13.483	38.780	1.40	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	5.019	11.946	ND	ND	
Tetrahydrocannabivarin (THCV)	1.139	2.711	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	4.427	10.537	ND	ND	
Total Cannabinoids			1152.570	41.20	
Total Potential THC			38.780	1.40	
Total Potential CBD			1011.490	36.10	

Final Approval


Karen Winternheimer
11Apr2023
12:33:00 PM MDT
PREPARED BY / DATE


Sam Smith
11Apr2023
12:43:00 PM MDT
APPROVED BY / DATE

Prepared for:
KENJI CBD LLC
400 5th Ave S
Naples, FL USA 34102

Organic 1000mg MCT Tincture (RT)

Batch ID or Lot Number: 0365114	Test, Test ID and Methods: Various	Matrix: Unit	Page 2 of 2
Reported: 11Apr2023	Started: 10Apr2023	Received: 06Apr2023	

Microbial Contaminants

Test ID: T000240748

Methods: TM25 (PCR) TM24, TM26, TM27 (Culture Plating)

	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
<i>Salmonella</i>	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	<LLOQ	
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval



Brett Hudson
10Apr2023
12:41:00 PM MDT

PREPARED BY / DATE



Brianne Maillot
13Apr2023
07:24:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/ee2327b7-4147-4667-b6a0-6c02084e0ec3>

Definitions

LOD = Limit of Detection, ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation, PPB = Parts per Billion, % = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)). Fail equates to a concentration level of Delta 9-THC, on a dry weight basis, higher than 0.3 percent + or - the measurement uncertainty. Total Potential THC is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step. Total THC = THC + (THCa *(0.877)). ALOQ = Above Limit Of Quantitation (defined by dynamic range of the method), CFU/g = Colony Forming Units per Gram. Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU.

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA. Some tests listed on this COA may not be within our scope of A2LA accreditation. Please visit [A2LA for more details](#).



Cert #4329.02

ee2327b741474667b6a06c02084e0ec3.1