BIOMIN® MANGANESE

Amino Acid Chelated Mineral for Soil and Foliar Application



Product Information

BIOMIN MANGANESE contains amino acid chelated manganese for soil and/or foliar application. Completely bioavailable and nonphytotoxic to plants when applied in accordance to directions. Designed to prevent and correct manganese deficiencies and to boost crops during critical or fast growing periods. May be applied with nitrogen fertilizers

GUARANTEED ANALYSIS

Total Nitrogen (N)	1.0%
1.0% Water Soluble Nitrogen	
Manganese (Mn)	5.0%
5.0% Chelated Manganese	

Derived from manganese sulfate and hydrolyzed vegetable protein.

KEEP OUT OF REACH OF CHILDREN

SHAKE WELL BEFORE USE

PREVENTS AND CORRECTS MANGANESE DEFICIENCIES

NET CONTENTS: 1 Gallon Weight per Gallon: 10.0 lb (4.5 kg) @ 68°F U.S. Pat.# 5,504,055 Lot #: F1810031



Directions and General Recommendations

SOIL APPLICATION

BIOMIN MANGANESE can be applied before or at planting as banding or broadcast. The application rate is 1 quart to 1 gallon per acre depending on soil conditions and application methods. For maintenance, 1 quart per acre is recommended. BIOMIN MANGANESE should be diluted with enough water to cover the entire acre.

FOLIAR APPLICATION

FIELD CROPS: Apply 1-4 pints per acre (1.25-5 liters/hectare) of BIOMIN MANGA-NESE when crops are about 4-6 inches (10-20 cm) high or when deficiency symptoms appear. Repeat the application in 2-4 weeks if necessary.

FRUIT TREES AND GRAPES: Apply 1-4 pints per acre (1.25-5 liters/hectare) of BIO-MIN MANGANESE starting at bud break or when deficiency symptoms appear. Repeat the application in about 4 weeks if necessary.

VEGETABLE CROPS: Apply 1-4 pints per acre (1.25-5 liters/hectare) of BIOMIN MANGANESE at about 2 - 4 weeks after emergence, or when deficiency symptoms appear. Repeat the application in 1-3 weeks if necessary.

ALMONDS, WALNUTS, PISTACHIOS AND OTHER NUT CROPS: Apply 1-4 pints per acre (1.25-5 liters/hectare) before bloom. Repeat the application if necessary.

For best results, apply BIOMIN MANGA-NESE when the crop is in active growing stage, after irrigation or natural rain fall. For foliar application, it should be diluted with at least 100 times of water. BIOMIN MAN-GANESE will lower high pH of water and decrease the hydrolysis of most pesticides.

BIOMIN MANGANESE can be applied to: Strawberry, Lettuce, Tomato, Celery, Grapes, Stone Fruits, Tree Fruits, Vegetables, Commercial Turf, and Ornamental Gardens.

LIMITED WARRANTY

Manufacturer or seller makes no warranty, whether expressed or implied, concerning the use of this product other than for the purposes indicated on the label. Neither manufacturer nor seller shall be liable for any injury or damage caused by this product due to misuse. mishandling or any application not specifically described on the label.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm

0305 D-B-2